

News 2022

SHAPES OF LIGHT *GALILEO*

modo[®]
LUCE



GALILEO

Forme sinuose abbinata ad una illuminazione diffusa e mai invadente caratterizzano Galileo. Singola o in gruppo si dimostra versatile esaltando lo spazio che la circonda.

Galileo is marked by sinuous forms combined with diffuse light that is never intrusive. On its own or in a group, it is versatile and brings out the surrounding space.









Lamp		Dimensions	Light source
Pendant lamp	Galileo 80	125 x 80 x 2,5 cm weight 3 kg	lamp type LED 44 W luminous efficacy 5500 Lm light colour 3000 K DIM DALI – push DIM / TRIAC
	Galileo 100	156 x 100 x 2,5 cm weight 5 kg	lamp type LED 56 W luminous efficacy 7100 Lm light colour 3000 K DIM DALI – push DIM / TRIAC

Finishes

Colours



White



Lead grey



Matt gold




Mallow

Lampada in metallo/
Metal structure


Luce diffusa/
Diffused light



Pendant lamp



IP20




* on demand

** cable on measure



White



Matt gold



Lead grey



Mallow

Dettaglio rosone/
Ceiling rose detail



Particolare struttura/
Structure detail



Lamp		Dimensions	Light source
Wall lamp	Galileo 80 plug	125 x 80 x 6 cm weight 3 kg	lamp type LED 29 W luminous efficacy 3670 Lm light colour 3000 K DIM
	Versione con cavo, alimentatore DIM a pedale/ Plug version switch, DIM on the cable		
	Galileo 80 remote	125 x 80 x 6 cm weight 3 kg	lamp type LED 44 W luminous efficacy 5500 Lm light colour 3000 K DIM Dali - push DIM / TRIAC
	Versione con alimentatore da remoto/ Remote drive version		

Finishes

Colours



White



Lead grey



Matt gold




Mallow

Lampada in metallo/
Metal structure


Luce diffusa/
Diffused light



Wall lamp



IP20



* on demand



Aggancio a muro versione con spina/
Wall mounting plug version



Aggancio a muro versione driver in remoto/
Wall mounting remote driver version



Lamp	Dimensions	Light source
Floor lamp	15 x 180 cm	lamp type LED 22 W luminous efficacy 2755 Lm light colour 3000 K DIM

Finishes

Colours



White



Lead grey



Matt gold




Mallow

Lampada in metallo/
Metal structure


Luce indiretta/
Indirect light



Floor lamp



IP20



* on demand



Particolare aggancio
con magnete/
Magnet connection
detail



Particolare base in
metallo/
Metal base detail



GALILEO LONGUE

Un'armonia di forme contemporanee composte da strisce luminose sinuose ed eleganti caratterizzano Galileo Longue. Un volume perfetto che illumina lo spazio in modo indiretto con una luce diffusa e discreta.

Galileo Longue is characterised by a harmonious combination of contemporary forms with sinuous, elegant strips of light. A perfect volume that indirectly illuminates the space with a diffuse, discreet light.







Lamp	Dimensions	Light source
Pendant lamp	145 x 18 x 2,5 cm weight 5 kg	lamp type LED 40W luminous efficacy 5000 Lm light colour 3000 K DIM DALI – Push DIM / Triac

Finishes

Colours



White



Lead grey



Matt gold




Mallow

Lampada in metallo/
Metal structure

Luce diffusa/
Diffused light



Pendant lamp



IP20



* on demand

** cable on measure



White



Matt gold



Lead grey



Mallow



Particolare struttura/
Structure detail

Dettaglio rosone/
Ceiling rose detail



Lamp		Dimensions	Light source
Wall lamp	Galileo longue 75	9 x 75 x 2,5 cm weight 1 kg	lamp type LED 10 W luminous efficacy 1230 Lm light colour 3000 K DIM DALI – push DIM / Triac
	Galileo longue 145	10 x 145 x 2,5 cm weight 2 kg	lamp type LED 20 W luminous efficacy 2500 Lm light colour 3000 K DIM DALI – push DIM / Triac

Finishes

Colours



White



Lead grey



Matt gold



Mallow


Lampada in metallo/
Metal structure

Luce indiretta/
Indirect light


Driver in remoto/
Remote driver



Wall lamp



IP20



* on demand




Particolare
aggancio a muro/
Wall mounting
detail

Finiture / Finishes

Metal

Galileo, Galileo longue



Cod. 080
Bianco / White



Cod. 075
Piombo / Lead grey



Cod. 073
Oro opaco / Matt gold



Cod. 095
Malva / Mallow

Sorgenti luminose / Light sources

Temperatura colore

La lampada Galileo equipaggiata con sorgente LED, viene fornita di serie con temperatura di colore 3000K. È disponibile su richiesta anche nella versione 2700K e 4000K.

Color temperature

Galileo led equipped lamp is supplied with 3000K light colour as standard version. 2700K and 4000K are available on request.

Lumen

L'indicazione del flusso luminoso si riferisce al valore in assenza di rifrazione, come dichiarato dal produttore del componente LED.

Lumen


Nominal luminous flux refers to the value without any refraction as declared by the LED module manufacture.

Pesi / Weights

Galileo				Galileo Longue			
Pendant lamp	L 80	3 kg	6.60 lb	Pendant lamp	L 145	5 kg	11.03 lb
Pendant lamp	L 100	5 kg	11.03 lb	Wall lamp	L 75	1 kg	2.20 lb
Wall lamp	L 80	3 kg	6.60 lb	Wall lamp	L 145	2 kg	4.41 lb

Rosoni / Ceiling roses + Pendant lamp

16 cm 6.30"	Galileo 80 / 100	no dim
	Galileo Longue 145	no dim



Legenda / Legend

	Indoor		Indica il cablaggio elettrico CL2 / Designates the CL2 electric wiring
	Sospensione / Pendant lamp		Indica che i materiali costituenti l'apparecchio superano la prova al filo incandescente alla temperatura indicata nell'icona secondo la norma IEC / Indique que les matériaux composant l'appareil passent le test au fil incandescent 650°, comme par règlement ICE 695-2-1
	Parete / Wall lamp		Dimmerabile / Dimmable
	Terra / Floor lamp		Cavo in acciaio ed elettrico a misura su richiesta / Metal and electrical wire on demand
			Curva fotometrica / Lighting data
			Modello depositato / Patent pending

Certificati / Certifications

	Tutti i prodotti Modo Luce sono certificati CE / All the Modo Luce products are CE certified		Indica la possibilità di fornire il prodotto con certificazione ETL / Designates the possibility to have a wiring system with ETL certification
--	--	--	---

Tutti i nostri prodotti sono realizzati completamente in Italia. Modo Luce is made in Italy.

All products are entirely made in Italy. Modo Luce is made in Italy.

Modo Luce S.r.l.

Tutti i diritti riservati.

Il logo Modo Luce è un marchio regolarmente depositato in ambito nazionale ed internazionale di esclusiva titolarità e proprietà di Modo Luce S.r.l. L'uso di tale logo per scopi commerciali, senza il precedente consenso scritto di Modo Luce S.r.l. può costituire violazione del marchio e concorrenza sleale in violazione alle leggi statali.

Modo Luce S.r.l.

All rights reserved.

The logo Modo Luce is a regularly registered trademark in the national and international context and is the exclusive property of Modo Luce S.r.l. Use of said logo for commercial purposes, without the written permission of Modo Luce S.r.l., can constitute infringement of trademark and unfair competition in branch of the state laws.

Il presente catalogo è tutelato dalla legge sui diritti d'autore (legge 22/41941 N. 633) e dalla legge 14/12/1942 n. 1485: di esso è proibita ogni riproduzione totale o anche parziale.

This catalogue is safeguarded by the law on copyright (law 22/41941 no. 633) and by the law 14/12/1942 no. 1485: all total or even partial reproductions of the catalogue are forbidden.

I dati riportati su questo catalogo sono indicativi e non costituiscono impegno da parte della Modo Luce Srl, che si riserva di apportare tutte le modifiche e migliorie ai propri prodotti, in osservanza della normativa CE senza obbligo di preavviso.

Data contained in this catalogue is purely indicative and does not engage Modo Luce Srl, in any way or any form. Modo luce reserves the right to make any technical and aesthetical changes to models without prior notice, in compliance with the European standard.

In particolare la costante evoluzione e i continui cambiamenti della tecnologia LED influenzano anche i nostri prodotti. Modo Luce è alla continua ricerca nell'individuare le soluzioni tecniche più aggiornate per migliorare la qualità della luce e l'efficienza energetica. Di conseguenza i dati riportati nel presente catalogo possono subire variazioni. Vi consigliamo di consultare il nostro sito internet modoluce.com che sarà costantemente aggiornato con i dati tecnici.

The constant evolution and the continuous changes of the LED technology influence our products in a particular way. Modo Luce is always trying to identify the most up-to-date technical solutions in order to improve light quality and energy efficiency. Consequently, the datasheet shown in this catalogue may undergo variations. We advise you therefore to consult our website modoluce.com provided with the regularly updated technical data.

La marcatura CE indica che il prodotto soddisfa gli obblighi di legge in merito alle Direttive Comunitarie Europee applicabili allo stesso.

The CE mark is your assurance that the product meets all the requirements prescribed by law, as contained in the European Community directives which apply to the products.

I colori dei prodotti possono variare rispetto a quanto rappresentato nel catalogo e da lotto a lotto.

Product colours can differ from what is shown in the catalogue and from batch to batch.

Art direction
Heads Collective

Print
Logo srl
Printed in March 2022



MODO LUCE SRL
via Venezia, 13
31028 Vazzola (TV) Italy

T +39 0438 488076
T +39 0438 488110

info@modoluce.com
modoluce.com

