









INDICE / INDEX

<u>Abc</u>	01	<u>Diogene Outdoor</u>	60	<u>Mood</u>	135
<u>Alco</u>	02	<u>Discovolante</u>	61	<u>Mood Desnuda</u>	137
<u>Angelica</u>	10	<u>Disk</u>	75	<u>Multiball</u>	138
<u>Angelica Outdoor</u>	13	<u>Eva</u>	77	<u>Nucleo</u>	146
<u>Atollo</u>	14	<u>Florinda</u>	79	<u>Olivia</u>	148
<u>Atollo Outdoor</u>	17	<u>Florinda Desnuda</u>	83	<u>Ombrella</u>	151
<u>Aura</u>	20	<u>Galileo</u>	86	<u>Orb</u>	154
<u>Baobab</u>	21	<u>Galileo Longue</u>	88	<u>Ottovolante</u>	162
<u>Bolla Ellisse</u>	23	<u>Geco</u>	90	<u>Peggy</u>	166
<u>Butterfly</u>	25	<u>Hammer</u>	92	<u>Rettangolo</u>	172
<u>Campanone</u>	26	<u>Icaro</u>	97	<u>Rettangolo Slim</u>	176
<u>Campanone Outdoor</u>	27	<u>Icaro Outdoor</u>	99	<u>Reverse</u>	180
<u>Chandelier</u>	28	<u>Icaro ball</u>	102	<u>Righello</u>	182
<u>Chandelier Longue</u>	34	<u>Icaro ball Outdoor</u>	104	<u>Ring</u>	184
<u>Charlie</u>	38	<u>Idea</u>	107	<u>Ring Tonda</u>	186
<u>Cilindro</u>	43	<u>Lost</u>	112	<u>Romeo</u>	188
<u>Circus</u>	52	<u>Loto</u>	114	<u>Sestante</u>	191
<u>Clip</u>	56	<u>Lucilla</u>	118	<u>Sestante Outdoor</u>	194
<u>Coco'</u>	57	<u>Lucilla Tonda</u>	122		
<u>Corner</u>	59	<u>Milleluci</u>	127		

Metal pendant lamp in three sizes, in white or lead grey colours and in Deluxe finishes: lime green, brick, blue China and matt gold.

Symbol index  → • / present - / absent OD / On Demand


A B C	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
			 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
	Pendant lamp white or lead grey	1 x GU10 28 W HES	•	OD	IP20	AAAESO012G41	355			
	Pendant lamp Deluxe	1 x GU10 28 W HES	•	OD	IP20	AAAESO012G42	440			
	Pendant lamp white or lead grey	1 x GU10 28 W HES	•	OD	IP20	BBBESO017G41	355			
	Pendant lamp Deluxe	1 x GU10 28 W HES	•	OD	IP20	BBBESO017G42	440			
	Pendant lamp white or lead grey	1 x GU10 28 W HES	•	OD	IP20	CCCESO022G41	355			
	Pendant lamp Deluxe	1 x GU10 28 W HES	•	OD	IP20	CCCESO022G42	440			
Accessory - Pendant lamp		Surcharge for ceiling rose in the same colour as Deluxe structure				ROS110003601	20			

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


ALCO

Pendant lamp - ø 90




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090F01	3.790					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090F02	3.875					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090F03	3.915					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090E01	3.865					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090E02	3.950					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090E03	3.985					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090L01	4.430					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090L02	4.505					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090L03	4.550					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090I01	4.430					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090I02	4.505					
Kvadrat fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090I03	4.550					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO



Pendant lamp - ø 90



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090F04	3.925					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090F05	4.020					
Tailor fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090F06	4.055					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090E04	4.000					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090E05	4.090					
Wool fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090E06	4.120					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090L04	4.570					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090L05	4.650					
Soft textile DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090L06	4.690					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090I04	4.570					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090I05	4.650					
Kvadrat fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090I06	4.690					


PRODUCTS: Alco
 DESIGN: Roberto Paoli 2017





Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand

ALCO


Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120F01	4.170					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120F02	4.255					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120F03	4.295					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120E01	4.315					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120E02	4.395					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120E03	4.440					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120L01	4.815					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120L02	4.905					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120L03	4.945					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120I01	5.060					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120I02	5.135					
Kvadrat fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120I03	5.185					


PRODUCTS: Alco
DESIGN: Roberto Paoli 2017





Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
Removable and easy care fabric cover.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120F06	4.315					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120F07	4.395					
Tailor fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120F08	4.440					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120E06	4.450					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120E07	4.535					
Wool fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120E08	4.580					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120L06	4.955					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120L07	5.045					
Soft textile DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120L08	5.080					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120I06	5.200					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120I07	5.290					
Kvadrat fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120I08	5.325					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


PRODUCTS: Alco
 DESIGN: Roberto Paoli 2017

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index → • / present - / absent OD / On Demand


ALCO

Ceiling lamp - ø 90




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090F01	4.190					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090F02	4.270					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090F03	4.315					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090E01	4.255					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090E02	4.335					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090E03	4.380					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090L01	4.815					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090L02	4.905					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090L03	4.945					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090I01	4.815					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090I02	4.905					
Kvadrat fabric DIM DALI/Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090I03	4.945					





Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 90




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090F04	4.325					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090F05	4.405					
Tailor fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090F06	4.450					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090E04	4.395					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090E05	4.485					
Wool fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090E06	4.520					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090L04	4.955					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090L05	5.045					
Soft textile DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090L06	5.080					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090I04	4.955					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090I05	5.045					
Kvadrat fabric DIM DALI/Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090I06	5.080					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 120




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120F01	4.255					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120F02	4.335					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120F03	4.380					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120E01	4.395					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120E02	4.485					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120E03	4.570					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120L01	4.905					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120L02	4.980					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120L03	5.035					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120I01	5.135					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120I02	5.220					
Kvadrat fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120I03	5.260					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120F06	4.395					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120F07	4.485					
Tailor fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120F08	4.520					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120E06	4.535					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120E07	4.620					
Wool fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120E08	4.680					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120L06	5.045					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120L07	5.125					
Soft textile DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120L08	5.175					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120I06	5.290					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120I07	5.360					
Kvadrat fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120I08	5.410					



NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Floor lamp with cantilever arm (adjustable in two positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
 Lampshade available in cotton fabric in the same colour as the metal structure, in washable marble or sand wool fabric.
On demand, cotton, washable or wool fabric lampshade available in different colours with 3% surcharge.

Symbol index → • / present - / absent OD / On Demand

ANGELICA

Wall lamp - L 120



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Wall lamp L.120 white
cotton white

1 x E27 70 W HES

OD

OD

IP20

ANGEAP135C01

970

Wall lamp L.120 black
cotton black

1 x E27 70 W HES

OD

OD

IP20

ANGEAP135C02

970

Wall lamp L.120 white washable
marble

1 x E27 70 W HES

OD

OD

IP20

ANGEAP135T01

1.035

Wall lamp L.120 black washable
marble

1 x E27 70 W HES

OD

OD

IP20

ANGEAP135T02

1.035

Wall lamp L.120 white wool
sand

1 x E27 70 W HES

•

OD

IP20

ANGEAP135E01

1.045

Wall lamp L.120 black wool
sand

1 x E27 70 W HES

•



OD

IP20

ANGEAP135E02

1.045

Wall lamp - L 170



Wall lamp L.170 white
cotton white

1 x E27 70 W HES

OD

OD

IP20

ANGEAP180C01

1.020

Wall lamp L.170 black
cotton black

1 x E27 70 W HES

OD

OD

IP20

ANGEAP180C02

1.020

Wall lamp L.170 white washable
marble

1 x E27 70 W HES

OD

OD

IP20

ANGEAP180T01

1.085

Wall lamp L.170 black washable
marble

1 x E27 70 W HES

OD

OD

IP20

ANGEAP180T02

1.085

Wall lamp L.170 white wool
sand

1 x E27 70 W HES

•

OD

IP20

ANGEAP180E01

1.095

Wall lamp L.170 black wool
sand

1 x E27 70 W HES

•


OD

IP20



ANGEAP180E02





1.095

Floor lamp with cantilever arm (adjustable in two positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
 Lampshade available in cotton fabric in the same colour as the metal structure, in washable marble or sand wool fabric.
On demand, cotton, washable or wool fabric lampshade available in different colours with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp L.200 white cotton white	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200C01	1.085					
Wall lamp L.200 black cotton black	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200C02	1.085					
Wall lamp L.200 white washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200T01	1.145					
Wall lamp L.200 black washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200T02	1.145					
Wall lamp L.200 white wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP200E01	1.160					
Wall lamp L.200 black wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP200E02	1.160					

Accessory - Wall lamp

Universal DIM switch HES (40/160W) + LED (4/100W)

DIMVAR0TA002

100



Accessory - Wall lamp

Fixing accessory for wall lamp - white


• OD IP20 DEJEAR000G01

135

Fixing accessory for wall lamp - black

• OD IP20 DEJEAR000G02

135





Floor lamp with cantilever arm (adjustable in two positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
 Lampshade available in cotton fabric in the same colour as the metal structure, in washable marble or sand wool fabric.
On demand, cotton, washable or wool fabric lampshade available in different colours with 3% surcharge.

Symbol index → • / present - / absent OD / On Demand

ANGELICA

Floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp white cotton white	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230C01	1.660					
Floor lamp black cotton black	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230C02	1.660					
Floor lamp white washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230T01	1.740					
Floor lamp black washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230T02	1.740					
Floor lamp white wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEPT230E01	1.765					
Floor lamp black wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEPT230E02	1.765					

Accessory - Floor lamp	Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	120
------------------------	---	--------------	-----




Floor lamp with cantilever arm and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating. Lampshade in washable marble fabric.
On demand, washable fabric lampshade available in different colours with 3% surcharge.

Symbol index → • / present - / absent OD / On Demand

ANGELICA OUTDOOR


Wall lamp - L 170



DESCRIPTION	LIGHT SOURCE
Wall lamp L.170 white washable marble	1 x E27 42 W HES
Wall lamp L.170 black washable marble	1 x E27 42 W HES


INDOOR			OUTDOOR		
IP	CODE	€ EURO	IP	CODE	€ EURO
• - IP44/55	AGOEAP170T01	1.765	• - IP44/55	AGOEAP170T01	1.765
• - IP44/55	AGOEAP170T02	1.765	• - IP44/55	AGOEAP170T02	1.765

Accessory - Wall lamp



Fixing accessory for wall lamp - white	• - IP55	DEOEAR000G01	165
Fixing accessory for wall lamp - black	• - IP55	DEOEAR000G02	165


Floor lamp



Floor lamp white washable marble	1 x E27 42 W HES	OD OD IP44/55	AGOEPT230C01	2.110
Floor lamp black washable marble	1 x E27 42 W HES	OD OD IP44/55	AGOEPT230C02	2.110



PRODUCTS: Atollo
 DESIGN: Paolo Grasselli 2009





Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.

Symbol index  → • / present - / absent OD / On Demand



ATOLLO

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
With 1 steel cable	6 x E27 42 W HES	•	OD	IP31	ATIESO070D01	1.230					
With 3 steel cables	6 x E27 42 W HES	•	OD	IP31	ATIESO070D02	1.200					
With 1 steel cable NO DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	-	IP31	ATIESO070D41	1.765					
With 3 steel cables NO DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	-	IP31	ATIESO070D42	1.725					
With 1 steel cable DIM DALI-Push DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	-	IP31	ATIESO070D43	2.035					
With 3 steel cables DIM DALI-Push DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	-	IP31	ATIESO070D44	2.010					


Pendant lamp - ø 100



With 1 steel cable	8 x E27 42 W HES	•	OD	IP31	ATIESO100D01	1.640					
With 4 steel cables	8 x E27 42 W HES	•	OD	IP31	ATIESO100D02	1.595					
With 1 steel cable NO DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	-	IP31	ATIESO100D41	2.315					
With 4 steel cables NO DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	-	IP31	ATIESO100D42	2.275					
With 1 steel cable DIM DALI-Push DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	-	IP31	ATIESO100D43	2.705					
With 4 steel cables DIM DALI-Push DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	-	IP31	ATIESO100D44	2.665					



PRODUCTS: Atollo
 DESIGN: Paolo Grasselli 2009

Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.

Symbol index  → • / present - / absent OD / On Demand

ATOLLO


Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
			IP	CODE	€ EURO		IP	CODE	€ EURO		
With 1 steel cable	12 x E27 42 W HES	•	OD IP31	ATIESO150D01	2.750						
With 4 steel cables	12 x E27 42 W HES	•	OD IP31	ATIESO150D02	2.665						
With 1 steel cable NO DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	- IP31	ATIESO150D41	3.865						
With 4 steel cables NO DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	- IP31	ATIESO150D42	3.790						
With 1 steel cable DIM DALI-Push DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	- IP31	ATIESO150D43	4.350						
With 4 steel cables DIM DALI-Push DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	- IP31	ATIESO150D44	4.285						


PRODUCTS: Atollo
 DESIGN: Paolo Grasselli 2009





Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.

Symbol index  → • / present - / absent OD / On Demand


ATOLLO

Wall/ ceiling lamp - ø 70





DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Wall/ ceiling lamp	6 x E27 28 W HES	•	OD IP31	ATIEAP070D01	1.405				
Wall/ ceiling lamp NO DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	- IP31	ATIEAP070D41	1.920				
Wall/ ceiling lamp DIM DALI-Push DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	- IP31	ATIEAP070D42	2.180				

Wall/ ceiling lamp - ø 100



Wall/ ceiling lamp	8 x E27 28 W HES	•	OD IP31	ATIEAP100D01	1.900				
Wall/ ceiling lamp NO DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	- IP31	ATIEAP100D41	2.580				
Wall/ ceiling lamp DIM DALI-Push DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	- IP31	ATIEAP100D42	2.890				


Wall/ ceiling lamp - ø 150



Wall/ ceiling lamp	12 x E27 28 W HES	•	OD IP31	ATIEAP150D01	3.025				
Wall/ ceiling lamp NO DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	- IP31	ATIEAP150D41	4.000				
Wall/ ceiling lamp DIM DALI-Push DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	- IP31	ATIEAP150D42	4.495				



PRODUCTS: Atollo
 DESIGN: Paolo Grasselli 2009





Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand



ATOLLO OUTDOOR

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
With 1 steel cable	6 x E27 42 W HES				• - IP44	ATOESO070D01	1.305
With 3 steel cables	6 x E27 42 W HES				• - IP44	ATOESO070D02	1.280
With 1 steel cable NO DIM	1 led strip 40 W - 7000 Lm - 3000 K				• - IP44	ATOESO070D41	1.865
With 3 steel cables NO DIM	1 led strip 40 W - 7000 Lm - 3000 K				• - IP44	ATOESO070D42	1.840


Pendant lamp - ø 100



With 1 steel cable	8 x E27 42 W HES				• - IP44	ATOESO100D01	1.765
With 4 steel cables	8 x E27 42 W HES				• - IP44	ATOESO100D02	1.695
With 1 steel cable NO DIM	1 led strip 55 W - 9300 Lm - 3000 K				• - IP44	ATOESO100D41	2.455
With 4 steel cables NO DIM	1 led strip 55 W - 9300 Lm - 3000 K				• - IP44	ATOESO100D42	2.405



PRODUCTS: Atollo
 DESIGN: Paolo Grasselli 2009





Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ATOLLO OUTDOOR


Pendant lamp - ø 150










DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
With 1 steel cable	12 x E27 42 W HES				• - IP44	ATOESO150D01	3.025
With 4 steel cables	12 x E27 42 W HES				• - IP44	ATOESO150D02	2.945
With 1 steel cable NO DIM	1 led strip 82 W - 14000 Lm - 3000 K				• - IP44	ATOESO150D41	4.075
With 4 steel cables NO DIM	1 led strip 82 W - 14000 Lm - 3000 K				• - IP44	ATOESO150D42	4.000

PRODUCTS: Atollo
 DESIGN: Paolo Grasselli 2009

Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand


ATOLLO OUTDOOR

	DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
			  IP	CODE	€ EURO	  IP	CODE	€ EURO
Wall/ ceiling lamp - ø 70	Wall/ ceiling lamp	6 x E27 42 W HES				• - IP44	ATOEAP070D01	1.550
	Wall/ ceiling lamp NO DIM	1 led strip 40 W - 7000 Lm - 3000 K				• - IP44	ATOEAP070D41	1.965
Wall/ ceiling lamp - ø 100	Wall/ ceiling lamp	8 x E27 42 W HES				• - IP44	ATOEAP100D01	2.065
	Wall/ ceiling lamp NO DIM	1 led strip 55 W - 9300 Lm - 3000 K				• - IP44	ATOEAP100D41	2.595
Wall/ ceiling lamp - ø 150	Wall/ ceiling lamp	12 x E27 42 W HES				• - IP44	ATOEAP150D01	3.230
	Wall/ ceiling lamp NO DIM	1 led strip 82 W - 14000 Lm - 3000 K				• - IP44	ATOEAP150D41	4.150


PRODUCTS: Aura
 DESIGN: De Clercq & Geoffroy-Dechaume 2014

Table lamp with natural or raw hemp colour concrete base.
 Lampshade available in cotton, pleated, wool or Remix Kvadrat fabric.
 Possible random micro-holes on the concrete base are a characteristic of the handmade manufacturing process and of this material, that make each product a unique and unrepeatable piece.

Symbol index → • / present - / absent OD / On Demand

AURA	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
				IP	CODE	€ EURO		IP	CODE	€ EURO
Table lamp  <p>43 cm 16.93"</p> <p>65 cm 25.59"</p>	Natural grey base cotton fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065C01	815			
	Raw hemp base cotton fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065C03	815			
	Natural grey base pleated fabric	1 x E27 70 W HES	•	-	IP20	AURETA065P01	845			
	Raw hemp base pleated fabric	1 x E27 70 W HES	•	-	IP20	AURETA065P03	845			
	Natural grey base wool fabric	1 x E27 70 W HES	•	-	IP20	AURETA065E01	880			
	Raw hemp base wool fabric	1 x E27 70 W HES	•	-	IP20	AURETA065E03	880			
	Natural grey base Kvadrat fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065I01	975			
	Raw hemp base Kvadrat fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065I03	975			


Accessories	Upper disc in opal PMMA	-		IP20	AUREPM000M01	135			
	Upper disc in white PC	•		IP20	AUREPC000B01	150			



Accessory - Table lamp	Universal DIM switch HES (40/160W) + LED (4/100W)				DIMVAR0TA002	100			
-------------------------------	---	--	--	--	--------------	-----	--	--	--




Pendant and floor lamp with three or six arms.
 Metal structure painted in white or lead grey colours and in Deluxe finishes: caramel and matt gold.
 Pendant lamp with counterbalance in natural brass, floor lamp with natural concrete base.





Symbol index  → • / present - / absent OD / On Demand

BAOBAB


Pendant lamp 3 arms



80 cm
31.5"

DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Pendant lamp 3 arms white or lead grey	3 x E27 42 W HES	•	OD IP20	BAOESO003G01	1.095				
Pendant lamp 3 arms Deluxe	3 x E27 42 W HES	•	OD IP20	BAOESO003G02	1.280				
Accessory:									
Kit 3 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)				LMPLEDE27KIT300	175				



Pendant lamp 6 arms



80 cm
31.5"


Pendant lamp 6 arms white or lead grey	6 x E27 42 W HES	•	OD IP20	BAOESO006G01	1.490				
Pendant lamp 6 arms Deluxe	6 x E27 42 W HES	•	OD IP20	BAOESO006G02	1.765				
Accessory:									
Kit 6 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)				LMPLEDE27KIT600	345				





Pendant and floor lamp with three or six arms.
 Metal structure painted in white or lead grey colours and in Deluxe finishes: caramel and matt gold.
 Pendant lamp with counterbalance in natural brass, floor lamp with natural concrete base.

Symbol index   → • / present - / absent OD / On Demand


BAOBAB

Floor lamp 3 arms



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Floor lamp white or lead grey	3 x E27 42 W HES	•	OD IP20	BAOEPT195G01	1.405						
Floor lamp Deluxe	3 x E27 42 W HES	•	OD IP20	BAOEPT195G02	1.615						
Accessory:											
Kit 3 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)					LMPLEDE27KIT300	175					

Floor lamp 6 arms





Floor lamp white or lead grey	6 x E27 42 W HES	•	OD IP20	BAOEPT200G01	1.795					
Floor lamp Deluxe	6 x E27 42 W HES	•	OD IP20	BAOEPT200G02	2.080					
Accessory:										
Kit 6 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)					LMPLEDE27KIT600	345				

Accessory - Floor lamp

Universal DIM switch HES + LED (5/250W)				DIMVAROPT003	120					
---	--	--	--	--------------	-----	--	--	--	--	--








Pendant lamp in transparent PMMA. Inner diffuser in opal or colored PC orange and red or in cotton, washable, pleated and pleated ribbon fabric.
On demand, outer globe available in transparent polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index   → • / present - / absent OD / On Demand


BOLLA ELLISSE

Pendant lamp - ø 40




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	1 x E27 42 W HES	OD	OD	IP20	BOLESO040C01	615					
Washable	1 x E27 42 W HES	OD	OD	IP20	BOLESO040T01	645					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO040P01	705					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO040R01	710					
Opal PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO040M01	635					
Coloured PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO040M02	705					

Pendant lamp - ø 50




Cotton	1 x E27 42 W HES	OD	OD	IP20	BOLESO050C01	755					
Washable	1 x E27 42 W HES	OD	OD	IP20	BOLESO050T01	805					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO050P01	840					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO050R01	855					
Opal PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO050M01	795					
Coloured PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO050M02	855					

Pendant lamp - ø 60




Cotton	1 x E27 42 W HES	OD	OD	IP20	BOLESO060C01	930					
Washable	1 x E27 42 W HES	OD	OD	IP20	BOLESO060T01	985					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO060P01	1.035					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO060R01	1.055					
Opal PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO060M01	965					
Coloured PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO060M02	1.040					


Pendant lamp in transparent PMMA. Inner diffuser in opal or colored PC orange and red or in cotton, washable, pleated and pleated ribbon fabric.
On demand, outer globe available in transparent polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index   → • / present - / absent OD / On Demand


BOLLA ELLISSE

Pendant lamp - ø 60





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	1 x E27 42 W HES	-	OD	IP20	ELLESO060C01	805					
Washable	1 x E27 42 W HES	-	OD	IP20	ELLESO060T01	830					
Pleated fabric	1 x E27 42 W HES	-	OD	IP20	ELLESO060P01	820					
Pleated ribbon fabric	1 x E27 42 W HES	-	OD	IP20	ELLESO060R01	840					
Opal PC	1 x E27 42 W HES	-	OD	IP20	ELLESO060M01	815					
Coloured PC	1 x E27 42 W HES	-	OD	IP20	ELLESO060M02	870					

Pendant lamp - ø 80




Cotton	1 x E27 42 W HES	-	OD	IP20	ELLESO080C01	1.140					
Washable	1 x E27 42 W HES	-	OD	IP20	ELLESO080T01	1.170					
Pleated fabric	1 x E27 42 W HES	-	OD	IP20	ELLESO080P01	1.215					
Pleated ribbon fabric	1 x E27 42 W HES	-	OD	IP20	ELLESO080R01	1.225					
Opal PC	1 x E27 42 W HES	-	OD	IP20	ELLESO080M01	1.175					
Coloured PC	1 x E27 42 W HES	-	OD	IP20	ELLESO080M02	1.250					





Metal wall lamp painted in white or lead grey colours and in Deluxe finishing matt gold or available in the version with half discs covered in wool fabric with acoustic comfort features.

Symbol index   → • / present - / absent OD / On Demand


BUTTERFLY

Wall lamp - ø 54



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Metal wall lamp white or lead grey NO DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054G01	920			
Metal wall lamp Deluxe NO DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054G02	1.055			
Wool fabric wall lamp NO DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054E01	1.405			
Metal wall lamp white or lead grey DIM DALI - Push DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054G05	960			
Metal wall lamp Deluxe DIM DALI - Push DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054G06	1.095			
Wool fabric wall lamp DIM DALI - Push DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054E03	1.445			

Wall lamp - ø 75




Metal wall lamp white or lead grey NO DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075G01	1.120			
Metal wall lamp Deluxe NO DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075G02	1.305			
Wool fabric wall lamp NO DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075E01	1.900			
Metal wall lamp white or lead grey DIM DALI - Push DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075G05	1.165			
Metal wall lamp Deluxe DIM DALI - Push DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075G06	1.350			
Wool fabric wall lamp DIM DALI - Push DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075E03	1.945			

A and B: option at the customer's choice upon installation (2 sets of brackets included)


Accessory recessed

Kit for recessed version - ø 54	•	IP20	BUTEDD054G01	80	
Kit for recessed version - ø 75	•	IP20	BUTEDD075G01	105	



PRODUCTS: Campanone
DESIGN: Paolo Grasselli 2005

Pendant lamp with diffuser in white polyethylene or colored on the mix available in the following colours: orange, red, lime green, turquoise and deep grey.
 Opal plex finishing underneath.
 Plex finishing underneath available in opal polycarbonate too, in accordance with 650° normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

CAMPANONE

Pendant lamp


DESCRIPTION Medium pendant lamp ø 33

LIGHT SOURCE 1 x E27 42 W HES

INDOOR						OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO	
OD	OD	IP31	CAIESO033D01	485						
OD	OD	IP31	CAIESO051D01	635						


Maxi pendant lamp ø 51

1 x E27 70 W HES




PRODUCTS: Campanone Outdoor
DESIGN: Paolo Grasselli 2005

Pendant and floor lamp available with power supply or rechargeable LED white kit.
 Diffuser in white polyethylene or colored on the mix available in the following colours: orange, red, lime green, turquoise and deep grey.
 Opal plex finishing underneath.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

CAMPANONE OUTDOOR

Pendant lamp




DESCRIPTION **LIGHT SOURCE**

Medium pendant lamp ø 33 1 x E27 42 W HES

Maxi pendant lamp ø 51 1 x E27 70 W HES

INDOOR			OUTDOOR		
  IP	CODE	€ EURO	  IP	CODE	€ EURO
• - IP44	CAOES0033D02		• - IP65	CAOES0033D02	610
• - IP44	CAOES0051D02		• - IP65	CAOES0051D02	730

Floor lamp with power supply




Medium floor lamp ø 33 1 x E27 42 W HES

Maxi floor lamp ø 51 1 x E27 70 W HES

• - IP44	CAOETP033D03	500
• - IP44	CAOETA051D03	620

Rechargeable floor lamp



Medium floor lamp ø 33 1 kit led 6,4 W - 600 Lm - warm light

Maxi floor lamp ø 51 1 kit led 6,4 W - 600 Lm - warm light

• - IP65	CAOETP033D13	795
• - IP65	CAOETA051D13	900


IMPORTANT NOTE (TECHNICAL DETAILS):

Rechargeable kit LED 6,4W (600lm) IP65 warm white: supplied with battery 4400 mAh + battery charger + remote control.

Nominal service life (new product) with working temperature range from +18°C a +35°C (with working temperature range from +7°C to 10°C battery life is decreasing of 20%):


Led 25% 1,6W 10h - Led 50% 3,2W 6h30' - Led 100% 6,4W 2h15' - It is recommended to recharge the kit in indoor - temperature > +15° C.





Large pendant and ceiling lamp with arms.
 Wall lamp with one or two arms.
 Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index   → • / present - / absent OD / On Demand


CHANDELIER

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Pendant lamp white or black	12xE27 42W HES + 1xGU10 28W HES	•	OD IP20	CHAESO100G01	1.920				
Pendant lamp Deluxe	12xE27 42W HES + 1xGU10 28W HES	•	OD IP20	CHAESO100G02	2.135				
Pendant lamp white or black with gold rod	12xE27 42W HES + 1xGU10 28W HES	•	OD IP20	CHAESO100G21	1.965				
Pendant lamp Deluxe with gold rod	12xE27 42W HES + 1xGU10 28W HES	•	OD IP20	CHAESO100G22	2.180				
Accessory:									
Kit light bulbs: 12 x E27 Globe 125 LED 8W 2200K (NO DIM) + 1 x GU10 LED (NO DIM)				LMPLEDE27KIT011	460				
Kit light bulbs: 12 x E27 Globe 125 LED 7,5W 2200K (DIM) + 1 x GU10 LED (DIM)				LMPLEDE27KIT012	690				

Pendant lamp - ø 100




Pendant lamp white or black	13 x GU10 28 W HES	•	OD IP20	CHAESO100G11	1.920				
Pendant lamp Deluxe	13 x GU10 28 W HES	•	OD IP20	CHAESO100G12	2.135				
Pendant lamp white or black with gold rod	13 x GU10 28 W HES	•	OD IP20	CHAESO100G31	1.965				
Pendant lamp Deluxe with gold rod	13 x GU10 28 W HES	•	OD IP20	CHAESO100G32	2.180				
Accessory:									
Kit 13 light bulbs GU10 LED (NO DIM)				LMPLEDGU10KIT11	225				
Kit 13 light bulbs GU10 LED (DIM)				LMPLEDGU10KIT12	270				





Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index   → • / present - / absent OD / On Demand


CHANDELIER

Pendant lamp - ø 140





DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO	  IP	CODE	€ EURO		
Pendant lamp white or black	12xE27 42W HES + 1xGU10 28W HES	• OD IP20	CHAESO140G01	2.065					
Pendant lamp Deluxe	12xE27 42W HES + 1xGU10 28W HES	• OD IP20	CHAESO140G02	2.300					
Pendant lamp white or black with gold rod	12xE27 42W HES + 1xGU10 28W HES	• OD IP20	CHAESO140G21	2.110					
Pendant lamp Deluxe with gold rod	12xE27 42W HES + 1xGU10 28W HES	• OD IP20	CHAESO140G22	2.345					
Accessory:									
Kit light bulbs: 12 x E27 Globe 125 LED 8W 2200K (NO DIM) + 1 x GU10 LED (NO DIM)			LMPLEDE27KIT011	460					
Kit light bulbs: 12 x E27 Globe 125 LED 7,5W 2200K (DIM) + 1 x GU10 LED (DIM)			LMPLEDE27KIT012	690					

Pendant lamp - ø 140




Pendant lamp white or black	13 x GU10 28 W HES	• OD IP20	CHAESO140G11	2.065			
Pendant lamp Deluxe	13 x GU10 28 W HES	• OD IP20	CHAESO140G12	2.300			
Pendant lamp white or black with gold rod	13 x GU10 28 W HES	• OD IP20	CHAESO140G31	2.110			
Pendant lamp Deluxe with gold rod	13 x GU10 28 W HES	• OD IP20	CHAESO140G32	2.345			
Accessory:							
Kit 13 light bulbs GU10 LED (NO DIM)			LMPLEDGU10KIT11	225			
Kit 13 light bulbs GU10 LED (DIM)			LMPLEDGU10KIT12	270			

Large pendant and ceiling lamp with arms.
 Wall lamp with one or two arms.
 Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.





Symbol index   → • / present - / absent OD / On Demand

CHANDELIER


Ceiling lamp - ø 100



107 cm
41.13"

DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO	  IP	CODE	€ EURO		
Ceiling lamp white or black	6xE27 42W HES + 7xGU10 28W HES	• OD IP20	CHAEPL100G01	1.955					
Ceiling lamp Deluxe	6xE27 42W HES + 7xGU10 28W HES	• OD IP20	CHAEPL100G02	2.160					
Ceiling lamp white or black with gold rod	6xE27 42W HES + 7xGU10 28W HES	• OD IP20	CHAEPL100G21	1.995					
Ceiling lamp Deluxe with gold rod	6xE27 42W HES + 7xGU10 28W HES	• OD IP20	CHAEPL100G22	2.205					
Accessory:									
Kit light bulbs: 6 x E27 Globe 125 LED 8W 2200K (NO DIM) + 7 x GU10 LED (NO DIM)			LMPLEDE27KIT013	355					
Kit light bulbs: 6 x E27 Globe 125 LED 7,5W 2200K (DIM) + 7 x GU10 LED (DIM)			LMPLEDE27KIT014	480					


Ceiling lamp - ø 100



100 cm
39.37"


Ceiling lamp white or black	13 x GU10 28 W HES	• OD IP20	CHAEPL100G11	1.955			
Ceiling lamp Deluxe	13 x GU10 28 W HES	• OD IP20	CHAEPL100G12	2.160			
Ceiling lamp white or black with gold rod	13 x GU10 28 W HES	• OD IP20	CHAEPL100G31	1.995			
Ceiling lamp Deluxe with gold rod	13 x GU10 28 W HES	• OD IP20	CHAEPL100G32	2.205			
Accessory:							
Kit 13 light bulbs GU10 LED (NO DIM)			LMPLEDGU10KIT11	225			
Kit 13 light bulbs GU10 LED (DIM)			LMPLEDGU10KIT12	270			





Large pendant and ceiling lamp with arms.
 Wall lamp with one or two arms.
 Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER

Ceiling lamp - ø 140



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO	  IP	CODE	€ EURO		
Ceiling lamp white or black	6xE27 42W HES + 7xGU10 28W HES	• OD IP20	CHAEPL140G01	2.080					
Ceiling lamp Deluxe	6xE27 42W HES + 7xGU10 28W HES	• OD IP20	CHAEPL140G02	2.315					
Ceiling lamp white or black with gold rod	6xE27 42W HES + 7xGU10 28W HES	• OD IP20	CHAEPL140G21	2.125					
Ceiling lamp Deluxe with gold rod	6xE27 42W HES + 7xGU10 28W HES	• OD IP20	CHAEPL140G22	2.370					

Accessory:


Kit light bulbs: 6 x E27 Globe 125 LED 8W
 2200K (NO DIM) + 7 x GU10 LED (NO DIM)

LMPLEDE27KIT013 355

Kit light bulbs: 6 x E27 Globe 125 LED 7,5W
 2200K (DIM) + 7 x GU10 LED (DIM)

LMPLEDE27KIT014 480

Ceiling lamp - ø 140



Ceiling lamp white or black	13 x GU10 28 W HES	• OD IP20	CHAEPL140G11	2.080			
Ceiling lamp Deluxe	13 x GU10 28 W HES	• OD IP20	CHAEPL140G12	2.315			
Ceiling lamp white or black with gold rod	13 x GU10 28 W HES	• OD IP20	CHAEPL140G31	2.125			
Ceiling lamp Deluxe with gold rod	13 x GU10 28 W HES	• OD IP20	CHAEPL140G32	2.370			

Accessory:


Kit 13 light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT11 225

Kit 13 light bulbs GU10 LED (DIM)


LMPLEDGU10KIT12 270





Large pendant and ceiling lamp with arms.
 Wall lamp with one or two arms.
 Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index   → • / present - / absent OD / On Demand


CHANDELIER

Wall lamp - single




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		  IP	CODE	€ EURO	  IP	CODE	€ EURO				
Wall lamp white or black	2 x E27 42 W HES	• OD IP20	CHAEAP010G01	355							
Wall lamp Deluxe	2 x E27 42 W HES	• OD IP20	CHAEAP010G02	405							
Accessory:											
Kit 2 light bulbs E27 Globe 125 LED 8W 2200K (NO DIM)			LMPLEDE27KIT001	105							
Kit 2 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)			LMPLEDE27KIT002	125							

Wall lamp - single




Wall lamp white or black	2 x GU10 28W HES	• OD IP20	CHAEAP010G11	355						
Wall lamp Deluxe	2 x GU10 28W HES	• OD IP20	CHAEAP010G12	405						
Accessory:										
Kit 2 light bulbs GU10 LED (NO DIM)			LMPLEDGU10KIT01	40						
Kit 2 light bulbs GU10 LED (DIM)			LMPLEDGU10KIT02	55						

Large pendant and ceiling lamp with arms.
 Wall lamp with one or two arms.
 Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index   → • / present - / absent OD / On Demand





CHANDELIER

Wall lamp - double



20 cm
7.87"

35 cm
13.78"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		  IP	CODE	€ EURO	  IP	CODE	€ EURO				
Wall lamp white or black	4 x E27 42 W HES	• OD IP20	CHAEAP035G01	620							
Wall lamp Deluxe	4 x E27 42 W HES	• OD IP20	CHAEAP035G02	690							
Accessory:											
Kit 4 light bulbs E27 Globe 125 LED 8W 2200K (NO DIM)			LMPLEDE27KIT003	175							
Kit 4 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)			LMPLEDE27KIT004	240							

Wall lamp - double




17 cm
6.69"

29 cm
11.42"


Wall lamp white or black	4 x GU10 28W HES	• OD IP20	CHAEAP035G11	620		
Wall lamp Deluxe	4 x GU10 28W HES	• OD IP20	CHAEAP035G12	690		
Accessory:						
Kit 4 light bulbs GU10 LED (NO DIM)			LMPLEDGU10KIT03	105		
Kit 4 light bulbs GU10 LED (DIM)			LMPLEDGU10KIT04	125		





Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER LONGUE

Pendant lamp - L. 100





DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO	  IP	CODE	€ EURO		
Pendant lamp white or black	16xE27 42W HES + 2xGU10 28W HES	• OD IP20	CHLESO100G01	2.520					
Pendant lamp Deluxe	16xE27 42W HES + 2xGU10 28W HES	• OD IP20	CHLESO100G02	2.750					
Pendant lamp white or black with gold rod	16xE27 42W HES + 2xGU10 28W HES	• OD IP20	CHLESO100G21	2.580					
Pendant lamp Deluxe with gold rod	16xE27 42W HES + 2xGU10 28W HES	• OD IP20	CHLESO100G22	2.810					
Accessory:									
Kit light bulbs: 16 x E27 Globe 125 LED 8W 2200K (NO DIM) + 2 x GU10 LED (NO DIM)			LMPLEDE27KIT016	635					
Kit light bulbs: 16 x E27 Globe 125 LED 7,5W 2200K (DIM) + 2 x GU10 LED (DIM)			LMPLEDE27KIT017	880					

Pendant lamp - L. 100




Pendant lamp white or black	18 x GU10 28 W HES	• OD IP20	CHLESO100G11	2.520			
Pendant lamp Deluxe	18 x GU10 28 W HES	• OD IP20	CHLESO100G12	2.750			
Pendant lamp white or black with gold rod	18 x GU10 28 W HES	• OD IP20	CHLESO100G31	2.580			
Pendant lamp Deluxe with gold rod	18 x GU10 28 W HES	• OD IP20	CHLESO100G32	2.810			
Accessory:							
Kit 18 light bulbs GU10 LED (NO DIM)			LMPLEDGU10KIT18	305			
Kit 18 light bulbs GU10 LED (DIM)			LMPLEDGU10KIT19	395			





Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index   → • / present - / absent OD / On Demand


CHANDELIER LONGUE

Pendant lamp - L. 150




DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO	  IP	CODE	€ EURO		
Pendant lamp white or black	16xE27 42W HES + 2xGU10 28W HES	• OD IP20	CHLESO150G01	2.595					
Pendant lamp Deluxe	16xE27 42W HES + 2xGU10 28W HES	• OD IP20	CHLESO150G02	2.910					
Pendant lamp white or black with gold rod	16xE27 42W HES + 2xGU10 28W HES	• OD IP20	CHLESO150G21	2.680					
Pendant lamp Deluxe with gold rod	16xE27 42W HES + 2xGU10 28W HES	• OD IP20	CHLESO150G22	2.985					
Accessory:									
Kit light bulbs: 16 x E27 Globe 125 LED 8W 2200K (NO DIM) + 2 x GU10 LED (NO DIM)			LMPLEDE27KIT016	635					
Kit light bulbs: 16 x E27 Globe 125 LED 7,5W 2200K (DIM) + 2 x GU10 LED (DIM)			LMPLEDE27KIT017	880					

Pendant lamp - L. 150




Pendant lamp white or black	18 x GU10 28 W HES	• OD IP20	CHLESO150G11	2.595			
Pendant lamp Deluxe	18 x GU10 28 W HES	• OD IP20	CHLESO150G12	2.910			
Pendant lamp white or black with gold rod	18 x GU10 28 W HES	• OD IP20	CHLESO150G31	2.680			
Pendant lamp Deluxe with gold rod	18 x GU10 28 W HES	• OD IP20	CHLESO150G32	2.985			
Accessory:							
Kit 18 light bulbs GU10 LED (NO DIM)			LMPLEDGU10KIT18	305			
Kit 18 light bulbs GU10 LED (DIM)			LMPLEDGU10KIT19	395			

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.





Symbol index   → • / present - / absent OD / On Demand

CHANDELIER LONGUE


Ceiling lamp - L. 100



110 cm 55 cm
43.31" 21.65"

DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Ceiling lamp white or black	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL100G01	2.455				
Ceiling lamp Deluxe	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL100G02	2.750				
Ceiling lamp white or black with gold rod	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL100G21	2.530				
Ceiling lamp Deluxe with gold rod	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL100G22	2.810				
Accessory:									
Kit light bulbs: 8 x E27 Globe 125 LED 8W 2200K (NO DIM) + 10 x GU10 LED (NO DIM)				LMPLEDE27KIT160	480				
Kit light bulbs: 8 x E27 Globe 125 LED 7,5W 2200K (DIM) + 10 x GU10 LED (DIM)				LMPLEDE27KIT170	635				



Ceiling lamp - L. 100



105 cm 48 cm
41.34" 18.9"


Ceiling lamp white or black	18 x GU10 28 W HES	•	OD IP20	CHLEPL100G11	2.455				
Ceiling lamp Deluxe	18 x GU10 28 W HES	•	OD IP20	CHLEPL100G12	2.750				
Ceiling lamp white or black with gold rod	18 x GU10 28 W HES	•	OD IP20	CHLEPL100G31	2.530				
Ceiling lamp Deluxe with gold rod	18 x GU10 28 W HES	•	OD IP20	CHLEPL100G32	2.810				
Accessory:									
Kit 18 light bulbs GU10 LED (NO DIM)				LMPLEDGU10KIT18	305				
Kit 18 light bulbs GU10 LED (DIM)				LMPLEDGU10KIT19	395				





Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index   → • / present - / absent OD / On Demand


CHANDELIER LONGUE

Ceiling lamp - L. 150




DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Ceiling lamp white or black	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL150G01	2.540				
Ceiling lamp Deluxe	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL150G02	2.900				
Ceiling lamp white or black with gold rod	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL150G21	2.620				
Ceiling lamp Deluxe with gold rod	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL150G22	2.955				
Accessory:									
Kit light bulbs: 8 x E27 Globe 125 LED 8W 2200K (NO DIM) + 10 x GU10 LED (NO DIM)				LMPLEDE27KIT160	480				
Kit light bulbs: 8 x E27 Globe 125 LED 7,5W 2200K (DIM) + 10 x GU10 LED (DIM)				LMPLEDE27KIT170	635				

Ceiling lamp - L. 150




Ceiling lamp white or black	18 x GU10 28 W HES	•	OD IP20	CHLEPL150G11	2.540				
Ceiling lamp Deluxe	18 x GU10 28 W HES	•	OD IP20	CHLEPL150G12	2.900				
Ceiling lamp white or black with gold rod	18 x GU10 28 W HES	•	OD IP20	CHLEPL150G31	2.620				
Ceiling lamp Deluxe with gold rod	18 x GU10 28 W HES	•	OD IP20	CHLEPL150G32	2.955				
Accessory:									
Kit 18 light bulbs GU10 LED (NO DIM)				LMPLEDGU10KIT18	305				
Kit 18 light bulbs GU10 LED (DIM)				LMPLEDGU10KIT19	395				





Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
On demand, lampshade available in wool and Remix Kvadrat fabric.
Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Pendant lamp - ø 107




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
DIRECT LIGHT											
Cotton	4 x E27 105 W HES	OD	OD	IP20	CARESP100C01	2.345					
Velvet	4 x E27 105 W HES	OD	OD	IP20	CARESP100O01	2.635					
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100C05	2.760					
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100C04	2.810					
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100C06	2.890					
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100O05	3.040					
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100O04	3.080					
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100O06	3.165					
DOUBLE LIGHT EMISSION											
Cotton NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100C15	3.610					
Cotton DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100C14	3.750					
Cotton DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100C16	3.750					
Velvet NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100O15	3.890					
Velvet DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100O14	4.030					
Velvet DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100O16	4.030					


Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
On demand, lampshade available in wool and Remix Kvadrat fabric.
Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand


CHARLIE

Pendant lamp - ø 127




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
DIRECT LIGHT											
Cotton	4 x E27 105 W HES	OD	OD	IP20	CARESP130C01	2.835					
Velvet	4 x E27 105 W HES	OD	OD	IP20	CARESP130O01	3.180					
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130C05	3.250					
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130C04	3.310					
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130C06	3.380					
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130O05	3.590					
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130O04	3.645					
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130O06	3.710					
Cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130C07	3.365					
Cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130C08	3.535					
Velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130O07	3.705					
Velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130O08	3.875					




Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
On demand, lampshade available in wool and Remix Kvadrat fabric.
Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Pendant lamp - ø 127




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
DOUBLE LIGHT EMISSION											
Cotton NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130C15	4.100					
Cotton DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130C14	4.235					
Cotton DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130C16	4.235					
Velvet NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130O15	4.440					
Velvet DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130O14	4.580					
Velvet DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130O16	4.580					
Cotton NO DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130C17	4.150					
Cotton DIM DALI-Push DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130C18	4.350					
Velvet NO DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130O17	4.485					
Velvet DIM DALI-Push DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130O18	4.690					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


PRODUCTS: Charlie
DESIGN: Arturo Bellese 2019

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
 Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
 On demand, lampshade available in wool and Remix Kvadrat fabric.
 Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand


CHARLIE

Ceiling lamp - ø 107




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
DIRECT LIGHT											
Cotton	4 x E27 105 W HES	OD	OD	IP20	CAREPL100C01	2.180					
Velvet	4 x E27 105 W HES	OD	OD	IP20	CAREPL100O01	2.455					
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100C05	2.550					
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100C04	2.620					
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100C06	2.680					
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100O05	2.830					
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100O04	2.900					
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100O06	2.955					





Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
On demand, lampshade available in wool and Remix Kvadrat fabric.
Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Ceiling lamp - ø 127




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
DIRECT LIGHT											
Cotton	4 x E27 105 W HES	OD	OD	IP20	CAREPL130C01	2.635					
Velvet	4 x E27 105 W HES	OD	OD	IP20	CAREPL130O01	2.955					
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130C05	3.050					
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130C04	3.175					
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130C06	3.240					
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130O05	3.385					
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130O04	3.445					
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130O06	3.510					
Cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130C07	3.130					
Cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130C08	3.300					
Velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130O07	3.470					
Velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130O08	3.640					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).


Opal plex finishing underneath.


On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton	1 x E27 70 W HES	OD	OD	IP20	CILESP060C01	625					
1 light washable	1 x E27 70 W HES	OD	OD	IP20	CILESP060T01	695					
1 light velvet	1 x E27 70 W HES	OD	OD	IP20	CILESP060O01	715					
1 light cotton+lycra	1 x E27 70 W HES	OD	OD	IP20	CILESP060L01	725					
3 lights cotton	3 x E27 70 W HES	OD	OD	IP20	CILESP060C02	740					
3 lights washable	3 x E27 70 W HES	OD	OD	IP20	CILESP060T02	810					
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CILESP060O02	830					
3 lights cotton+lycra	3 x E27 70 W HES	OD	OD	IP20	CILESP060L02	840					
3 lights pleated fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP060P01	925					
3 lights pleated ribbon fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP060R01	940					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 60





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060C06	940					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060T06	1.015					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060O06	1.035					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060L06	1.040					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060P05	1.120					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060R05	1.145					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060C09	1.025					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060T09	1.095					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060O09	1.115					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060L09	1.120					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060P09	1.215					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060R09	1.230					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060C08	1.040					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060T08	1.110					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060O08	1.130					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060L08	1.140					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060P07	1.225					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060R07	1.245					

Accessory	Description	LED	ETL	IP	Code	€ EURO
	Top protective disk in opal plex	OD		IP20	CILEPX060F01	175




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 70




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton	1 x E27 70 W HES	OD	OD	IP20	CILESP070C01	710					
1 light washable	1 x E27 70 W HES	OD	OD	IP20	CILESP070T01	830					
1 light velvet	1 x E27 70 W HES	OD	OD	IP20	CILESP070O01	860					
1 light cotton+lycra	1 x E27 70 W HES	OD	OD	IP20	CILESP070L01	845					
3 lights cotton	3 x E27 70 W HES	OD	OD	IP20	CILESP070C02	805					
3 lights washable	3 x E27 70 W HES	OD	OD	IP20	CILESP070T02	925					
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CILESP070O02	960					
3 lights cotton+lycra	3 x E27 70 W HES	OD	OD	IP20	CILESP070L02	935					
3 lights pleated fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP070P01	1.340					
3 lights pleated ribbon fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP070R01	1.370					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 70




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070C06	1.040					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070T06	1.160					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070O06	1.195					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070L06	1.170					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070P05	1.570					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070R05	1.605					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070C09	1.120					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070T09	1.245					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070O09	1.280					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070L09	1.255					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070P09	1.660					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070R09	1.690					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070C08	1.170					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070T08	1.290					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070O08	1.325					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070L08	1.305					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070P07	1.705					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070R07	1.740					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX070F01	240					
------------------	----------------------------------	----	------	--------------	-----	--	--	--	--	--








Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 105 W HES	OD	OD	IP20	CILESP100C01	1.385					
4 lights washable	4 x E27 105 W HES	OD	OD	IP20	CILESP100T01	1.560					
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CILESP100O01	1.605					
4 lights cotton+lycra	4 x E27 105 W HES	OD	OD	IP20	CILESP100L01	1.570					
4 lights pleated fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP100P01	2.285					
4 lights pleated ribbon fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP100R01	2.340					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100C08	1.535					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100T08	1.695					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100O08	1.745					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100L08	1.710					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100P08	2.420					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100R08	2.490					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100C09	1.615					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100T09	1.785					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100O09	1.830					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100L09	1.795					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100P09	2.515					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100R09	2.555					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100C10	1.665					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100T10	1.830					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100O10	1.885					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100L10	1.850					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100P10	2.550					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100R10	2.620					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100C13	1.900					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100T13	2.065					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100O13	2.115					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100L13	2.080					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100P13	2.790					
1 light pleated ribbon fabric NO DIM/ DIM 1-10V	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100R13	2.835					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100C14	1.980					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100T14	2.145					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100O14	2.195					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100L14	2.160					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100P14	2.870					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100R14	2.930					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100C15	2.025					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100T15	2.195					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100O15	2.250					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100L15	2.210					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100P15	2.925					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100R15	2.975					

Accessory

Top protective disk in opal plex

OD IP20 CILEPX100F01 530




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index → • / present - / absent OD / On Demand



CILINDRO

Pendant lamp - ø 120




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 105 W HES	OD	OD	IP20	CILESP120C01	2.080					
4 lights washable	4 x E27 105 W HES	OD	OD	IP20	CILESP120T01	2.290					
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CILESP120O01	2.345					
4 lights cotton+lycra	4 x E27 105 W HES	OD	OD	IP20	CILESP120L01	2.275					
4 lights pleated fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP120P01	2.750					
4 lights pleated ribbon fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP120R01	2.810					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120C08	2.210					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120T08	2.420					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120O08	2.490					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120L08	2.370					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120P08	2.820					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120R08	2.900					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120C09	2.295					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120T09	2.515					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120O09	2.555					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120L09	2.435					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120P09	2.910					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120R09	2.975					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120C10	2.315					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120T10	2.530					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120O10	2.580					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120L10	2.460					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120P10	2.930					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120R10	3.000					





Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 120




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120C11	2.750					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120T11	2.945					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120O11	3.005					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120L11	2.895					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120P11	3.350					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120R11	3.420					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120C12	2.820					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120T12	3.040					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120O12	3.080					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120L12	2.960					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120P12	3.430					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120R12	3.505					

Accessory		OD	IP20	CILEPX120F01	590
Top protective disk in opal plex					








Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
6 lights cotton	6 x E27 105 W HES	OD	OD	IP20	CILESP150C01	3.220					
6 lights washable	6 x E27 105 W HES	OD	OD	IP20	CILESP150T01	3.445					
6 lights velvet	6 x E27 105 W HES	OD	OD	IP20	CILESP150O01	3.585					
6 lights pleated fabric	6 x E27 105 W HES	OD	OD	IP20	CILESP150P01	4.295					
6 lights pleated ribbon fabric	6 x E27 105 W HES	OD	OD	IP20	CILESP150R01	4.380					
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150C08	3.585					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150T08	3.800					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150O08	3.950					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150P08	4.660					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150R08	4.745					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150C09	3.660					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150T09	3.890					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150O09	4.030					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150P09	4.745					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150R09	4.830					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index → • / present - / absent OD / On Demand


CIRCUS

Pendant lamp - ø 70




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CISESP070002	2.250					
3 lights wool	3 x E27 70 W HES	OD	OD	IP20	CISESP070E02	2.250					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070003	2.435					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070004	2.530					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070005	2.560					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070E03	2.435					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070E04	2.530					
1 light wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070E05	2.560					

Accessory	Top protective disk in opal plex (montato)	OD	IP20	CISEPX070F01	270					
------------------	--	----	------	--------------	-----	--	--	--	--	--





Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CIRCUS

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CISESP100O02	3.080					
4 lights wool	4 x E27 105 W HES	OD	OD	IP20	CISESP100E02	3.080					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100O03	3.185					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100O04	3.270					
1 light velvet DIM DALI - Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100O05	3.315					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100E03	3.185					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100E04	3.270					
1 light wool DIM DALI - Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100E05	3.315					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100O08	3.545					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100O09	3.635					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100O10	3.680					
1 light wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100E08	3.545					
1 light wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100E09	3.635					
1 light wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100E10	3.680					

Accessory

Top protective disk in opal plex
(montato)

OD IP20 CISEPX100F01 510




Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index → • / present - / absent OD / On Demand

CIRCUS

Pendant lamp - ø 120




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CISESP120O02	3.365					
4 lights wool	4 x E27 105 W HES	OD	OD	IP20	CISESP120E02	3.365					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120O03	3.460					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120O04	3.535					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120O05	3.585					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120E03	3.460					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120E04	3.535					
1 light wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120E05	3.585					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120O06	3.875					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120O07	3.965					
1 light wool NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120E06	3.875					
1 light wool DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120E07	3.965					



Accessory

Top protective disk in opal plex (montato)

OD IP20 CISEPX120F01 635




Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand

CIRCUS



Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
6 lights velvet	6 x E27 105 W HES	OD	OD	IP20	CISESP150002	4.845					
6 lights wool	6 x E27 105 W HES	OD	OD	IP20	CISESP150E02	4.845					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP150006	5.475					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP150007	5.565					
1 light wool NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP150E06	5.475					
1 light wool DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP150E07	5.565					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.




Oblong shape pendant lamp with double light emission. Metal structure painted sand or lead grey colours and in Deluxe finishes: caramel or matt gold.
 Upper diffuser in white polycarbonate.
 Double light emission: L 130 Up 5120 lm - Down 2560 lm / L 170 Up 7040 lm - Down 2560 lm

Symbol index   → • / present - / absent OD / On Demand


CLIP

Pendant lamp - L 130



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Pendant lamp sand or lead grey NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD IP20	CLIESO130G01	2.455						
Pendant lamp sand or lead grey DIM DALI/Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD IP20	CLIESO130G03	2.540						
Pendant lamp Deluxe NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD IP20	CLIESO130G02	2.655						
Pendant lamp Deluxe DIM DALI/Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD IP20	CLIESO130G04	2.750						

Pendant lamp - L 170



Pendant lamp sand or lead grey NO DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD IP20	CLIESO170G01	2.700				
Pendant lamp sand or lead grey DIM DALI/Push DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD IP20	CLIESO170G03	2.790				
Pendant lamp Deluxe NO DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD IP20	CLIESO170G02	2.925				
Pendant lamp Deluxe DIM DALI/Push DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD IP20	CLIESO170G04	3.005				

PRODUCTS: Cocò
 DESIGN: Brian Rasmussen 2015


Pendant lamp in hand-finished pleated fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

COCO'

Pendant lamp D.60


DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	2 x E27 42 W HES	OD	OD	IP20	COCESP060P01	1.375					



Pendant lamp pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	COCESP060P05	1.500				
Pendant lamp pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	COCESP060P07	1.550				
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	COCESP060P06	1.640				

Pendant lamp D.80

Pleated fabric	3 x E27 70 W HES	OD	OD	IP20	COCESP080P01	1.945				
----------------	------------------	----	----	------	--------------	-------	--	--	--	--



Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP080P05	2.205				
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP080P07	2.315				
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP080P06	2.315				


PRODUCTS: Cocò
DESIGN: Brian Rasmussen 2015

Pendant lamp in hand-finished pleated fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

COCO'

Pendant lamp D.100





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	COCESP100P01	2.550					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP100P05	2.750					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP100P09	2.840					
Pendant lamp pleated fabric DIM DALI- Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP100P06	2.840					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	COCESP100P12	3.110					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	COCESP100P13	3.190					
Pendant lamp pleated fabric DIM DALI- Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	COCESP100P14	3.235					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.





Floor lamp with cantilever arm. Embossed white or black painted metal structure.
Rotating lampshade (adjustable 30°) available in cotton fabric in the same colour as the metal structure or in washable marble fabric. (On demand, also available in wool fabric).
One side frosted plex finishing underneath.


On demand, cotton or washable fabric lampshade available in different colours with a 3% surcharge.

Symbol index   → • / present - / absent OD / On Demand

CORNER


Floor lamp - ø 60

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton white DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060C07	1.810					
Metal black cotton black DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060C08	1.810					
Metal white washable marble DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060T07	1.900					
Metal black washable marble DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060T08	1.900					



Floor lamp - ø 80



Metal white cotton white DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080C09	2.250					
Metal black cotton black DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080C10	2.250					
Metal white washable marble DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080T09	2.315					
Metal black washable marble DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080T10	2.315					







NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.



PRODUCTS: Diogene
DESIGN: Romano + Menegon 2017

Table, floor or pendant lamp with power supply or rechargeable kit white LED.
 Metal structure painted white, graphite or rust effect. On demand, different RAL colours available (minimum quantity 10 pcs).
 Cylindric diffuser in opal PC.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

DIogene OUTDOOR

	DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
			  IP	CODE	€ EURO	  IP	CODE	€ EURO
Table/ floor/ pendant lamp	Version with power supply	1 x E27 70 W HES	•	-	IP44	DIOETA030G42	635	
	Rechargeable version	1 kit led 6,4 W - 600 Lm - warm light	•	-	IP65	DIOETA030G12	870	



IMPORTANT NOTE (TECHNICAL DETAILS):

Rechargeable kit LED 6,4W (600lm) IP65 warm white: supplied with battery 4400 mAh + battery charger + remote control.

Nominal service life (new product) with working temperature range from +18°C a +35°C:

Led 25% 1,6W 10h


Led 50% 3,2W 6h 30'

Led 100% 6,4W 2h 15'

With working temperature range from +7 C° to 10°C battery life is decreasing of 20%.


(It is recommended to recharge the kit in indoor - temperature > +15° C).





Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.


Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE


Pendant lamp - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights cotton	2 x E27 42 W HES	OD	OD	IP20	DISESP040C02	560					
2 lights washable	2 x E27 42 W HES	OD	OD	IP20	DISESP040T02	590					
2 lights velvet	2 x E27 42 W HES	OD	OD	IP20	DISESP040O02	595					
2 lights cotton+lycra	2 x E27 42 W HES	OD	OD	IP20	DISESP040L02	645					
2 lights pleated fabric	2 x E27 42 W HES	OD	OD	IP20	DISESP040P02	675					
2 lights pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	DISESP040R02	690					
1 light cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040C06	705					
1 light washable NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040T06	730					
1 light velvet NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040O06	740					
1 light cotton+lycra NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040L06	795					
1 light pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040P06	815					
1 light pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040R06	830					
1 light cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040C07	730					
1 light washable DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040T07	755					
1 light velvet DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040O07	760					
1 light cotton+lycra DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040L07	815					
1 light pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040P07	845					
1 light pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040R07	855					
1 light cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040C08	815					
1 light washable DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040T08	845					
1 light velvet DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040O08	850					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040L08	900					
1 light pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040P08	930					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040R08	940					
Accessory	Top protective disk in opal plex	OD		IP20	DISEPX040F01	95					








Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand



DISCOVOLANTE

Pendant lamp - ø 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton	3 x E27 42 W HES	OD	OD	IP20	DISESP060C02	795					
3 lights washable	3 x E27 42 W HES	OD	OD	IP20	DISESP060T02	840					
3 lights velvet	3 x E27 42 W HES	OD	OD	IP20	DISESP060O02	850					
3 lights cotton+lycra	3 x E27 42 W HES	OD	OD	IP20	DISESP060L02	875					
3 lights pleated fabric	3 x E27 42 W HES	OD	OD	IP20	DISESP060P02	930					
3 lights pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	DISESP060R02	945					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060C06	1.040					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060T06	1.090					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060O06	1.105					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060L06	1.130					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060P06	1.175					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060R06	1.200					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060C07	1.110					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060T07	1.160					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060O07	1.170					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060L07	1.200					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060P07	1.250					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060R07	1.275					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060C08	1.140					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060T08	1.185					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060O08	1.200					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060L08	1.230					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060P08	1.370					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060R08	1.385					





Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.


Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060C11	1.320					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060T11	1.370					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060O11	1.380					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060L11	1.420					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060P11	1.555					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060R11	1.570					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060C13	1.385					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060T13	1.440					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060O13	1.450					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060L13	1.485					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060P13	1.535					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060R13	1.555					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060C12	1.435					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060T12	1.485					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060O12	1.495					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060L12	1.525					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060P12	1.665					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP060R12	1.685					
Accessory	Top protective disk in opal plex	OD		IP20	CILEPX060F01	175					




Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index → • / present - / absent OD / On Demand



DISCOVOLANTE

Pendant lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DIESP080C02	1.070					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DIESP080T02	1.130					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DIESP080O02	1.155					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DIESP080L02	1.175					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DIESP080P02	1.315					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DIESP080R02	1.345					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080C16	1.515					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080T16	1.575					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080O16	1.600					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080L16	1.630					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080P16	1.770					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080R16	1.790					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080C10	1.580					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080T10	1.655					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080O10	1.675					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080L10	1.695					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080P10	1.830					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080R10	1.860					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080C17	1.675					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080T17	1.735					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080O17	1.765					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080L17	1.785					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080P17	1.915					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DIESP080R17	1.950					





Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.


Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE



Pendant lamp - ø 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		  IP	CODE	€ EURO	  IP	CODE	€ EURO				
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD OD IP20	DISESP080C13	1.825							
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD OD IP20	DISESP080T13	1.890							
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD OD IP20	DISESP080O13	1.910							
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD OD IP20	DISESP080L13	1.945							
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD OD IP20	DISESP080P13	2.075							
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD OD IP20	DISESP080R13	2.100							
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD OD IP20	DISESP080C15	1.945							
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD OD IP20	DISESP080T15	2.005							
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD OD IP20	DISESP080O15	2.020							
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD OD IP20	DISESP080L15	2.055							
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD OD IP20	DISESP080P15	2.185							
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD OD IP20	DISESP080R15	2.210							
Accessory	Top protective disk in opal plex	OD IP20	DISEPX080F01	220							








Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand


DISCOVOLANTE

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISESP100C02	1.260					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISESP100T02	1.345					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISESP100O02	1.365					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DISESP100L02	1.385					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP100P02	1.695					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP100R02	1.735					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100C17	1.710					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100T17	1.790					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100O17	1.810					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100L17	1.840					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100P17	2.145					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100R17	2.185					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100C19	1.785					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100T19	1.860					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100O19	1.885					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100L19	1.910					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100P19	2.215					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100R19	2.260					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100C18	1.865					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100T18	1.950					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100O18	1.965					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100L18	1.995					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100P18	2.300					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100R18	2.340					





Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.


Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE


Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100C13	2.110					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100T13	2.185					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100O13	2.205					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100L13	2.235					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100P13	2.540					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100R13	2.575					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100C15	2.215					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100T15	2.295					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100O15	2.315					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100L15	2.345					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100P15	2.655					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100R15	2.690					
1 light cotton NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100C16	2.665					
1 light washable NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100T16	2.755					
1 light velvet NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100O16	2.770					
1 light cotton+lycra NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100L16	2.795					
1 light pleated fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100P16	3.105					
1 light pleated ribbon fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100R16	3.135					
Accessory	Top protective disk in opal plex	OD		IP20	DISEPX100F01	370					









Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Wall/ ceiling lamp - ø 40





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights cotton	2 x E27 28 W HES	OD	OD	IP20	DISEAP040C02	510					
2 lights washable	2 x E27 28 W HES	OD	OD	IP20	DISEAP040T02	530					
2 lights velvet	2 x E27 28 W HES	OD	OD	IP20	DISEAP040O02	535					
2 lights cotton+lycra	2 x E27 28 W HES	OD	OD	IP20	DISEAP040L02	590					
2 lights pleated fabric	2 x E27 28 W HES	OD	OD	IP20	DISEAP040P02	620					
2 lights pleated ribbon fabric	2 x E27 28 W HES	OD	OD	IP20	DISEAP040R02	635					
1 light cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040C06	655					
1 light washable NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040T06	690					
1 light velvet NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040O06	695					
1 light cotton+lycra NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040L06	745					
1 light pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040P06	770					
1 light pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040R06	795					
1 light cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040C07	690					
1 light washable DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040T07	715					
1 light velvet DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040O07	725					
1 light cotton+lycra DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040L07	770					
1 light pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040P07	805					
1 light pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040R07	815					
1 light cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040C08	770					
1 light washable DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040T08	805					
1 light velvet DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040O08	810					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040L08	855					
1 light pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040P08	880					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040R08	900					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.





Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE



Wall/ ceiling lamp - ø 60



13 cm
5.12"



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton	3 x E27 42 W HES	OD	OD	IP20	DISEAP060C02	770					
3 lights washable	3 x E27 42 W HES	OD	OD	IP20	DISEAP060T02	820					
3 lights velvet	3 x E27 42 W HES	OD	OD	IP20	DISEAP060O02	840					
3 lights cotton+lycra	3 x E27 42 W HES	OD	OD	IP20	DISEAP060L02	860					
3 lights pleated fabric	3 x E27 42 W HES	OD	OD	IP20	DISEAP060P02	920					
3 lights pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	DISEAP060R02	935					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060C06	980					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060T06	1.035					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060O06	1.045					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060L06	1.075					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060P06	1.120					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060R06	1.145					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060C07	1.055					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060T07	1.105					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060O07	1.115					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060L07	1.145					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060P07	1.195					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060R07	1.220					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060C08	1.085					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060T08	1.130					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060O08	1.145					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060L08	1.170					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060P08	1.225					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060R08	1.245					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.





Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE


Wall/ ceiling lamp - ø 60



13 cm
5.12"


DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060C11	1.260					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060T11	1.315					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060O11	1.325					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060L11	1.360					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060P11	1.405					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060R11	1.430					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060C09	1.350					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060T09	1.395					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060O09	1.420					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060L09	1.440					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060P09	1.490					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060R09	1.505					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060C12	1.395					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060T12	1.445					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060O12	1.455					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060L12	1.490					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060P12	1.545					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060R12	1.560					





Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


DISCOVOLANTE

Ceiling lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISEPL080C02	1.055					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISEPL080T02	1.115					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISEPL080O02	1.140					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DISEPL080L02	1.165					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL080P02	1.300					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL080R02	1.325					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080C16	1.500					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080T16	1.565					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080O16	1.580					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080L16	1.615					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080P16	1.745					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080R16	1.780					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080C10	1.580					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080T10	1.655					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080O10	1.735					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080L10	1.695					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080P10	1.830					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080R10	1.860					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080C17	1.640					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080T17	1.695					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080O17	1.720					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080L17	1.745					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080R17	1.885					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080P17	1.910					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand



DISCOVOLANTE

Ceiling lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080C13	1.775					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080T13	1.830					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080O13	1.855					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080L13	1.885					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080P13	2.015					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080R13	2.040					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080C15	1.855					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080T15	1.915					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080O15	1.945					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080L15	1.965					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080P15	2.100					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080R15	2.130					





Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISEPL100C02	1.280					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISEPL100T02	1.360					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISEPL100O02	1.375					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DISEPL100L02	1.405					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL100P02	1.710					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL100R02	1.745					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100C17	1.710					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100T17	1.790					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100O17	1.810					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100L17	1.840					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100P17	2.145					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100R17	2.185					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100C19	1.785					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100T19	1.860					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100O19	1.885					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100L19	1.910					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100P19	2.215					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100R19	2.260					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100C18	1.865					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100T18	1.950					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100O18	1.965					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100L18	1.995					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100P18	2.300					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100R18	2.340					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100C13	1.995					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100T13	2.075					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100O13	2.090					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100L13	2.125					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100P13	2.425					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100R13	2.460					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100C15	2.065					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100T15	2.140					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100O15	2.160					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100L15	2.190					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100P15	2.505					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100R15	2.535					
1 light cotton NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100C16	2.595					
1 light washable NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100T16	2.670					
1 light velvet NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100O16	2.695					
1 light cotton+lycra NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100L16	2.715					
1 light pleated fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100P16	3.040					
1 light pleated ribbon fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100R16	3.065					






NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Disk
 DESIGN: Roberto Paoli 2014

Table, reading and floor lamp. Lampshade in cotton (same colour as metal structure), washable marble or Remix Kvadrat fabric (on demand, also available in wool fabric). White or black painted metal structure. Rotating and obscuring metal disk cover, placed on the upper border of the lampshade. Bottom cap in thermoformed opal PMMA with soft touch finishing.


On demand, cotton or washable fabric lampshade available in different colours with a 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

DISK	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR				
					IP	CODE	€ EURO			IP	CODE
 <p>43 cm 16.93"</p> <p>65 cm 25.59"</p>	1 light white / cotton	1 x E27 70 W HES	OD	OD	IP20	DSKETA065C01	980				
	1 light white / washable	1 x E27 70 W HES	OD	OD	IP20	DSKETA065T01	1.040				
	1 light white / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKETA065I01	1.160				
	1 light black / cotton	1 x E27 70 W HES	OD	OD	IP20	DSKETA065C02	980				
	1 light black / washable	1 x E27 70 W HES	OD	OD	IP20	DSKETA065T02	1.040				
	1 light black / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKETA065I02	1.160				


Accessory - Table lamp	Universal DIM switch HES (40/160W) + LED (4/100W)					DIMVAR0TA002	100				
-------------------------------	---	--	--	--	--	--------------	-----	--	--	--	--



 <p>43 cm 16.93"</p> <p>155 cm 61.02"</p>	Reading lamp	1 light white / cotton	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155C01	1.195			
	1 light white / washable	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155T01	1.250				
	1 light white / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155I01	1.370				
	1 light black / cotton black	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155C02	1.195				
	1 light black / washable	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155T02	1.250				
	1 light black / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155I02	1.370				


Table, reading and floor lamp. Lampshade in cotton (same colour as metal structure), washable marble or Remix Kvadrat fabric (on demand, also available in wool fabric). White or black painted metal structure. Rotating and obscuring metal disk cover, placed on the upper border of the lampshade. Bottom cap in thermoformed opal PMMA with soft touch finishing.





On demand, cotton or washable fabric lampshade available in different colours with a 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

DISK

Floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights white / cotton	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175C01	1.480					
2 lights white / washable	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175T01	1.570					
2 lights white / Kvadrat fabric	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175I01	1.780					
2 lights black / cotton	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175C02	1.480					
2 lights black / washable	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175T02	1.570					
2 lights black / Kvadrat fabric	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175I02	1.780					
Accessory - Floor lamp	Universal DIM switch HES + LED (5/250W)				DIMVAROPT003	120					




PRODUCTS: Eva
DESIGN: Hans Thyge Raunkjaer 2013





Pendant lamp with diffuser in white matt ceramic and in Deluxe finishes: lead grey, caramel, matt gold or dark brown.
 Wiring cable in fabric, available in the following colours: ecru, orange, red, kiwi green, royal blue, grey and black.
 On demand, diffuser available in different RAL colours (minimum quantity 15 pcs) with 3% surcharge.

Symbol index   → • / present - / absent OD / On Demand


EVA

EVA mini - Pendant lamp ø 11



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Diffuser matt white ceramic	1 x GU10 20 W HES	•	OD IP20	EVAESO011H41	310						
Diffuser Deluxe ceramic	1 x GU10 20 W HES	•	OD IP20	EVAESO011H51	330						
Diffuser dark brown cotto	1 x GU10 20 W HES	•	OD IP20	EVAESO011N41	330						



EVA medium - Pendant lamp ø 18



Diffuser matt white ceramic	1 x E27 52 W HES	•	OD IP20	EVAESO018H01	510				
Diffuser Deluxe ceramic	1 x E27 52 W HES	•	OD IP20	EVAESO018H51	520				
Diffuser dark brown cotto	1 x E27 52 W HES	•	OD IP20	EVAESO018N01	520				


PRODUCTS: Eva
DESIGN: Hans Thyge Raunkjaer 2013





Pendant lamp with diffuser in white matt ceramic and in Deluxe finishes: lead grey, caramel, matt gold or dark brown.
 Wiring cable in fabric, available in the following colours: ecru, orange, red, kiwi green, royal blue, grey and black.
 On demand, diffuser available in different RAL colours (minimum quantity 15 pcs) with 3% surcharge.

Symbol index   → • / present - / absent OD / On Demand


EVA

EVA maxi - Pendant lamp ø 27





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Diffuser matt white ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO027H01	830					
Diffuser Deluxe ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO027H51	870					
Diffuser dark brown cotto	1 x E27 70 W HES	•	OD	IP20	EVAESO027N01	870					

EVA mega - Pendant lamp ø 38



Diffuser matt white ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO037H01	1.550					
Diffuser Deluxe ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO037H51	1.580					
Diffuser dark brown cotto	1 x E27 70 W HES	•	OD	IP20	EVAESO037N01	1.650					

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand



FLORINDA


Florinda 1 - Pendant lamp

DESCRIPTION LIGHT SOURCE

1 lampshade pleated fabric 1 x E27 70 W HES

1 lampshade pleated ribbon fabric 1 x E27 70 W HES

INDOOR						OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO	
•	OD	IP20	FLOESO001P01	560						
OD	OD	IP20	FLOESO001R01	580						




Florinda 3 - Pendant lamp

3 lampshades pleated fabric 3 x E27 70 W HES



3 lampshades pleated ribbon fabric 3 x E27 70 W HES

• OD IP20 FLOESO003P01 1.785

OD OD IP20 FLOESO003R01 1.825




Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand

FLORINDA

Florinda 6 - Pendant lamp



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

6+1 lampshades pleated fabric
(double lighting)

6xE27 70 W + 1xE14 42
W HES

•

OD

IP20

FLOESO006P01

3.570

6+1 lampshades pleated ribbon
fabric (double lighting)

6xE27 70 W + 1xE14 42
W HES

OD


OD

IP20

FLOESO006R01

3.660

Florinda 12 - Pendant lamp



12+1 lampshades pleated fabric
(double lighting)

12xE27 70 W HES + 3xE27
42 W HES

OD

OD

IP20

FLOESO012P02

8.990

12+1 lampshades pleated ribbon
fabric (double lighting)

12xE27 70 W HES + 3xE27
42 W HES

OD



OD

IP20

FLOESO012R02

9.200

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand

FLORINDA

Florinda 3 - Ceiling lamp

DESCRIPTION LIGHT SOURCE

3 lampshades pleated fabric 3 x E27 70 W HES

3 lampshades pleated ribbon fabric 3 x E27 70 W HES



IP

INDOOR

CODE

€ EURO



IP


OUTDOOR

CODE

€ EURO

• OD IP20 FLOEPL003P01 1.790

OD OD IP20 FLOEPL003R01 1.830




Florinda 6 - Ceiling lamp

6 +1 lampshades pleated fabric (double lighting) 6xE27 70 W + 1xE14 42 W HES



6 +1 lampshades pleated ribbon fabric (double lighting) 6xE27 70 W + 1xE14 42 W HES

• OD IP20 FLOEPL006P01 3.505

OD OD IP20 FLOEPL006R01 3.595




Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand

FLORINDA

Florinda 12 - Ceiling lamp



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

12 +1 lampshades pleated fabric
(double lighting)

12xE27 70 W HES + 3xE27
42 W HES

OD

OD

IP20

FLOEPL012P02

9.120

12 +1 lampshades pleated ribbon
fabric (double lighting)

12xE27 70 W HES + 3xE27
42 W HES

OD

OD

IP20

FLOEPL012R02

9.330

Florinda - Wall lamp

Wall lamp pleated fabric

2 x E27 42 W HES

•

OD

IP20

FLOEAP002P01

450

Wall lamp pleated ribbon fabric

2 x E27 42 W HES


OD

OD


IP20

FLOEAP002R01





460




Pendant and ceiling lamp. Metal structure in matt white or black and in galvanic finishes: chrome, brass and copper.


Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA


DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Florinda Desnuda 1 - Pendant lamp 1 lampshade - matt white 9010	1 x E27 70 W HES	•	OD IP20	FLDESO001G01	325						
1 lampshade - matt black	1 x E27 70 W HES	•	OD IP20	FLDESO001G02	325						
1 lampshade - glossy chrome finishing	1 x E27 70 W HES	•	OD IP20	FLDESO001G04	400						
1 lampshade - glossy copper finishing	1 x E27 70 W HES	•	OD IP20	FLDESO001G05	400						
1 lampshade - glossy brass finishing	1 x E27 70 W HES	•	OD IP20	FLDESO001G06	400						





Florinda Desnuda 3 - Pendant lamp 3 lampshades - matt white 9010	3 x E27 70 W HES	•	OD IP20	FLDESO003G01	1.040				
3 lampshades - matt black	3 x E27 70 W HES	•	OD IP20	FLDESO003G02	1.040				
3 lampshades - glossy chrome finishing	3 x E27 70 W HES	•	OD IP20	FLDESO003G04	1.560				
3 lampshades - glossy copper finishing	3 x E27 70 W HES	•	OD IP20	FLDESO003G05	1.560				
3 lampshades - glossy brass finishing	3 x E27 70 W HES	•	OD IP20	FLDESO003G06	1.560				




Pendant and ceiling lamp. Metal structure in matt white or black and in galvanic finishes: chrome, brass and copper.


Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
			IP	CODE	€ EURO		IP	CODE	€ EURO		
Florinda Desnuda 6 - Pendant lamp 6 lampshades - matt white 9010	6 x E27 70 W HES	•	OD IP20	FLDESO006G01	1.965						
6 lampshades - matt black	6 x E27 70 W HES	•	OD IP20	FLDESO006G02	1.965						
6 lampshades - glossy chrome finishing	6 x E27 70 W HES	•	OD IP20	FLDESO006G04	3.165						
6 lampshades - glossy copper finishing	6 x E27 70 W HES	•	OD IP20	FLDESO006G05	3.165						
6 lampshades - glossy brass finishing	6 x E27 70 W HES	•	OD IP20	FLDESO006G06	3.165						












Florinda Desnuda 12 - Pendant lamp 12 lampshades - matt white 9010	12 x E27 70 W HES	•	OD IP20	FLDESO012G01	4.430				
12 lampshades - matt black	12 x E27 70 W HES	•	OD IP20	FLDESO012G02	4.430				
12 lampshades - glossy chrome finishing	12 x E27 70 W HES	•	OD IP20	FLDESO012G04	7.730				
12 lampshades - glossy copper finishing	12 x E27 70 W HES	•	OD IP20	FLDESO012G05	7.730				
12 lampshades - glossy brass finishing	12 x E27 70 W HES	•	OD IP20	FLDESO012G06	7.730				



Pendant and ceiling lamp. Metal structure in matt white or black and in galvanic finishes: chrome, brass and copper.



Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA

	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR				
			 		IP	CODE	€ EURO	 		IP	CODE
 <p>10 cm 3.94" 41 cm 16.15" 63 cm 24.80"</p>	Florinda Desnuda 3 - Ceiling lamp 3 lampshades - matt white 9010	3 x E27 70 W HES	•	OD	IP20	FLDEPL003G01	1.060				
	3 lampshades - matt black	3 x E27 70 W HES	•	OD	IP20	FLDEPL003G02	1.060				
	3 lampshades - glossy chrome finishing	3 x E27 70 W HES	•	OD	IP20	FLDEPL003G04	1.575				
	3 lampshades - glossy copper finishing	3 x E27 70 W HES	•	OD	IP20	FLDEPL003G05	1.575				
	3 lampshades - glossy brass finishing	3 x E27 70 W HES	•	OD	IP20	FLDEPL003G06	1.575				
 <p>14.5 cm 5.71" 41 cm 16.15" 94 cm 37.01"</p>	Florinda Desnuda 6 - Ceiling lamp 6 lampshades - matt white 9010	6 x E27 70 W HES	•	OD	IP20	FLDEPL006G01	1.900				
	6 lampshades - matt black	6 x E27 70 W HES	•	OD	IP20	FLDEPL006G02	1.900				
	6 lampshades - glossy chrome finishing	6 x E27 70 W HES	•	OD	IP20	FLDEPL006G04	3.080				
	6 lampshades - glossy copper finishing	6 x E27 70 W HES	•	OD	IP20	FLDEPL006G05	3.080				
	6 lampshades - glossy brass finishing	6 x E27 70 W HES	•	OD	IP20	FLDEPL006G06	3.080				
 <p>14.5 cm 5.71" 51 cm 20.08" 153 cm 60.24"</p>	Florinda Desnuda 12 - Ceiling lamp 12 lampshades - matt white 9010	12 x E27 70 W HES	•	OD	IP20	FLDEPL0012G01	4.780				
	12 lampshades - matt black	12 x E27 70 W HES	•	OD	IP20	FLDEPL0012G02	4.780				
	12 lampshades - glossy chrome finishing	12 x E27 70 W HES	•	OD	IP20	FLDEPL0012G04	8.280				
	12 lampshades - glossy copper finishing	12 x E27 70 W HES	•	OD	IP20	FLDEPL0012G05	8.280				
	12 lampshades - glossy brass finishing	12 x E27 70 W HES	•	OD	IP20	FLDEPL0012G06	8.280				


PRODUCTS: Galileo
 DESIGN: BMB Progetti 2022

Pendant lamp, wall lamp and floor lamp.
 White, lead grey or matt gold painted metal structure.
 Diffused light.

Symbol index   → • / present - / absent OD / On Demand


GALILEO

Pendant lamp - D. 80 x L.125




DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Pendant lamp white or lead grey NO DIM	1 led module 44W - 5500 Lm - 3000 K	•	OD IP20	GALES0080G01	1.740				
Pendant lamp matt gold NO DIM	1 led module 44W - 5500 Lm - 3000 K	•	OD IP20	GALES0080G02	2.300				
Pendant lamp white or lead grey DIM TRIAC	1 led module 44W - 5500 Lm - 3000 K	•	OD IP20	GALES0080G03	1.915				
Pendant lamp matt gold DIM TRIAC	1 led module 44W - 5500 Lm - 3000 K	•	OD IP20	GALES0080G04	2.475				
Pendant lamp white or lead grey DIM DALI-Push DIM	1 led module 44W - 5500 Lm - 3000 K	•	OD IP20	GALES0080G05	1.915				
Pendant lamp matt gold DIM DALI-Push DIM	1 led module 44W - 5500 Lm - 3000 K	•	OD IP20	GALES0080G06	2.475				

Pendant lamp - D. 100 x L.156




Pendant lamp white or lead grey NO DIM	1 led module 56W - 7100 Lm - 3000 K	•	OD IP20	GALES0100G01	2.010				
Pendant lamp matt gold NO DIM	1 led module 56W - 7100 Lm - 3000 K	•	OD IP20	GALES0100G02	2.660				
Pendant lamp white or lead grey DIM TRIAC	1 led module 56W - 7100 Lm - 3000 K	•	OD IP20	GALES0100G03	2.185				
Pendant lamp matt gold DIM TRIAC	1 led module 56W - 7100 Lm - 3000 K	•	OD IP20	GALES0100G04	2.835				
Pendant lamp white or lead grey DIM DALI-Push DIM	1 led module 56W - 7100 Lm - 3000 K	•	OD IP20	GALES0100G05	2.185				
Pendant lamp matt gold DIM DALI-Push DIM	1 led module 56W - 7100 Lm - 3000 K	•	OD IP20	GALES0100G06	2.835				

Pendant lamp, wall lamp and floor lamp.
 White, lead grey or matt gold painted metal structure.
 Diffused light.

Symbol index  → • / present - / absent OD / On Demand


GALILEO

Wall lamp - D. 80 x L.125



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Wall lamp white or lead grey DIM Plug	1 led module 29W - 3670 Lm - 3000 K	•	OD IP20	GALEAP080G01	1.605				
Wall lamp matt gold DIM Plug	1 led module 29W - 3670 Lm - 3000 K	•	OD IP20	GALEAP080G02	2.170				
Wall lamp white or lead grey NO DIM Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD IP20	GALEAP080G03	1.605				
Wall lamp matt gold NO DIM Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD IP20	GALEAP080G04	2.170				
Wall lamp matt gold DIM TRIAC Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD IP20	GALEAP080G05	1.685				
Wall lamp matt gold DIM TRIAC Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD IP20	GALEAP080G06	2.250				
Wall lamp white or lead grey DIM DALI-Push DIM Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD IP20	GALEAP080G07	1.685				
Wall lamp matt gold DIM DALI-Push DIM Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD IP20	GALEAP080G08	2.250				


Floor lamp - H. 180



Floor lamp white or lead grey DIM Plug	1 led module 22W - 2755 Lm - 3000 K	•	OD IP20	GALEPT180G01	1.475				
Floor lamp matt gold DIM Plug	1 led module 22W - 2755 Lm - 3000 K	•	OD IP20	GALEPT180G02	2.030				


PRODUCTS: Galileo Longue
 DESIGN: BMB Progetti 2022

Pendant lamp, wall lamp and floor lamp.
 White, lead grey or matt gold painted metal structure.
 Diffused light.

Symbol index  → • / present - / absent OD / On Demand


GALILEO LONGUE

DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 IP	CODE	€ EURO	 IP	CODE	€ EURO		
Pendant lamp - L. 145 Pendant lamp white or lead grey NO DIM	1 led module 40W - 5000 Lm - 3000 K	• OD	IP20	GLLESO145G01	1.740				
Pendant lamp matt gold NO DIM	1 led module 40W - 5000 Lm - 3000 K	• OD	IP20	GLLESO145G02	2.300				
Pendant lamp white or lead grey DIM TRIAC	1 led module 40W - 5000 Lm - 3000 K	• OD	IP20	GLLESO145G03	1.915				
Pendant lamp matt gold DIM TRIAC	1 led module 40W - 5000 Lm - 3000 K	• OD	IP20	GLLESO145G04	2.475				
Pendant lamp white or lead grey DIM DALI-Push DIM	1 led module 40W - 5000 Lm - 3000 K	• OD	IP20	GLLESO145G05	1.915				
Pendant lamp matt gold DIM DALI-Push DIM	1 led module 40W - 5000 Lm - 3000 K	• OD	IP20	GLLESO145G06	2.475				




Wall lamp - L. 75

Wall lamp white or lead grey NO DIM Remote	1 led module 10W - 1230 Lm - 3000 K	• OD	IP20	GLLEAP075G01	670				
Wall lamp matt gold NO DIM Remote	1 led module 10W - 1230 Lm - 3000 K	• OD	IP20	GLLEAP075G02	915				
Wall lamp white or lead grey DIM TRIAC Remote	1 led module 10W - 1230 Lm - 3000 K	• OD	IP20	GLLEAP075G03	750				
Wall lamp matt gold DIM TRIAC Remote	1 led module 10W - 1230 Lm - 3000 K	• OD	IP20	GLLEAP075G04	990				
Wall lamp white or lead grey DIM DALI-Push DIM Remote	1 led module 10W - 1230 Lm - 3000 K	• OD	IP20	GLLEAP075G05	750				
Wall lamp matt gold DIM DALI-Push DIM Remote	1 led module 10W - 1230 Lm - 3000 K	• OD	IP20	GLLEAP075G06	990				




PRODUCTS: Galileo Longue
 DESIGN: BMB Progetti 2022

Pendant lamp, wall lamp and floor lamp.
 White, lead grey or matt gold painted metal structure.
 Diffused light.

Symbol index  → • / present - / absent OD / On Demand



GALILEO LONGUE

Wall lamp - L. 145




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white or lead grey NO DIM Remote	1 led module 20W - 2500 Lm - 3000 K	•	OD	IP20	GLLEAP145G01	865					
Wall lamp matt gold NO DIM Remote	1 led module 20W - 2500 Lm - 3000 K	•	OD	IP20	GLLEAP145G02	1.145					
Wall lamp matt gold DIM TRIAC Remote	1 led module 20W - 2500 Lm - 3000 K	•	OD	IP20	GLLEAP145G03	945					
Wall lamp matt gold DIM TRIAC Remote	1 led module 20W - 2500 Lm - 3000 K	•	OD	IP20	GLLEAP145G04	1.230					
Wall lamp white or lead grey DIM DALI-Push DIM Remote	1 led module 20W - 2500 Lm - 3000 K	•	OD	IP20	GLLEAP145G05	945					
Wall lamp matt gold DIM DALI-Push DIM Remote	1 led module 20W - 2500 Lm - 3000 K	•	OD	IP20	GLLEAP145G06	1.230					





Wall lamp with or without lampshade. Lampshade in cotton fabric.
 Metal structure painted in white or black (embossed finishing) and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index   → • / present - / absent OD / On Demand


GECO

Wall lamp 155 - without lampshade





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Wall lamp white	1 x E27 42 W HES	•	OD IP20	GECEAP160G01	500						
Wall lamp black	1 x E27 42 W HES	•	OD IP20	GECEAP160G02	500						
Wall lamp brick	1 x E27 42 W HES	•	OD IP20	GECEAP160G03	590						
Wall lamp lime	1 x E27 42 W HES	•	OD IP20	GECEAP160G04	590						
Wall lamp blue China	1 x E27 42 W HES	•	OD IP20	GECEAP160G05	590						
Wall lamp matt gold	1 x E27 42 W HES	•	OD IP20	GECEAP160G06	590						

Wall lamp 165 - with lampshade




Wall lamp white cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C01	690				
Wall lamp black cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C02	690				
Wall lamp brick cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C03	795				
Wall lamp lime cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C04	795				
Wall lamp blue China cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C05	795				
Wall lamp matt gold cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C06	795				

Wall lamp with or without lampshade. Lampshade in cotton fabric.
 Metal structure painted in white or black (embossed finishing) and in Deluxe finishes: lime green, blue China, brick and matt gold.





Symbol index   → • / present - / absent OD / On Demand

GECO


Wall lamp - without plug 155 - without lampshade



17 cm
6.69"
 13 cm
5.11"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Wall lamp white	1 x E27 42 W HES	•	OD IP20	GECEAP160G11	510						
Wall lamp black	1 x E27 42 W HES	•	OD IP20	GECEAP160G12	510						
Wall lamp brick	1 x E27 42 W HES	•	OD IP20	GECEAP160G13	610						
Wall lamp lime	1 x E27 42 W HES	•	OD IP20	GECEAP160G14	610						
Wall lamp blue China	1 x E27 42 W HES	•	OD IP20	GECEAP160G15	610						
Wall lamp matt gold	1 x E27 42 W HES	•	OD IP20	GECEAP160G16	610						

Wall lamp - without plug 165 - with lampshade



23 cm
9.05"
 30 cm
11.81"


Wall lamp white cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C11	705				
Wall lamp black cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C12	705				
Wall lamp brick cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C13	805				
Wall lamp lime cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C14	805				
Wall lamp blue China cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C15	805				
Wall lamp matt gold cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C16	805				

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Pendant lamp ø 15



DESCRIPTION	LIGHT SOURCE	 	INDOOR			OUTDOOR		
			IP	CODE	€ EURO	IP	CODE	€ EURO
Pendant lamp white or lead grey	1 x GU10 20 W HES	• OD	IP20	HAMESO015G11	425			
Pendant lamp Deluxe	1 x GU10 20 W HES	• OD	IP20	HAMESO015G12	520			
Pendant lamp white or lead grey NO DIM	1 led module 9 W - 830 Lm - 2800 K	• OD	IP20	HAMESO015G01	485			
Pendant lamp Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	• OD	IP20	HAMESO015G02	580			
Pendant lamp white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	• OD	IP20	HAMESO015G05	565			
Pendant lamp Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	• OD	IP20	HAMESO015G06	655			
Pendant lamp white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	• OD	IP20	HAMESO015G03	610			
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	• OD	IP20	HAMESO015G04	695			

Pendant lamp ø 18



Pendant lamp white or lead grey	1 x GU10 20 W HES	• OD	IP20	HAMESO018G11	440			
Pendant lamp Deluxe	1 x GU10 20 W HES	• OD	IP20	HAMESO018G12	535			
Pendant lamp white or lead grey NO DIM	1 led module 12 W - 1110 Lm - 2800 K	• OD	IP20	HAMESO018G01	520			
Pendant lamp Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	• OD	IP20	HAMESO018G02	620			
Pendant lamp white or lead grey DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	• OD	IP20	HAMESO018G05	620			
Pendant lamp Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	• OD	IP20	HAMESO018G06	715			
Pendant lamp white or lead grey DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	• OD	IP20	HAMESO018G03	650			
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	• OD	IP20	HAMESO018G04	750			


Accessory - Pendant lamp ø 15 e ø 18	Surcharge for ceiling rose in the same colour as Deluxe structure	ROS110003601	20					
---	---	--------------	----	--	--	--	--	--





Pendant, spotlight, ceiling lamp and recessed spotlight.
 Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand

HAMMER

Pendant lamp ø 30




DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Pendat lamp white or lead grey NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	HAMESO030G01	705				
Pendant lamp Deluxe NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	HAMESO030G02	870				
Pendat lamp white or lead grey DIM TRIAC	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	HAMESO030G05	870				
Pendant lamp Deluxe DIM TRIAC	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	HAMESO030G06	1.040				
Pendat lamp white or lead grey DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	HAMESO030G03	940				
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	HAMESO030G04	1.110				
Accessory - Pendant lamp ø 30	Surcharge for ceiling rose in the same colour as Deluxe structure			ROS160004201	30				

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Spotlight ø 15




DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO	  IP	CODE	€ EURO		
Spotlight white or lead grey	1 x GU10 20 W HES	• OD IP20	HAMEFA015G11	330					
Spotlight Deluxe	1 x GU10 20 W HES	• OD IP20	HAMEFA015G12	415					
Spotlight white or lead grey NO DIM	1 led module 9 W - 830 Lm - 2800 K	• OD IP20	HAMEFA015G01	395					
Spotlight Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	• OD IP20	HAMEFA015G02	485					
Spotlight white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	• OD IP20	HAMEFA015G05	485					
Spotlight Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	• OD IP20	HAMEFA015G06	580					
Spotlight white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	• OD IP20	HAMEFA015G03	520					
Spotlight Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	• OD IP20	HAMEFA015G04	615					

Spotlight ø 18




Spotlight white or lead grey	1 x GU10 20 W HES	• OD IP20	HAMEFA018G11	355		
Spotlight Deluxe	1 x GU10 20 W HES	• OD IP20	HAMEFA018G12	450		
Spotlight white or lead grey NO DIM	1 led module 12 W - 1110 Lm - 2800 K	• OD IP20	HAMEFA018G01	410		
Spotlight Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	• OD IP20	HAMEFA018G02	515		
Spotlight white or lead grey DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	• OD IP20	HAMEFA018G05	500		
Spotlight Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	• OD IP20	HAMEFA018G06	590		
Spotlight white or lead grey DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	• OD IP20	HAMEFA018G03	525		
Spotlight Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	• OD IP20	HAMEFA018G04	625		

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Ceiling lamp ø 15



DESCRIPTION	LIGHT SOURCE	 	INDOOR			OUTDOOR		
			IP	CODE	€ EURO	IP	CODE	€ EURO
Ceiling lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEPL015G11	395		
Ceiling lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEPL015G12	460		
Ceiling lamp white or lead grey NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G01	440		
Ceiling lamp Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G02	515		
Ceiling lamp white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G05	525		
Ceiling lamp Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G06	595		
Ceiling lamp white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G03	560		
Ceiling lamp Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G04	635		

Ceiling lamp ø 18




Ceiling lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEPL018G11	400		
Ceiling lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEPL018G12	475		
Ceiling lamp white or lead grey NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G01	450		
Ceiling lamp Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G02	525		
Ceiling lamp white or lead grey DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G05	530		
Ceiling lamp Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G06	615		
Ceiling lamp white or lead grey DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G03	565		
Ceiling lamp Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G04	645		

Pendant, spotlight, ceiling lamp and recessed spotlight.
 Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index → • / present - / absent OD / On Demand


HAMMER

Recessed spotlight ø 15






DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
			IP	CODE	€ EURO		IP	CODE	€ EURO
Recessed spotlight white or lead grey	1 x GU10 20 W HES	•	-	IP20	HAMEIN015G11	280			
Recessed spotlight Deluxe	1 x GU10 20 W HES	•	-	IP20	HAMEIN015G12	340			
Recessed spotlight white or lead grey NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G01	290			
Recessed spotlight Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G02	355			
Recessed spotlight white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G05	400			
Recessed spotlight Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G06	455			
Recessed spotlight white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G03	435			
Recessed spotlight Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G04	500			

Recessed spotlight ø 18





Recessed spotlight white or lead grey	1 x GU10 20 W HES	•	-	IP20	HAMEIN018G11	290			
Recessed spotlight Deluxe	1 x GU10 20 W HES	•	-	IP20	HAMEIN018G12	360			
Recessed spotlight white or lead grey NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	-	IP20	HAMEIN018G01	305			
Recessed spotlight Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	-	IP20	HAMEIN018G02	380			
Recessed spotlight white or lead grey DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	-	IP20	HAMEIN018G05	410			
Recessed spotlight Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	-	IP20	HAMEIN018G06	480			
Recessed spotlight white or lead grey DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	-	IP20	HAMEIN018G03	450			
Recessed spotlight Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	-	IP20	HAMEIN018G04	515			

Recessed spotlight ø 15





Recessed spotlight ø 18




PRODUCTS: Icaro
 DESIGN: Brian Rasmussen 2011

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
 Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index   → • / present - / absent OD / On Demand

ICARO

DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO	  IP	CODE	€ EURO		
Pendant lamp - ø 22	Pendant lamp	1 x E14 42 W HES	• OD IP20	ICIESO22G01	565				




Accessory:

Coloured stripe in cotton fabric ø 22

OD ICIEFS022C01 30

Pendant lamp - ø 50	Pendant lamp	1 x E27 42 W HES	• OD IP20	ICIESO50G01	960				
---------------------	--------------	------------------	-----------	-------------	-----	--	--	--	--




Accessory:

Coloured stripe in cotton fabric ø 50/60/75

OD ICIEFS050C01 35

PRODUCTS: Icaro
 DESIGN: Brian Rasmussen 2011


Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
 Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index  → • / present - / absent OD / On Demand

ICARO

Pendant lamp - ø 75


DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 IP	CODE	€ EURO	 IP	CODE	€ EURO		
Pendant lamp	1 x E27 42 W HES	•	OD IP20	ICIESO075G01	1.315				



Accessory:										
Coloured stripe in cotton fabric ø 50/60/75										
		OD		ICIEFS050C01	35					

Pendant lamp - ø 100



Pendant lamp	1 x E27 70 W HES	•	OD IP20	ICIESO100G01	1.945				
--------------	------------------	---	---------	--------------	-------	--	--	--	--



Accessory:										
Coloured stripe in cotton fabric ø 100										
		OD		ICIEFS100C01	45					


PRODUCTS: Icaro Outdoor
 DESIGN: Brian Rasmussen 2011

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO OUTDOOR

DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
Pendant lamp - ø 50	Pendant lamp	1 x E27 42 W HES			• - IP44/64	ICOESO050G01	1.085




Accessory:

Coloured stripe in washable fabric ø 50/60/75

OD ICIEFS050T01 40

Pendant lamp - ø 75	Pendant lamp	1 x E27 42 W HES			• - IP44/64	ICOESO075G01	1.445
---------------------	--------------	------------------	--	--	-------------	--------------	-------




Accessory:

Coloured stripe in washable fabric ø 50/60/75

OD ICIEFS050T01 40


PRODUCTS: Icaro Outdoor
DESIGN: Brian Rasmussen 2011

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO OUTDOOR

DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
Pendant lamp - ø 100	Pendant lamp	1 x E27 70 W HES			• - IP44/64	ICOESO100G01	2.090




Accessory:

Coloured stripe in washable fabric
 ø 100

OD ICIEFS100T01 80

Floor lamp - ø 50

Floor lamp	Floor lamp	1 x E27 42 W HES			• - IP44/64	ICOETA050G01	1.040
------------	------------	------------------	--	--	-------------	--------------	-------





Accessory:

Coloured stripe in washable fabric ø
 50/60/75

OD ICIEFS050T01 40


PRODUCTS: Icaro Outdoor
DESIGN: Brian Rasmussen 2011

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO OUTDOOR

DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
Floor lamp - ø 75	Floor lamp	1 x E27 42 W HES			• - IP44/64	ICOETA075G01	1.350




Accessory:

Coloured stripe in washable fabric ø 50/60/75

OD ICIEFS050T01 40

Floor lamp - ø 100	Floor lamp	1 x E27 70 W HES			• - IP44/64	ICOETA100G01	1.865
--------------------	------------	------------------	--	--	-------------	--------------	-------





Accessory:

Coloured stripe in washable fabric ø 100

OD ICIEFS100T01 80

PRODUCTS: Icaro ball
 DESIGN: Brian Rasmussen 2012

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
 Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).


Symbol index   → • / present - / absent OD / On Demand

ICARO BALL

Pendant lamp - ø 50

DESCRIPTION: Pendant lamp
 LIGHT SOURCE: 1 x E27 42 W HES

INDOOR					OUTDOOR				
  IP	CODE	€ EURO	  IP	CODE	€ EURO				
• OD IP20	IBIESO050G01	960							



Accessory:


Coloured stripe in cotton fabric ø 50/60/75

OD ICIEFS050C01 35

Pendant lamp - ø 60

DESCRIPTION: Pendant lamp
 LIGHT SOURCE: 1 x E27 42 W HES

• OD IP20 IBIESO060G01 1.315





Accessory:

Coloured stripe in cotton fabric ø 50/60/75

OD ICIEFS050C01 35

PRODUCTS: Icaro ball
 DESIGN: Brian Rasmussen 2012

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
 Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL

Pendant lamp - ø 75

DESCRIPTION

Pendant lamp

LIGHT SOURCE

1 x E27 42 W HES



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

•

OD

IP20

IBIESO075G01

1.405


Accessory:

Coloured stripe in cotton fabric ø
 50/60/75

OD

ICIEFS050C01

35



Pendant lamp - ø 90

Pendant lamp

1 x E27 70 W HES

•

OD

IP20

IBIESO090G01

2.035


Accessory:

Coloured stripe in cotton fabric ø 90

OD



ICIEFS090C01

45




PRODUCTS: Icaro ball Outdoor
 DESIGN: Brian Rasmussen 2012

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR

DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR			
		  IP	CODE	€ EURO	  IP	CODE	€ EURO	
Pendant lamp - ø 50	Pendant lamp	1 x E27 42 W HES			•	- IP44/64	IBOESO050G01	1.045



Accessory:

Coloured stripe in washable fabric ø
 50/60/75

OD ICIEFS050T01 40

Pendant lamp - ø 60	Pendant lamp	1 x E27 42 W HES			•	- IP44/64	IBOESO060G01	1.435
---------------------	--------------	------------------	--	--	---	-----------	--------------	-------



Accessory:

Coloured stripe in washable fabric ø
 50/60/75

OD ICIEFS050T01 40


PRODUCTS: Icaro ball Outdoor
 DESIGN: Brian Rasmussen 2012

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR

DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		IP	CODE	€ EURO	IP	CODE	€ EURO
Pendant lamp - ø 75	Pendant lamp	1 x E27 42 W HES			• - IP44/64	IBOESO075G01	1.515




Accessory:

Coloured stripe in washable fabric ø 50/60/75

OD ICIEFS050T01 40

Pendant lamp - ø 90

Pendant lamp	Pendant lamp	1 x E27 70 W HES			• - IP44/64	IBOESO090G01	2.135
--------------	--------------	------------------	--	--	-------------	--------------	-------





Accessory:

Coloured stripe in washable fabric ø 90

OD ICIEFS090T01 80


PRODUCTS: Icaro ball Outdoor
DESIGN: Brian Rasmussen 2012

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR

DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
Floor lamp - ø 75	Floor lamp	1 x E27 42 W HES			• - IP44/64	IBOETA075G01	1.350



Accessory:

Coloured stripe in washable fabric ø 50/60/75


OD

ICIEFS050T01

40

Floor lamp - ø 90

Floor lamp	Floor lamp	1 x E27 70 W HES			• - IP44/64	IBOETA090G01	1.945
------------	------------	------------------	--	--	-------------	--------------	-------



Accessory:



Coloured stripe in washable fabric ø 90








OD

ICIEFS090T01


80

Single or in composition pendant, wall/ ceiling lamp
 Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
 Lamp with acoustic comfort features.

Symbol index   → • / present - / absent OD / On Demand


IDEA	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
			 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
 <p>66 cm 25.98"</p>	Pendant lamp white NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD IP20	IDEESO060L01	1.305				
	Pendant lamp graphite NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD IP20	IDEESO060L02	1.305				
	Pendant lamp white DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD IP20	IDEESO060L03	1.600				
	Pendant lamp graphite DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD IP20	IDEESO060L04	1.600				
 <p>80 cm 31.5"</p>	Pendant lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	IDEESO080L01	1.515				
	Pendant lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	IDEESO080L02	1.515				
	Pendant lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	IDEESO080L03	1.765				
	Pendant lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	IDEESO080L04	1.765				
 <p>100 cm 39.37"</p>	Pendant lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	IDEESO100L01	1.825				
	Pendant lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	IDEESO100L02	1.825				
	Pendant lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	IDEESO100L03	2.125				
	Pendant lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	IDEESO100L04	2.125				





Single or in composition pendant, wall/ ceiling lamp
 Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
 Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand


IDEA

Pendant lamp Ø 140



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 30W - 2400 lm - 2800 K	•	OD IP20	IDEESO140L01	2.595				
Pendant lamp graphite NO DIM	1 led module 30W - 2400 lm - 2800 K	•	OD IP20	IDEESO140L02	2.595				
Pendant lamp white DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K	•	OD IP20	IDEESO140L03	2.890				
Pendant lamp graphite DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K	•	OD IP20	IDEESO140L04	2.890				


Pendant lamp - Composition L.180











Structure only white or graphite		•	OD IP20	IDEECM180G01	2.540				
Kit 3 lights NO DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD IP20	IDEEDD180L03	1.480				
Kit 3 lights DIM DALI Push-DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD IP20	IDEEDD180L04	2.135				

NOTE: to calculate the price of the composition add the structure to the kit 3 lights.

Single or in composition pendant, wall/ ceiling lamp
Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand



IDEA	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
			  IP	CODE	€ EURO	  IP	CODE	€ EURO		
 66 cm 25.98"  13 cm 5.11"	Wall/ ceiling lamp white NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L01	1.365			
	Wall/ ceiling lamp graphite NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L02	1.365			
	Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L03	1.660			
	Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L04	1.660			
 80 cm 31.5"  13 cm 5.11"	Wall/ ceiling lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L01	1.550			
	Wall/ ceiling lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L02	1.550			
	Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L03	1.785			
	Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L04	1.785			





Single or in composition pendant, wall/ ceiling lamp
 Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
 Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand



IDEA

Wall/ ceiling lamp Ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Wall/ ceiling lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	IDEEPL100L01	1.885				
Wall/ ceiling lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	IDEEPL100L02	1.885				
Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	IDEEPL100L03	2.180				
Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	IDEEPL100L04	2.180				

Wall/ ceiling lamp Ø 140



Wall/ ceiling lamp white NO DIM	1 led module 30W - 2400 lm - 2800 K	•	OD IP20	IDEEPL140L01	2.645				
Wall/ ceiling lamp graphite NO DIM	1 led module 30W - 2400 lm - 2800 K	•	OD IP20	IDEEPL140L02	2.645				
Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K	•	OD IP20	IDEEPL140L03	2.945				
Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K	•	OD IP20	IDEEPL140L04	2.945				

Accessories - Wall/ ceiling lamp


Anti-glare lens 9W, 12W,
18W, 24W, 30W

IDEEAC00012G080

130









Single or in composition pendant, wall/ ceiling lamp
 Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
 Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Wall/ ceiling lamp - Composition L.180



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO	  IP	CODE	€ EURO		
Structure only white or graphite		• OD IP20	IDEEPL180G11	2.645					
Kit 3 lights NO DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	• OD IP20	IDEEDD180L03	1.480					
Kit 3 lights DIM DALI Push-DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	• OD IP20	IDEEDD180L04	2.135					


NOTE: to calculate the price of the composition add the structure to the kit 3 lights.








Accessory - Composition wall/ ceiling lamp	Kit anti-glare lens 12W+18W+24W	IDEAC00180G080	400
--	---------------------------------	----------------	-----



PRODUCTS: Lost
 DESIGN: Modoluce R&D 2005


Pendant lamp and small table, table, floor lamp.
 Metal base in brushed nickel finishing. Lampshade in cotton fabric.



Symbol index  → • / present - / absent OD / On Demand

LOST	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR					
					IP	CODE	€ EURO			IP	CODE	€ EURO
	Pendant lamp - ø 25	1 light cotton	1 x E27 105 W HES	OD	OD	IP20	LOSESO130C01	590				
		6 lights cotton	6 x E27 28 W HES	OD	OD	IP20	LOSESO130C02	845				
	Pendant lamp - ø 40	7 lights cotton	7 x E27 42 W	OD	OD	IP20	LOSESO160C02	1.165				
		7 lights cotton	7 x E27 42 W	OD	OD	IP20	LOSESO190C02	1.365				
	Pendant lamp - ø 40	7 lights cotton	7 x E27 42 W	OD	OD	IP20	LOSESO190C02	1.365				

PRODUCTS: Lost
 DESIGN: Modoluce R&D 2005

Pendant lamp and small table, table, floor lamp.
 Metal base in brushed nickel finishing. Lampshade in cotton fabric.

Symbol index  → • / present - / absent OD / On Demand


LOST	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
			  IP	CODE	€ EURO	  IP	CODE	€ EURO		
Small table lamp	Small table lamp cotton	1 x E14 28 W	OD	OD	IP20	LOSETP032C01	310			
										
Table lamp	Table lamp cotton	1 x E27 42 W HES	OD	OD	IP20	LOSETA046C01	405			
										
Accessory - Table and small table lamp	Universal DIM switch HES (40/160W) + LED (4/100W)					DIMVAR0TA002	100			
										
Floor lamp	Floor lamp cotton	6 x E27 28 W HES	OD	OD	IP20	LOSEPT175C01	1.195			
										
Accessory - Floor lamp	Universal DIM switch HES + LED (5/250W)					DIMVAR0PT003	120			
										

PRODUCTS: Loto
 DESIGN: Romano + Menegon 2008


Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (d.16 excluded).

Symbol index → • / present - / absent OD / On Demand

LOTO	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR				
					IP	CODE	€ EURO			IP	CODE
Mini pendant lamp - ø 16 without plex	Pleated fabric	1 x E14 42 W HES	•	OD	IP20	LOTESE016P01	340				
	Pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LOTESE016R01	355				










Pendant lamp - ø 43	Pleated fabric	2 x E27 42 W HES	OD	OD	IP20	LOTESP043P01	850			
	Pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	LOTESP043R01	860			
	Pendant lamp pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043P02	1.035			
	Pendant lamp pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043P03	1.075			
	Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043P04	1.130			
	Pendant lamp pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043R02	1.045			
	Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043R03	1.090			
	Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043R04	1.145			



PRODUCTS: Loto
DESIGN: Romano + Menegon 2008



Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
Opal plex finishing underneath (d.16 excluded).

Symbol index  → • / present - / absent OD / On Demand

LOTO	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR					
					IP	CODE	€ EURO			IP	CODE	€ EURO
 <p>60 cm 23.62"</p> <p>31 cm, 200 cm 12.20", 78.74"</p>	Pendant lamp - ø 60	Pleated fabric	3 x E27 70 W HES	OD	OD	IP20	LOTESP060P01	1.220				
		Pleated ribbon fabric	3 x E27 70 W HES	OD	OD	IP20	LOTESP060R01	1.245				
		Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060P08	1.405				
		Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060P09	1.515				
		Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060P10	1.515				
		Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060R08	1.435				
		Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060R09	1.550				
		Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060R10	1.550				
 <p>80 cm 31.50"</p> <p>35 cm, 200 cm 13.78", 78.74"</p>	Pendant lamp - ø 80	Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP080P01	1.910				
		Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP080R01	1.965				
		Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080P05	2.035				
		Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080P06	2.145				
		Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080P07	2.145				
		Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080R05	2.090				
		Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080R06	2.205				
		Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080R07	2.205				


PRODUCTS: Loto
DESIGN: Romano + Menegon 2008





Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
Opal plex finishing underneath (d.16 excluded).

Symbol index   → • / present - / absent OD / On Demand

LOTO


Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP100P01	2.390					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP100R01	2.455					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100P08	2.455					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100P09	2.560					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100P10	2.560					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100R08	2.530					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100R09	2.645					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100R10	2.645					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100P13	2.750					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100P14	2.840					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100P15	2.900					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100R13	2.810					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100R14	2.925					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100R15	2.955					


PRODUCTS: Loto
 DESIGN: Romano + Menegon 2008





Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (d.16 excluded).

Symbol index  → • / present - / absent OD / On Demand

LOTO


Pendant lamp - ø 140



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	6 x E27 105 W HES	OD	OD	IP20	LOTESP140P01	5.060					
Pleated ribbon fabric	6 x E27 105 W HES	OD	OD	IP20	LOTESP140R01	5.200					
Pendant lamp pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140P08	5.555					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140P09	5.610					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140R08	5.695					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140R09	5.755					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Wall lamp without switch



Pleated fabric	1 x E14 42 W HES	•	OD	IP20	LOTEAP016P01	435				
Pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LOTEAP016R01	450				



Wall lamp with switch



Pleated fabric	1 x E14 42 W HES	•	OD	IP20	LOTEAP016P02	460				
Pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LOTEAP016R02	480				


PRODUCTS: Lucilla
 DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.





Symbol index   → • / present - / absent OD / On Demand

LUCILLA


Small table lamp



17 cm
6.69"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C01	370					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C02	370					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C03	395					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P01	410					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P02	410					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P03	440					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R01	415					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R02	415					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R03	450					

Console lamp



17 cm
6.69"

Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C01	370					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C02	370					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C03	395					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P01	410					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P02	410					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P03	450					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R01	415					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R02	415					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R03	450					


PRODUCTS: Lucilla
 DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA

Office lamp - without switch



17 cm
6.69"






DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C01	275					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C02	275					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C03	285					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P01	325					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P02	325					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P03	340					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R01	330					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R02	330					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R03	345					

Table lamp



24 cm
9.45"

Metal white cotton	1 x E27 52 W HES	OD	OD	IP20	LUCETA068C01	415				
Metal black cotton	1 x E27 52 W HES	OD	OD	IP20	LUCETA068C02	415				
Metal brushed nickel cotton	1 x E27 52 W HES	OD	OD	IP20	LUCETA068C03	450				
Metal white pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCETA068P01	475				
Metal black pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCETA068P02	475				
Metal brushed nickel pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCETA068P03	505				
Metal white pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCETA068R01	485				
Metal black pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCETA068R02	485				
Metal brushed nickel pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCETA068R03	515				



Accessory - Table and small table lamp

Universal DIM switch HES (40/160W) + LED (4/100W)					DIMVAR0TA002	100				
---	--	--	--	--	--------------	-----	--	--	--	--




PRODUCTS: Lucilla
 DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand


LUCILLA

Reading lamp




24 cm
9.45"

150 cm
59.06"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150C01	730					
Metal black cotton	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150C02	730					
Metal brushed nickel cotton	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150C03	810					
Metal white pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCEPT150P01	780					
Metal black pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCEPT150P02	780					
Metal brushed nickel pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCEPT150P03	855					
Metal white pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150R01	800					
Metal black pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150R02	800					
Metal brushed nickel pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150R03	870					

Floor lamp



30 cm
11.81"

180 cm
70.87"

Metal white cotton	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C01	770					
Metal black cotton	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C02	770					
Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C03	860					
Metal white pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P01	855					
Metal black pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P02	855					
Metal brushed nickel pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P03	945					
Metal white pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R01	875					
Metal black pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R02	875					
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R03	970					

Accessory - Reading and floor lamp

Universal DIM switch HES + LED (5/250W)

DIMVAROPT003

120




PRODUCTS: Lucilla
 DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lamphshade in cotton, pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand


LUCILLA

Wall lamp without switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C01	340					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C02	340					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C03	370					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P01	390					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P02	390					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P03	410					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R01	395					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R02	395					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R03	415					



Wall lamp with switch










Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C06	370					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C07	370					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C08	395					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P06	410					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P07	410					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P08	440					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R06	415					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R07	415					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R08	450					

PRODUCTS: Lucilla Tonda
 DESIGN: Paolo Grasselli 2018

Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, washable and wool fabric.


Symbol index   → • / present - / absent OD / On Demand

LUCILLA TONDA

	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
			  IP	CODE	€ EURO	  IP	CODE	€ EURO		
	Pendant lamp - ø 19 without plex	1 light cotton	1 x E14 42 W HES	OD	OD	IP20	LUTESO019C01	290		
		1 light washable	1 x E14 42 W HES	OD	OD	IP20	LUTESO019T01	310		
		1 light wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTESO019E01	325		
	Pendant lamp - ø 34 without plex	1 light cotton	1 x E27 52 W HES	OD	OD	IP20	LUTESO034C01	380		
		1 light washable	1 x E27 52 W HES	OD	OD	IP20	LUTESO034T01	405		
		1 light wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTESO034E01	410		
	Pendant lamp - ø 43 without plex	1 light cotton	1 x E27 52 W HES	OD	OD	IP20	LUTESO043C01	415		
		1 light washable	1 x E27 52 W HES	OD	OD	IP20	LUTESO043T01	480		
		1 light wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTESO043E01	505		


PRODUCTS: Lucilla Tonda
 DESIGN: Paolo Grasselli 2018

Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, washable and wool fabric.





Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA


Small table lamp



19 cm
7.48"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C01	405					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C02	405					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C03	435					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTETP042T01	425					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTETP042T02	425					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTETP042T03	455					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTETP042E01	435					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTETP042E02	435					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTETP042E03	460					

Console lamp




19 cm
7.48"

Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEKN056C01	405					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEKN056C02	405					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEKN056C03	435					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTEKN056T01	425					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTEKN056T02	425					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTEKN056T03	455					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEKN056E01	435					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEKN056E02	435					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEKN056E03	460					


PRODUCTS: Lucilla Tonda
 DESIGN: Paolo Grasselli 2018

Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, washable and wool fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA

Office lamp - without switch








DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C01	310					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C02	310					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C03	330					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T01	340					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T02	340					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T03	355					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052E01	345					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052E02	345					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052E03	360					

Table lamp





Metal white cotton	1 x E27 52 W HES	OD	OD	IP20	LUTETA068C01	435					
Metal black cotton	1 x E27 52 W HES	OD	OD	IP20	LUTETA068C02	435					
Metal brushed nickel cotton	1 x E27 52 W HES	OD	OD	IP20	LUTETA068C03	460					
Metal white washable	1 x E27 52 W HES	OD	OD	IP20	LUTETA068T01	460					
Metal black washable	1 x E27 52 W HES	OD	OD	IP20	LUTETA068T02	460					
Metal brushed nickel washable	1 x E27 52 W HES	OD	OD	IP20	LUTETA068T03	500					
Metal white wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTETA068E01	480					
Metal black wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTETA068E02	480					
Metal brushed nickel Wool fabric	1 x E27 52 W HES	OD	OD	IP20	LUTETA068E03	510					

Accessory - Table and small table lamp

Universal DIM switch HES (40/160W) + LED (4/100W)					DIMVAR0TA002	100					
---	--	--	--	--	--------------	-----	--	--	--	--	--




Pendant, small table, console, table, reading, floor and wall lamp.
Metal structure in matt black and white painted or in brushed nickel finishing.
Lampshade in cotton, washable and wool fabric.





Symbol index   → • / present - / absent OD / On Demand

LUCILLA TONDA


Reading lamp



34 cm
13.39"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150C01	770					
Metal black cotton	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150C02	770					
Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150C03	850					
Metal white washable	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150T01	810					
Metal black washable	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150T02	810					
Metal brushed nickel washable	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150T03	880					
Metal white wool fabric	1 x E27 70 W HES	•	OD	IP20	LUTEPT150E01	815					
Metal black wool fabric	1 x E27 70 W HES	•	OD	IP20	LUTEPT150E02	815					
Metal brushed nickel Wool fabric	1 x E27 70 W HES	•	OD	IP20	LUTEPT150E03	885					

Floor lamp



43 cm
16.93"

Metal white cotton	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180C01	845					
Metal black cotton	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180C02	845					
Metal brushed nickel cotton	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180C03	935					
Metal white washable	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180T01	900					
Metal black washable	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180T02	900					
Metal brushed nickel washable	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180T03	985					
Metal white wool fabric	1 x E27 105 W HES	•	OD	IP20	LUTEPT180E01	925					
Metal black wool fabric	1 x E27 105 W HES	•	OD	IP20	LUTEPT180E02	925					
Metal brushed nickel Wool fabric	1 x E27 105 W HES	•	OD	IP20	LUTEPT180E03	1.015					


Accessory - Reading and floor lamp

Universal DIM switch HES + LED (5/250W)					DIMVAROPT003	120					
---	--	--	--	--	--------------	-----	--	--	--	--	--




PRODUCTS: Lucilla Tonda
 DESIGN: Paolo Grasselli 2018





Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lamphshade in cotton, washable and wool fabric.

Symbol index  → • / present - / absent OD / On Demand


LUCILLA TONDA

Wall lamp - without switch




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C01	355					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C02	355					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C03	385					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T01	380					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T02	380					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T03	400					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E01	385					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E02	385					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E03	405					

Wall lamp - with switch



Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C06	385					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C07	385					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C08	405					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T06	400					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T07	400					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T08	425					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E06	405					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E07	405					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E08	435					





Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand


MILLELUCI

Pendant lamp - ø 40




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	1 x E27 42 W HES	OD	OD	IP20	MILESP040C01	415					
Pendant lamp wool	1 x E27 42 W HES	OD	OD	IP20	MILESP040E01	500					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	MILESP040P01	505					
Pendant lamp pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	MILESP040R01	515					

Pendant lamp - ø 80




Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP080C01	1.345					
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP080E01	1.555					
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP080P01	1.945					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP080R01	1.985					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080C05	1.455					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080C06	1.570					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080C07	1.570					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080E05	1.675					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080E06	1.785					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080E07	1.785					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080P05	2.060					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080P06	2.170					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080P07	2.170					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080R05	2.110					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080R06	2.215					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080R07	2.215					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080R07	2.215					





Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand


MILLELUCI

Pendant lamp - ø 100 x h 35




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP035C01	1.550					
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP035E01	1.720					
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP035P01	2.305					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP035R01	2.380					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035C08	1.615					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035C09	1.725					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035C10	1.725					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035E08	1.790					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035E09	1.905					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035E10	1.905					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035P08	2.385					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035P09	2.500					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035P10	2.500					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035R08	2.435					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035R09	2.550					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035R10	2.550					


Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand


MILLELUCI

Pendant lamp - ø 100 x h 35




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035C13	1.965					
Pendant lamp cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035C14	2.055					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035C15	2.090					
Wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035E13	2.140					
Pendant lamp wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035E14	2.230					
Wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035E15	2.270					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035P13	2.720					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035P14	2.815					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035P15	2.850					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035R13	2.795					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035R14	2.890					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035R15	2.925					





Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand



MILLELUCI

Pendant lamp - ø 100 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp - ø 100 x h 60	Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP060C01	1.650				
Pendant lamp wool		4 x E27 70 W HES	OD	OD	IP20	MILESP060E01	2.065				
Pendant lamp pleated fabric		4 x E27 70 W HES	OD	OD	IP20	MILESP060P01	2.455				
Pendant lamp pleated ribbon fabric		4 x E27 70 W HES	OD	OD	IP20	MILESP060R01	2.530				
Pendant lamp cotton NO DIM		1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060C08	1.735				
Pendant lamp cotton DIM TRIAC		1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060C09	1.850				
Pendant lamp cotton DIM DALI-Push DIM		1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060C10	1.850				
Pendant lamp wool NO DIM		1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060E08	2.155				
Pendant lamp wool DIM TRIAC		1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060E09	2.270				
Pendant lamp wool DIM DALI-Push DIM		1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060E10	2.270				
Pendant lamp pleated fabric NO DIM		1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060P08	2.545				
Pendant lamp pleated fabric DIM TRIAC		1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060P09	2.660				
Pendant lamp pleated fabric DIM DALI-Push DIM		1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060P10	2.660				
Pendant lamp pleated ribbon fabric NO DIM		1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060R08	2.630				
Pendant lamp pleated ribbon fabric DIM TRIAC		1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060R09	2.720				
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM		1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060R10	2.720				



Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
 Opal plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand


MILLELUCI

Pendant lamp - ø 100 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060C13	2.085					
Pendant lamp cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060C14	2.170					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060C15	2.210					
Wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060E13	2.515					
Pendant lamp wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060E14	2.585					
Wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060E15	2.640					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060P13	2.905					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060P14	2.980					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060P15	3.035					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060R13	2.960					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060R14	3.055					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060R15	3.100					





Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI



Pendant lamp - ø 120 x h 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP120C01	2.505					
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP120E01	3.060					
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP120P01	3.345					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP120R01	3.445					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120C08	2.555					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120C09	2.670					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120C10	2.670					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120E08	3.125					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120E09	3.235					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120E10	3.235					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120P08	3.400					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120P09	3.520					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120P10	3.520					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120R08	3.505					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120R09	3.615					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120R10	3.615					


PRODUCTS: Milleluci
 DESIGN: Modoluce R&D 2002

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
 Opal plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand

MILLELUCI


Pendant lamp - ø 120 x h 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120C11	3.165					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120C12	3.240					
Wool NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120E11	3.730					
Wool DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120E12	3.800					
Pendant lamp pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120P11	4.000					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120P12	4.090					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120R11	4.100					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120R12	4.190					


PRODUCTS: Milleluci
 DESIGN: Modoluce R&D 2002

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 150 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	6 x E27 70 W HES	OD	OD	IP20	MILESP150P01	4.495					
Pleated ribbon fabric	6 x E27 70 W HES	OD	OD	IP20	MILESP150R01	4.630					
Pendant lamp pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150P06	4.920					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150P07	4.980					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150R06	5.060					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150R07	5.125					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


PRODUCTS: Mood
 DESIGN: Romano + Menegon 2014





Pendant, wall/ ceiling lamp with lampshade in hand-finished pleated or pleated ribbon fabric.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


MOOD

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100P04	2.205					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100P05	2.290					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100P06	2.325					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100R04	2.250					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100R05	2.325					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100R06	2.380					

Pendant lamp - ø 120




1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120P04	2.560					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120P05	2.655					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120P06	2.695					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120R04	2.635					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120R05	2.705					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120R06	2.760					





Pendant, wall/ ceiling lamp with lampshade in hand-finished pleated or pleated ribbon fabric.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


MOOD

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150P04	3.255					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150P05	3.345					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150P06	3.385					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150R04	3.395					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150R05	3.480					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150R06	3.525					

Wall/ ceiling lamp - ø 100












1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100P04	2.180					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100P05	2.265					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100P06	2.300					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100R04	2.215					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100R05	2.300					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100R06	2.345					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


PRODUCTS: Mood Desnuda
 DESIGN: Romano + Menegon 2018

Pendant lamp. Matt black or white painted metal frame.

Symbol index  → • / present - / absent OD / On Demand


MOOD DESNUDA	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
			  IP	CODE	€ EURO	  IP	CODE	€ EURO		
Pendant lamp - ø 60	1 light black/ matt white	1 x E27 70 W HES	•	OD	IP20	MODESO060G02	580			
										
Pendant lamp - ø 100	1 light black/ matt white	1 x E27 70 W HES	•	OD	IP20	MODESO100G02	830			
										
Pendant lamp - ø 120	1 light black/ matt white	1 x E27 70 W HES	•	OD	IP20	MODESO120G02	965			
										
Pendant lamp - ø 150	1 light black/ matt white	1 x E27 70 W HES	•	OD	IP20	MODESO150G02	1.195			
										

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Pendant lamp - globe - ø 25



25 cm
9.84"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 36	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M10	415					
Pendant lamp h 46	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M20	415					
Pendant lamp h 56	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M30	415					
Pendant lamp h 66	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M40	415					
Pendant lamp h 76	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M50	425					
Pendant lamp h 86	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M60	425					
Pendant lamp h 96	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M70	425					
Pendant lamp h 106	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M80	425					



Pendant lamp - globe - ø 30



30 cm
11.81"


Pendant lamp h 41	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M10	435					
Pendant lamp h 51	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M20	435					
Pendant lamp h 61	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M30	435					
Pendant lamp h 71	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M40	435					
Pendant lamp h 81	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M50	440					
Pendant lamp h 91	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M60	440					
Pendant lamp h 101	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M70	440					
Pendant lamp h 111	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M80	440					

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index   → • / present - / absent OD / On Demand

MULTIBALL


Pendant lamp - globe - ø 35



35 cm
13.78"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 46	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M10	500					
Pendant lamp h 56	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M20	500					
Pendant lamp h 66	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M30	500					
Pendant lamp h 76	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M40	500					
Pendant lamp h 86	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M50	505					
Pendant lamp h 96	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M60	505					
Pendant lamp h 106	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M70	505					
Pendant lamp h 116	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M80	505					


Pendant lamp - globe - ø 40



40 cm
15.75"


Pendant lamp h 51	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M10	520					
Pendant lamp h 61	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M20	520					
Pendant lamp h 71	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M30	520					
Pendant lamp h 81	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M40	520					
Pendant lamp h 91	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M50	525					
Pendant lamp h 101	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M60	525					
Pendant lamp h 111	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M70	525					
Pendant lamp h 121	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M80	525					


Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL




Pendant lamp - globe - ø 45



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 56	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M10	610					
Pendant lamp h 66	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M20	610					
Pendant lamp h 76	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M30	610					
Pendant lamp h 86	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M40	610					
Pendant lamp h 96	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M50	615					
Pendant lamp h 106	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M60	615					
Pendant lamp h 116	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M70	615					
Pendant lamp h 126	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M80	615					

Accessories - Cable/s cover white or black matt painted


Connection cables L 40 (electric cable included)	•	OD	IP20	MBLEAS000G01	90					
Connection cables L 80 (electric cable included)	•	OD	IP20	MBLEAS000G02	125					













Separate ceiling rose attachment	•	OD	IP20	MBLEAR000G01	170					
----------------------------------	---	----	------	--------------	-----	--	--	--	--	--


PRODUCTS: Multiball
DESIGN: Roberto Paoli 2013











Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR				
			 OD	 OD	IP	CODE	€ EURO	 OD	 OD	IP	CODE
 56cm - 22.05"  66cm - 25.98"  76cm - 29.92"  86cm - 33.86"  96cm - 37.79"  106cm - 41.73"	Composition with h 56 maximum encumbrance	(1 pcs d.25 h46 - 1 pcs d.35 h56 - 1 pcs d.30 h41 - 2 connection cables)	OD	OD	IP20	MBLECM056M03	1.500				
	Composition with h 66 maximum encumbrance	(1 pcs d.25 h56 - 1 pcs d.35 h66 - 1 pcs d.30 h51 - 2 connection cables)	OD	OD	IP20	MBLECM066M03	1.500				
	Composition with h 76 maximum encumbrance	(1 pcs d.25 h66 - 1 pcs d.35 h76 - 1 pcs d.30 h61 - 2 connection cables)	OD	OD	IP20	MBLECM076M03	1.500				
	Composition with h 86 maximum encumbrance	(1 pcs d.25 h76 - 1 pcs d.35 h86 - 1 pcs d.30 h71 - 2 connection cables)	OD	OD	IP20	MBLECM086M03	1.515				
	Composition with h 96 maximum encumbrance	(1 pcs d.25 h86 - 1 pcs d.35 h96 - 1 pcs d.30 h81 - 2 connection cables)	OD	OD	IP20	MBLECM096M03	1.525				
	Composition with h 106 maximum encumbrance	(1 pcs d.25 h96 - 1 pcs d.35 h106 - 1 pcs d.30 h91 - 2 connection cables)	OD	OD	IP20	MBLECM106M03	1.525				

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


MULTIBALL	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR				
			 OD	 OD	IP	CODE	€ EURO	 OD	 OD	IP	CODE
Composition type 2 - (5 globes)	Composition with h 66 maximum encumbrance		OD	OD	IP20	MBLECM066M05	2.785				
	(1 pcs d.30 h41 - 1 pcs d.35 h66 - 1 pcs d.45 h66 - 1 pcs d.40 h51 - 1 pcs d.25 h56 - 4 connection cables)										
	Composition with h 76 maximum encumbrance		OD	OD	IP20	MBLECM076M05	2.785				
	(1 pcs d.30 h51 - 1 pcs d.35 h76 - 1 pcs d.45 h76 - 1 pcs d.40 h61 - 1 pcs d.25 h66 - 4 connection cables)										
	Composition with h 86 maximum encumbrance		OD	OD	IP20	MBLECM086M05	2.795				
	(1 pcs d.30 h61 - 1 pcs d.35 h86 - 1 pcs d.45 h86 - 1 pcs d.40 h71 - 1 pcs d.25 h76- 4 connection cables)										
	Composition with h 96 maximum encumbrance		OD	OD	IP20	MBLECM096M05	2.805				
	(1pcs d.30 h71 - 1 pcs d.35 h96 - 1 pcs d.45 h96 - 1 pcs d.40 h81 - 1 pcs d.25 h86- 4 connection cables)										
	Composition with h 106 maximum encumbrance		OD	OD	IP20	MBLECM106M05	2.815				
	(1 pcs d.30 h81 - 1 pcs d.35 h106 - 1 pcs d.45 h106 - 1 pcs d.40 h91 - 1 pcs d.25 h96- 4 connection cables)										
	Composition with h 116 maximum encumbrance		OD	OD	IP20	MBLECM116M05	2.815				
	(1 pcs d.30 h91 - 1 pcs d.35 h116 - 1 pcs d.45 h116 - 1 pcs d.40 h101 - 1 pcs d.25 h106- 4 connection cables)										

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 3 - (8 globes)



66 cm - 25.98"

Composition with h 66 maximum encumbrance

(1 pcs d.25 h56 - 2 pcs d.40 h51 - 2 pcs d.45 h66 - 2 pcs d.30 h41 - 1 pcs d.35 h66 - 7 connection cables)



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR


CODE

€ EURO

OD OD IP20

MBLECM066M08

4.575



76 cm - 29.92"


Composition with h 76 maximum encumbrance

(1 pcs d.25 h66 - 2 pcs d.40 h61 - 2 pcs d.45 h76 - 2 pcs d.30 h51 - 1 pcs d.35 h76 - 7 connection cables)

OD OD IP20

MBLECM076M08

4.575



86 cm - 33.86"


Composition with h 86 maximum encumbrance

(1 pcs d.25 h76 - 2 pcs d.40 h71 - 2 pcs d.45 h86 - 2 pcs d.30 h61 - 1 pcs d.35 h86 - 7 connection cables)

OD OD IP20

MBLECM086M08

4.585



96 cm - 37.79"


Composition with h 96 maximum encumbrance

(1 pcs d.25 h86 - 2 pcs d.40 h81 - 2 pcs d.45 h96 - 2 pcs d.30 h71 - 1 pcs d.35 h96 - 7 connection cables)

OD OD IP20

MBLECM096M08

4.600



106 cm - 41.73"


Composition with h 106 maximum encumbrance

(1 pcs d.25 h96 - 2 pcs d.40 h91 - 2 pcs d.45 h106 - 2 pcs d.30 h81 - 1 pcs d.35 h106 - 7 connection cables)

OD OD IP20

MBLECM106M08

4.625



116 cm - 45.67"

Composition with h 116 maximum encumbrance

(1 pcs d.25 h106 - 2 pcs d.40 h101 - 2 pcs d.45 h116 - 2 pcs d.30 h91 - 1 pcs d.35 h116 - 7 connection cables)


OD OD IP20

MBLECM116M08











4.625

PRODUCTS: Multiball
DESIGN: Roberto Paoli 2013

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL


	DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
			  IP	CODE	€ EURO	  IP	CODE	€ EURO
Composition type 4 - (12 globes)	Composition with h 66 maximum encumbrance		OD	OD	IP20	MBLECM066M12	6.915	
 66 cm - 25.98"	(2 pcs d.25 h56 - 3 pcs d.40 h51 - 2 pcs d.30 h41 - 3 pcs d.45 h66 - 2 pcs d.35 h66 - 11 connection cables)							
	Composition with h 76 maximum encumbrance		OD	OD	IP20	MBLECM076M12	6.915	
 76 cm - 29.92"	(2 pcs d.25 h66 - 3 pcs d.40 h61 - 2 pcs d.30 h51 - 3 pcs d.45 h76 - 2 pcs d.35 h76 - 11 connection cables)							
	Composition with h 86 maximum encumbrance		OD	OD	IP20	MBLECM086M12	6.940	
 86 cm - 33.86"	(2 pcs d.25 h76 - 3 pcs d.40 h71 - 2 pcs d.30 h61 - 3 pcs d.45 h86 - 2 pcs d.35 h86 - 11 connection cables)							
	Composition with h 96 maximum encumbrance		OD	OD	IP20	MBLECM096M12	6.965	
 96 cm - 37.79"	(2 pcs d.25 h86 - 3 pcs d.40 h81 - 2 pcs d.30 h71 - 3 pcs d.45 h96 - 2 pcs d.35 h96 - 11 connection cables)							
	Composition with h 106 maximum encumbrance		OD	OD	IP20	MBLECM106M12	7.000	
 106 cm - 41.73"	(2 pcs d.25 h96 - 3 pcs d.40 h91 - 2 pcs d.30 h81 - 3 pcs d.45 h106 - 2 pcs d.35 h106 - 11 connection cables)							
	Composition with h 116 maximum encumbrance		OD	OD	IP20	MBLECM116M12	7.000	
 116 cm - 45.67"	(2 pcs d.25 h106 - 3 pcs d.40 h101 - 2 pcs d.30 h91 - 3 pcs d.45 h116 - 2 pcs d.35 h116 - 11 connection cables)							

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.


MULTIBALL

Examples compositions

Composition type 1-A




Composition type 1-B




- 1 — ∅ 25
- 2 — ∅ 35
- 3 — ∅ 30
- Cables connections L 40

Composition type 2-A




Composition type 2-B




- ∅ globes**
- 1 — ∅ 30
 - 2 — ∅ 35
 - 3 — ∅ 45
 - 4 — ∅ 40
 - 5 — ∅ 25
 - Cables connections L 40

Composition type 3-A




Composition type 3-B




- ∅ globes**
- 1 — ∅ 25
 - 2 — ∅ 40
 - 3 — ∅ 45
 - 4 — ∅ 30
 - 5 — ∅ 45
 - 6 — ∅ 35
 - 7 — ∅ 40
 - 8 — ∅ 30
 - Cables connections L 40

Composition type 4-A



Composition type 4-B





- ∅ globes**
- 1 — ∅ 25
 - 2 — ∅ 40
 - 3 — ∅ 30
 - 4 — ∅ 45
 - 5 — ∅ 35
 - 6 — ∅ 40
 - 7 — ∅ 45
 - 8 — ∅ 35
 - 9 — ∅ 25
 - 10 — ∅ 45
 - 11 — ∅ 40
 - 12 — ∅ 30
 - Cables connections L 40

Elliptical-shape pendant lamp.
Metal structure in white and graphite (embossed finishing) or in chrome galvanic finishing.
Diffuser sliding inside the structure, painted in white and graphite (embossed finishing) or in galvanic finishes: chrome, brass, copper.
Double light emission versions: L 130 Up 200 lm - Down 2150 lm / L 160 Up 400 lm - Down 4300 lm

Symbol index → • / present - / absent OD / On Demand

NUCLEO

Pendant lamp - L 130



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
			IP	CODE	€ EURO		IP	CODE	€ EURO
Structure only white or graphite		•	OD IP20	NUCESO130G01	870				
Structure only chrome		•	OD IP20	NUCESO130G02	1.615				
DIRECT LIGHT									
Kit 1 light white or graphite NO DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	NUCEDD130G01	645				
Kit 1 light chrome, brass, copper NO DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	NUCEDD130G02	905				
Kit 1 light white or graphite DIM TRIAC (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	NUCEDD130G03	855				
Kit 1 light chrome, brass, copper DIM TRIAC (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	NUCEDD130G04	1.115				
Kit 1 light white or graphite DIM DALI Push-DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	NUCEDD130G06	900				
Kit 1 light chrome, brass, copper DIM DALI Push-DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD IP20	NUCEDD130G07	1.160				
DOUBLE LIGHT EMISSION									
Kit 2 lights white or graphite NO DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD IP20	NUCEDD130G11	980				
Kit 2 lights chrome, brass, copper NO DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD IP20	NUCEDD130G12	1.245				
Kit 2 lights white or graphite DIM DALI Push-DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD IP20	NUCEDD130G16	1.055				
Kit 2 lights chrome, brass, copper DIM DALI Push-DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD IP20	NUCEDD130G17	1.315				

NOTE: to calculate the price of the pendant lamp add the structure to the kit 1 o 2 lights.


Connection single cable ceiling attachment available on demand

Elliptical-shape pendant lamp.
 Metal structure in white and graphite (embossed finishing) or in chrome galvanic finishing.
 Diffuser sliding inside the structure, painted in white and graphite (embossed finishing) or in galvanic finishes: chrome, brass, copper.
 Double light emission versions: L 130 Up 200 lm - Down 2150 lm / L 160 Up 400 lm - Down 4300 lm

Symbol index → • / present - / absent OD / On Demand


NUCLEO

Pendant lamp - L 160





DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
			IP	CODE	€ EURO		IP	CODE	€ EURO
Structure only white or graphite		•	OD IP20	NUCESO160G01	980				
Structure only chrome		•	OD IP20	NUCESO160G02	1.785				
DIRECT LIGHT									
Kit 2 lights white or graphite NO DIM (installed)	2 led module 24W - 4300 Lm - 2800 K	•	OD IP20	NUCEDD160G01	1.215				
Kit 2 lights chrome, brass, copper NO DIM (installed)	2 led module 24W - 4300 Lm - 2800 K	•	OD IP20	NUCEDD160G02	1.765				
Kit 2 lights white or graphite DIM TRIAC (installed)	2 led module 24W - 4300 Lm - 2800 K	•	OD IP20	NUCEDD160G03	1.515				
Kit 2 lights chrome, brass, copper DIM TRIAC (installed)	2 led module 24W - 4300 Lm - 2800 K	•	OD IP20	NUCEDD160G04	2.065				
Kit 2 lights white or graphite DIM DALI Push-DIM (installed)	2 led module 24W - 4300 Lm - 2800 K	•	OD IP20	NUCEDD160G06	1.515				
Kit 2 lights chrome, brass, copper DIM DALI Push-DIM (installed)	2 led module 24W - 4300 Lm - 2800 K	•	OD IP20	NUCEDD160G07	2.065				
DOUBLE LIGHT EMISSION									
Kit 4 lights white or graphite NO DIM (installed)	4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K	•	OD IP20	NUCEDD160G11	1.825				
Kit 4 lights chrome, brass, copper NO DIM (installed)	4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K	•	OD IP20	NUCEDD160G12	2.110				
Kit 4 lights white or graphite DIM DALI Push-DIM (installed)	4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K	•	OD IP20	NUCEDD160G16	1.900				
Kit 4 lights chrome, brass, copper DIM DALI Push-DIM (installed)	4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K	•	OD IP20	NUCEDD160G17	2.145				

NOTE: to calculate the price of the pendant lamp add the structure to the kit 2 or 4 lights.




Connection single cable ceiling attachment available on demand

Pendant, ceiling lamp with shade in hand-finished pleated or pleated ribbon fabric.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Ceiling lamp version with white ceiling rose.

Symbol index   → • / present - / absent OD / On Demand


OLIVIA

Pendant lamp D.42



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 		IP	CODE	€ EURO	 		IP	CODE	€ EURO
Pleated fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P42	860					
Pleated fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P43	905					
Pleated fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P44	905					
Pleated fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P45	905					
Pleated ribbon fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R42	880					
Pleated ribbon fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R43	930					
Pleated ribbon fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R44	930					
Pleated ribbon fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R45	930					



Pendant lamp D.42



Pleated fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042P01	960					
Pleated fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042P03	1.140					
Pleated ribbon fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042R01	975					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042R03	1.160					


PRODUCTS: Olivia
 DESIGN: Arturo Bellese 2017





Pendant, ceiling lamp with shade in hand-finished pleated or pleated ribbon fabric.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Ceiling lamp version with white ceiling rose.

Symbol index   → • / present - / absent OD / On Demand


OLIVIA

Pendant lamp D.60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P42	1.170					
Pleated fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P43	1.260					
Pleated fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P44	1.260					
Pleated fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P45	1.260					
Pleated ribbon fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R42	1.200					
Pleated ribbon fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R43	1.290					
Pleated ribbon fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R44	1.290					
Pleated ribbon fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R45	1.290					

Pendant lamp D.60



Pleated fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060P01	1.385					
Pleated fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060P03	1.640					
Pleated ribbon fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060R01	1.425					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060R03	1.665					





Pendant, ceiling lamp with shade in hand-finished pleated or pleated ribbon fabric.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Ceiling lamp version with white ceiling rose.

Symbol index  → • / present - / absent OD / On Demand


OLIVIA

Ceiling lamp D.42




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	OLIEPL042P41	870					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	OLIEPL042R41	885					
Pleated fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042P01	980					
Pleated fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042P03	1.165					
Pleated ribbon fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042R01	1.005					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042R03	1.185					

Ceiling lamp D.60




Pleated fabric	1 x E27 70 W HES	OD	OD	IP20	OLIEPL060P41	1.195					
Pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	OLIEPL060R41	1.225					
Pleated fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060P01	1.405					
Pleated fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060P03	1.655					
Pleated ribbon fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060R01	1.435					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060R03	1.680					

Pendant, ceiling lamp in matt white painted metal.
Upper disc available also with Deluxe finishing gold leaf, with surcharge.
Lower bowl available in galvanic finishes: chrome, brass, copper.

Symbol index  → • / present - / absent OD / On Demand

OMBRELLA


Pendant lamp D.60



22 cm
8.66"
60 cm
23.63"

DESCRIPTION	LIGHT SOURCE	• / present - / absent	OD / On Demand	IP	INDOOR			OUTDOOR		
					CODE	€ EURO	• / present - / absent	IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G01	740				
Pendant lamp white DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G04	770				
Pendant lamp white DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G11	880				
Pendant lamp white lower bowl in galvanized finishes NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G03	830				
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G05	850				
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G13	975				
LED temperature conversion filter from 3000K to 2700K	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	FLTCON0SP001	95				
Surcharge gold leaf finish					UMBORO060G01	175				


Pendant lamp D.80



33 cm
13"
80 cm
31.49"


Pendant lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G01	1.255				
Pendant lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G04	1.350				
Pendant lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G11	1.405				
Pendant lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G03	1.405				
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G05	1.495				
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G13	1.555				
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	115				
Surcharge gold leaf finish					UMBORO080G01	270				

Pendant, ceiling lamp in matt white painted metal.
Upper disc available also with Deluxe finishing gold leaf, with surcharge.
Lower bowl available in galvanic finishes: chrome, brass, copper.

Symbol index  → • / present - / absent OD / On Demand


OMBRELLA

Pendant lamp D.100





DESCRIPTION	LIGHT SOURCE		INDOOR				OUTDOOR			
			IP	CODE	€ EURO	IP	CODE	€ EURO		
Pendant lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G01	1.445				
Pendant lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G04	1.545				
Pendant lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G11	1.595				
Pendant lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G03	1.595				
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G05	1.685				
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G13	1.740				
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	115				
Surcharge gold leaf finish					UMBORO100G01	355				

Ceiling lamp D.60




Ceiling lamp white NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPLO60G01	770			
Ceiling lamp white DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPLO60G04	800			
Ceiling lamp white DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPLO60G11	925			
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPLO60G03	860			
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPLO60G05	880			
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPLO60G13	1.015			
LED temperature conversion filter from 3000K to 2700K	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	FLTCON0SP001	95			
Surcharge gold leaf finish					UMBORO060G01	175			

Pendant, ceiling lamp in matt white painted metal.
Upper disc available also with Deluxe finishing gold leaf, with surcharge.
Lower bowl available in galvanic finishes: chrome, brass, copper.

Symbol index   → • / present - / absent OD / On Demand


OMBRELLA

Ceiling lamp D.80




DESCRIPTION	LIGHT SOURCE	 	INDOOR				OUTDOOR			
			IP	CODE	€ EURO	 	IP	CODE	€ EURO	
Ceiling lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPLO80G01	1.285				
Ceiling lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPLO80G04	1.375				
Ceiling lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPLO80G11	1.435				
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPLO80G03	1.435				
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPLO80G05	1.525				
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPLO80G13	1.575				
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	115				
Surcharge gold leaf finish					UMBORO080G01	270				

Ceiling lamp D.100




Ceiling lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPLO100G01	1.480				
Ceiling lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPLO100G04	1.565				
Ceiling lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPLO100G11	1.620				
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPLO100G03	1.620				
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPLO100G05	1.710				
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPLO100G13	1.775				
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	115				
Surcharge gold leaf finish					UMBORO100G01	355				





Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB


Pendant lamp globe smoked PMMA - ø 25



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M01	610					
Pendant lamp black NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M02	610					
Pendant lamp chrome NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M03	715					
Pendant lamp copper NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M04	715					
Pendant lamp brass NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M05	715					
Pendant lamp white DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M06	705					
Pendant lamp black DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M07	705					
Pendant lamp chrome DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M08	815					
Pendant lamp copper DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M09	815					
Pendant lamp brass DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M10	815					
Pendant lamp white DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M11	770					
Pendant lamp black DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M12	770					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M13	880					
Pendant lamp copper DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M14	880					
Pendant lamp brass DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M15	880					


PRODUCTS: Orb
DESIGN: Büro Famos 2015





Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB



Composition 2 globes smoked PMMA - ø 25 - ceiling rose in the same colour as structure



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Composition white NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M01	1.235						
Composition black NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M02	1.235						
Composition chrome NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M03	1.405						
Composition copper NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M04	1.405						
Composition brass NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M05	1.405						
Composition white DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M06	1.305						
Composition black DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M07	1.305						
Composition chrome DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M08	1.480						
Composition copper DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M09	1.480						
Composition brass DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M10	1.480						
Composition white DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M11	1.365						
Composition black DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M12	1.365						
Composition chrome DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M13	1.535						
Composition copper DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M14	1.535						
Composition brass DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M15	1.535						


PRODUCTS: Orb
DESIGN: Büro Famos 2015





Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index   → • / present - / absent OD / On Demand

ORB

Pendant lamp globe smoked
PMMA - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Pendant lamp white NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M01	920					
Pendant lamp black NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M02	920					
Pendant lamp chrome NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M03	1.195					
Pendant lamp copper NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M04	1.195					
Pendant lamp brass NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M05	1.195					
Pendant lamp white DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M06	980					
Pendant lamp black DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M07	980					
Pendant lamp chrome DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M08	1.260					
Pendant lamp copper DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M09	1.260					
Pendant lamp brass DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M10	1.260					
Pendant lamp white DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M11	1.020					
Pendant lamp black DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M12	1.020					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M13	1.300					
Pendant lamp copper DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M14	1.300					
Pendant lamp brass DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M15	1.300					


PRODUCTS: Orb
 DESIGN: Büro Famos 2015





Single or in composition pendant lamp.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB


Composition 2 globes smoked PMMA - ø 40 - ceiling rose in the same colour as structure



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Composition white NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M01	1.685					
Composition black NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M02	1.685					
Composition chrome NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M03	2.250					
Composition copper NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M04	2.250					
Composition brass NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M05	2.250					
Composition white DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M06	1.765					
Composition black DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M07	1.765					
Composition chrome DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M08	2.390					
Composition copper DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M09	2.390					
Composition brass DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M10	2.390					
Composition white DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M11	1.825					
Composition black DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M12	1.825					
Composition chrome DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M13	2.455					
Composition copper DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M14	2.455					
Composition brass DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M15	2.455					


PRODUCTS: Orb
DESIGN: Büro Famos 2015





Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB


Pendant lamp globe glass - ø 25



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K01	800					
Pendant lamp black NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K02	800					
Pendant lamp chrome NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K03	880					
Pendant lamp copper NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K04	880					
Pendant lamp brass NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K05	880					
Pendant lamp white DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K06	840					
Pendant lamp black DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K07	840					
Pendant lamp chrome DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K08	930					
Pendant lamp copper DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K09	930					
Pendant lamp brass DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K10	930					
Pendant lamp white DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K11	925					
Pendant lamp black DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K12	925					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K13	1.015					
Pendant lamp copper DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K14	1.015					
Pendant lamp brass DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K15	1.015					


PRODUCTS: Orb
 DESIGN: Büro Famos 2015





Single or in composition pendant lamp.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB


Composition 2 globes glass - ø 25 - ceiling
 rose in the same colour as structure



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Composition white NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K01	1.515				
Composition black NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K02	1.515				
Composition chrome NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K03	1.695				
Composition copper NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K04	1.695				
Composition brass NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K05	1.695				
Composition white DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K06	1.600				
Composition black DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K07	1.600				
Composition chrome DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K08	1.785				
Composition copper DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K09	1.785				
Composition brass DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K10	1.785				
Composition white DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K11	1.675				
Composition black DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K12	1.675				
Composition chrome DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K13	1.855				
Composition copper DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K14	1.855				
Composition brass DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K15	1.855				


PRODUCTS: Orb
DESIGN: Büro Famos 2015





Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp globe glass - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K01	1.230					
Pendant lamp black NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K02	1.230					
Pendant lamp chrome NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K03	1.535					
Pendant lamp copper NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K04	1.535					
Pendant lamp brass NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K05	1.535					
Pendant lamp white DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K06	1.275					
Pendant lamp black DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K07	1.275					
Pendant lamp chrome DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K08	1.570					
Pendant lamp copper DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K09	1.570					
Pendant lamp brass DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K10	1.570					
Pendant lamp white DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K11	1.360					
Pendant lamp black DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K12	1.360					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K13	1.660					
Pendant lamp copper DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K14	1.660					
Pendant lamp brass DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K15	1.660					


PRODUCTS: Orb
DESIGN: Büro Famos 2015





Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes glass - ø 40 - ceiling rose in the same colour as structure




DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Composition white NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K01	2.455				
Composition black NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K02	2.455				
Composition chrome NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K03	3.060				
Composition copper NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K04	3.060				
Composition brass NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K05	3.060				
Composition white DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K06	2.540				
Composition black DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K07	2.540				
Composition chrome DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K08	3.150				
Composition copper DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K09	3.150				
Composition brass DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K10	3.150				
Composition white DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K11	2.705				
Composition black DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K12	2.705				
Composition chrome DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K13	3.315				
Composition copper DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K14	3.315				
Composition brass DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K15	3.315				





Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
 One side frosted plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand

OTTOVOLANTE

Pendant lamp - L 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	OTTESP100C05	1.260					
Washable	6 x E27 42 W HES	OD	OD	IP20	OTTESP100T05	1.360					
Wool	6 x E27 42 W HES	OD	OD	IP20	OTTESP100E05	1.375					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	OTTESP100P05	1.465					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	OTTESP100R05	1.505					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100C06	1.435					
Washable NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100T06	1.525					
Wool NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100E06	1.550					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100P06	1.640					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100R06	1.680					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100C07	1.480					
Washable DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100T07	1.565					
Wool DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100E07	1.580					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100P07	1.680					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100R07	1.720					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100C08	1.570					
Washable DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100T08	1.665					
Wool DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100E08	1.685					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100P08	1.780					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100R08	1.820					

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
 One side frosted plex finishing underneath.

Symbol index → • / present - / absent OD / On Demand

OTTOVOLANTE

Pendant lamp - L 150




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	OTPESP150C05	1.825					
Washable	8 x E27 42 W HES	OD	OD	IP20	OTPESP150T05	1.925					
Wool	8 x E27 42 W HES	OD	OD	IP20	OTPESP150E05	1.960					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	OTPESP150P05	2.040					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	OTPESP150R05	2.115					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150C06	2.090					
Washable NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150T06	2.195					
Wool NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150E06	2.230					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150P06	2.305					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150R06	2.385					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150C07	2.145					
Washable DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150T07	2.260					
Wool DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150E07	2.285					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150P07	2.375					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150R07	2.430					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150C08	2.370					
Washable DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150T08	2.460					
Wool DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150E08	2.500					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150P08	2.575					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150R08	2.650					





Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
 One side frosted plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand


OTTOVOLANTE

Wall/ ceiling lamp - L 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100C05	1.235					
Washable	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100T05	1.325					
Wool	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100E05	1.350					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100P05	1.440					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100R05	1.485					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100C06	1.375					
Washable NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100T06	1.465					
Wool NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100E06	1.490					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100P06	1.575					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100R06	1.620					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100C07	1.425					
Washable DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100T07	1.505					
Wool DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100E07	1.535					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100P07	1.620					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100R07	1.665					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100C08	1.515					
Washable DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100T08	1.605					
Wool DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100E08	1.630					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100P08	1.720					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100R08	1.770					





Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE



Wall/ ceiling lamp - L 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150C05	1.810					
Washable	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150T05	1.915					
Wool	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150E05	1.950					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150P05	2.025					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150R05	2.100					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150C06	2.055					
Washable NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150T06	2.155					
Wool NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150E06	2.185					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150P06	2.270					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150R06	2.340					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150C07	2.110					
Washable DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150T07	2.210					
Wool DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150E07	2.245					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150P07	2.320					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150R07	2.375					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150C08	2.265					
Washable DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150T08	2.375					
Wool DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150E08	2.400					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150P08	2.490					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150R08	2.545					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
 Upper disc available in wool fabric with acoustic comfort features.
 Conical metal diffuser or globe in opal PMMA soft touch finish.
 On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index   → • / present - / absent OD / On Demand


PEGGY

Pendant lamp - D. 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Metal disk white or black		•	OD IP20	PEGEDD060G01	235						
Wool disk fabric		•	OD IP20	PEGEDD060E01	515						
Kit cone white or black	1xE27 42W HES + 3xR7S 75W	•	OD IP20	PEGESO060G01	655						
Kit cone Deluxe	1xE27 42W HES + 3xR7S 75W	•	OD IP20	PEGESO060G11	730						
Kit cone white or black NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGESO060G02	1.090						
Kit cone Deluxe NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGESO060G12	1.160						
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGESO060G03	1.160						
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGESO060G13	1.230						


Pendant lamp - D. 60



Metal disk white or black		•	OD IP20	PEGEDD060G01	235				
Wool disk fabric		•	OD IP20	PEGEDD060E01	515				
Kit globe in opal PMMA	1xG9 42W HES + 3xR7S 75W	OD	OD IP20	PEBESO060M01	750				


NOTE: to calculate the price of the pendant lamp add the disk to the kit cone or globe

Accessory




Top polycarbonate disk cover for R7S version		OD	IP20	PEGEPX040B01	95				
--	--	----	------	--------------	----	--	--	--	--

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
 Upper disc available in wool fabric with acoustic comfort features.
 Conical metal diffuser or globe in opal PMMA soft touch finish.
 On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index   → • / present - / absent OD / On Demand


PEGGY

Pendant lamp - D. 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Metal disk white or black		•	OD IP20	PEGEDD080G01	370						
Wool disk fabric		•	OD IP20	PEGEDD080E01	805						
Kit cone white or black	1xE27 42W HES + 3xR7S 105W	•	OD IP20	PEGESO080G01	715						
Kit cone Deluxe	1xE27 42W HES + 3xR7S 105W	•	OD IP20	PEGESO080G11	795						
Kit cone white or black NO DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD IP20	PEGESO080G02	1.245						
Kit cone Deluxe NO DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD IP20	PEGESO080G12	1.315						
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD IP20	PEGESO080G03	1.340						
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD IP20	PEGESO080G13	1.405						

Pendant lamp - D. 80




Metal disk white or black		•	OD IP20	PEGEDD080G01	370				
Wool disk fabric		•	OD IP20	PEGEDD080E01	805				
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 105W	OD	OD IP20	PEBESO080M01	815				



NOTE: to calculate the price of the pendant lamp add the disk to the kit cone or globe

Accessory

Top polycarbonate disk cover for R7S version		OD	IP20	PEGEPX040B01	95				
--	--	----	------	--------------	----	--	--	--	--




Pendant and ceiling lamp with double light emission in matt white or black painted metal.
 Upper disc available in wool fabric with acoustic comfort features.
 Conical metal diffuser or globe in opal PMMA soft touch finish.
 On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index   → • / present - / absent OD / On Demand


PEGGY

Pendant lamp - D. 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Metal disk white or black		•	OD IP20	PEGEDD100G01	460						
Wool disk fabric		•	OD IP20	PEGEDD100E01	1.025						
Kit cone white or black	1xE27 42W HES + 3xR7S 105W	•	OD IP20	PEGESO100G01	845						
Kit cone Deluxe	1xE27 42W HES + 3xR7S 105W	•	OD IP20	PEGESO100G11	940						
Kit cone white or black NO DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD IP20	PEGESO100G02	1.340						
Kit cone Deluxe NO DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD IP20	PEGESO100G12	1.435						
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD IP20	PEGESO100G03	1.430						
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD IP20	PEGESO100G13	1.525						


Pendant lamp - D. 100



Metal disk white or black		•	OD IP20	PEGEDD100G01	460				
Wool disk fabric		•	OD IP20	PEGEDD100E01	1.025				
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 105W	OD	OD IP20	PEBESO100M01	945				



NOTE: to calculate the price of the pendant lamp add the disk to the kit cone or globe

Accessory




Top polycarbonate disk cover for R7S version		OD	IP20	PEGEPX040B01	95				
--	--	----	------	--------------	----	--	--	--	--




Pendant and ceiling lamp with double light emission in matt white or black painted metal.
 Upper disc available in wool fabric with acoustic comfort features.
 Conical metal diffuser or globe in opal PMMA soft touch finish.
 On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index   → • / present - / absent OD / On Demand


PEGGY

Ceiling lamp - D. 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Metal disk white or black		•	OD IP20	PEGEDD060G01	235						
Wool disk fabric		•	OD IP20	PEGEDD060E01	515						
Kit cone white or black	1xE27 42W HES + 3xR7S 75W	•	OD IP20	PEGEPL060G01	655						
Kit cone Deluxe	1xE27 42W HES + 3xR7S 75W	•	OD IP20	PEGEPL060G11	730						
Kit cone white or black NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGEPL060G02	1.160						
Kit cone Deluxe NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGEPL060G12	1.230						
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGEPL060G03	1.230						
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGEPL060G13	1.300						


Ceiling lamp Ball - D. 60



Metal disk white or black		•	OD IP20	PEGEDD060G01	235				
Wool disk fabric		•	OD IP20	PEGEDD060E01	515				
Kit globe in opal PMMA	1xG9 42W HES + 3xR7S 75W	OD	OD IP20	PEBEPL060M01	710				


NOTE: to calculate the price of the ceiling lamp add the disk to the kit cone or globe





Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Ceiling lamp - D. 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal disk white or black		•	OD	IP20	PEGEDD080G01	370					
Wool disk fabric		•	OD	IP20	PEGEDD080E01	805					
Kit cone white or black	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL080G01	805					
Kit cone Deluxe	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL080G11	870					
Kit cone white or black NO DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G02	1.315					
Kit cone Deluxe NO DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G12	1.380					
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G03	1.405					
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G13	1.480					

Ceiling lamp Ball - D. 80



Metal disk white or black		•	OD	IP20	PEGEDD080G01	370					
Wool disk fabric		•	OD	IP20	PEGEDD080E01	805					
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 105W	OD	OD	IP20	PEBEPL080M01	850					


NOTE: to calculate the price of the ceiling lamp add the disk to the kit cone or globe

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index → • / present - / absent OD / On Demand


PEGGY

Ceiling lamp - D. 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal disk white or black		•	OD	IP20	PEGEDD100G01	460					
Wool disk fabric		•	OD	IP20	PEGEDD100E01	1.025					
Kit cone white or black	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL100G01	920					
Kit cone Deluxe	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL100G11	1.015					
Kit cone white or black NO DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G02	1.385					
Kit cone Deluxe NO DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G12	1.490					
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G03	1.485					
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G13	1.575					

Ceiling lamp Ball - D. 100




Metal disk white or black		•	OD	IP20	PEGEDD100G01	460					
Wool disk fabric		•	OD	IP20	PEGEDD100E01	1.025					
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 105W	OD	OD	IP20	PEBEPL100M01	970					

NOTE: to calculate the price of the ceiling lamp add the disk to the kit cone or globe


PRODUCTS: Rettangolo
 DESIGN: Modoluca R&D 2005





Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 Opal plex finishing underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO

Pendant lamp - L 90



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	3 x E27 42 W HES	OD	OD	IP20	RETESP090C01	1.075					
Pleated fabric	3 x E27 42 W HES	OD	OD	IP20	RETESP090P01	1.280					
Pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	RETESP090R01	1.350					


Pendant lamp - L 120



Cotton	4 x E27 42 W HES	OD	OD	IP20	RETESP120C01	1.230					
Pleated fabric	4 x E27 42 W HES	OD	OD	IP20	RETESP120P01	1.665					
Pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	RETESP120R01	1.745					


PRODUCTS: Rettangolo
 DESIGN: ModoLuce R&D 2005





Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 Opal plex finishing underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO

Pendant lamp - L 150





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	6 x E27 52 W	OD	OD	IP20	RETESP150P02	3.125					
Pleated ribbon fabric	6 x E27 52 W	OD	OD	IP20	RETESP150R02	3.195					

Pendant lamp - L 300




Pleated fabric	12 x E27 52 W	OD	OD	IP20	RETESP300P02	5.970					
Pleated ribbon fabric	12 x E27 52 W	OD	OD	IP20	RETESP300R02	6.075					





Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 Opal plex finishing underneath (wall lamp excluded).

Symbol index   → • / present - / absent OD / On Demand

RETTANGOLO

Wall lamp - L 25 x H 24



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	1 x E27 28 W HES	OD	OD	IP20	QUAEAP024C01	245					
Pleated fabric	1 x E27 28 W HES	•	OD	IP20	QUAEAP024P01	290					
Pleated ribbon fabric	1 x E27 28 W HES	OD	OD	IP20	QUAEAP024R01	295					

Wall lamp - L 25 x H 40



1 light cotton	1 x E27 42 W HES	OD	OD	IP20	RETEAP040C01	305				
1 light pleated fabric	1 x E27 42 W HES	•	OD	IP20	RETEAP040P01	330				
1 light pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	RETEAP040R01	345				
2 lights cotton	2 x E27 42 W HES	OD	OD	IP20	RETEAP040C02	325				
2 lights pleated fabric	2 x E27 42 W HES	•	OD	IP20	RETEAP040P02	345				
2 lights pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	RETEAP040R02	360				

Wall lamp - L 40 x H 25




1 light cotton	1 x E27 42 W HES	OD	OD	IP20	RETEAP025C01	325				
1 light pleated fabric	1 x E27 42 W HES	•	OD	IP20	RETEAP025P01	345				
1 light pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	RETEAP025R01	360				
2 lights cotton	2 x E27 42 W HES	OD	OD	IP20	RETEAP025C02	340				
2 lights pleated fabric	2 x E27 42 W HES	•	OD	IP20	RETEAP025P02	360				
2 lights pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	RETEAP025R02	380				





Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 Opal plex finishing underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO

Wall lamp - L 40 x H 40




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	2 x E27 42 W HES	OD	OD	IP20	QUAEAP040C01	385					
Pleated fabric	2 x E27 42 W HES	•	OD	IP20	QUAEAP040P01	475					
Pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	QUAEAP040R01	485					

Wall lamp - L 30 x H 60




Cotton	2 x E27 42 W HES	OD	OD	IP20	RETEAP060C01	395					
Pleated fabric	2 x E27 42 W HES	•	OD	IP20	RETEAP060P01	520					
Pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	RETEAP060R01	535					

Wall lamp - L 160 x H 25




6 lights cotton	6 x E27 42 W HES	OD	OD	IP20	RETEAP160C13	1.250					
6 lights pleated fabric	6 x E27 42 W HES	OD	OD	IP20	RETEAP160P13	1.615					
6 lights pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	RETEAP160R13	1.685					
Cotton	1 led module 41 W - 6962 Lm - 3000 K	OD	OD	IP20	RETEAP160C10	1.685					
Pleated fabric	1 led module 41 W - 6962 Lm - 3000 K	OD	OD	IP20	RETEAP160P10	2.055					
Pleated ribbon fabric	1 led module 41 W - 6962 Lm - 3000 K	OD	OD	IP20	RETEAP160R10	2.125					


Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO SLIM

Pendant lamp - 100 x 50








DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	RESESP100C01	1.325					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	RESESP100P01	1.605					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	RESESP100R01	1.650					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100C05	1.560					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100C06	1.600					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100C07	1.660					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100P05	1.840					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100P06	1.885					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100P07	1.945					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100R05	1.870					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100R06	1.915					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100R07	1.975					

Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
One side frosted plex finishing underneath.



Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR							
				IP	CODE	€ EURO			IP	CODE	€ EURO			
Pendant lamp - 150 x 50	Cotton	8 x E27	42 W	HES	OD	OD	IP20	RESESP150C01	1.685					
	Pleated fabric	8 x E27	42 W	HES	OD	OD	IP20	RESESP150P01	2.205					
	Pleated ribbon fabric	8 x E27	42 W	HES	OD	OD	IP20	RESESP150R01	2.250					
	Cotton NO DIM	3 led module	18,7 W -	9000 Lm - 2700 K	OD	OD	IP20	RESESP150C05	1.920					
	Cotton DIM TRIAC	3 led module	18,7 W -	9000 Lm - 2700 K	OD	OD	IP20	RESESP150C06	1.980					
	Cotton DIM DALI-Push DIM	3 led module	18,7 W -	9000 Lm - 2700 K	OD	OD	IP20	RESESP150C07	2.135					
	Pleated fabric NO DIM	3 led module	18,7 W -	9000 Lm - 2700 K	OD	OD	IP20	RESESP150P05	2.435					
	Pleated fabric DIM TRIAC	3 led module	18,7 W -	9000 Lm - 2700 K	OD	OD	IP20	RESESP150P06	2.505					
	Pleated fabric DIM DALI-Push DIM	3 led module	18,7 W -	9000 Lm - 2700 K	OD	OD	IP20	RESESP150P07	2.655					
	Pleated ribbon fabric NO DIM	3 led module	18,7 W -	9000 Lm - 2700 K	OD	OD	IP20	RESESP150R05	2.495					
	Pleated ribbon fabric DIM TRIAC	3 led module	18,7 W -	9000 Lm - 2700 K	OD	OD	IP20	RESESP150R06	2.540					
	Pleated ribbon fabric DIM DALI-Push DIM	3 led module	18,7 W -	9000 Lm - 2700 K	OD	OD	IP20	RESESP150R07	2.695					




Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 One side frosted plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand


RETTANGOLO SLIM

Ceiling lamp - 100 x 50




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	RESEPL100C01	1.325					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	RESEPL100P01	1.605					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	RESEPL100R01	1.650					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100C05	1.550					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100C06	1.580					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100C07	1.650					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100P05	1.825					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100P06	1.865					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100P07	1.920					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100R05	1.860					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100R06	1.905					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100R07	1.960					

Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM



Ceiling lamp - 150 x 50

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	RESEPL150C01	1.710					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	RESEPL150P01	2.235					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	RESEPL150R01	2.275					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150C05	1.840					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150C06	1.900					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150C07	2.055					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150P05	2.370					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150P06	2.415					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150P07	2.560					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150R05	2.405					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150R06	2.455					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150R07	2.665					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


Pendant lamp in cotton, pleated and pleated ribbon fabric.
 The cotton version is bicoloured inside/ outside (with color combinations from the sample folder).
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


REVERSE

BASIC A - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060C04	1.490					
Cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060C05	1.505					
Cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060C06	1.575					
Pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060P04	1.685					
Pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060P05	1.705					
Pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060P06	1.795					
Pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060R04	1.630					
Pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060R05	1.655					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060R06	1.720					


BASIC B - ø 60



Cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060C04	1.540					
Cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060C06	1.620					
Cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060C05	1.555					
Pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060P04	1.735					
Pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060P05	1.750					
Pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060P06	1.840					
Pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060R04	1.675					
Pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060R05	1.690					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060R06	1.770					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant lamp in cotton, pleated and pleated ribbon fabric.
The cotton version is bicoloured inside/ outside (with color combinations from the sample folder).
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


REVERSE

BASIC A - ø 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080C07	1.900					
Cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080C08	1.985					
Cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080C09	1.995					
Pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080P07	2.110					
Pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080P08	2.195					
Pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080P09	2.205					
Pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080R07	2.055					
Pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080R08	2.140					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080R09	2.145					

BASIC B - ø 80




Cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080C07	1.945					
Cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080C08	2.025					
Cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080C09	2.035					
Pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080P07	2.145					
Pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080P08	2.245					
Pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080P09	2.250					
Pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080R07	2.090					
Pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080R08	2.185					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080R09	2.190					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


PRODUCTS: Righello
 DESIGN: Arturo Bellese 2018





Pendant and ceiling lamp with double light emission, lampshade in Soft textile and wool fabrics.
 Lamp with acoustic comfort features.
 Double light emission: L 125 Up 2560 lm - Down 5120 lm / L 160 Up 2560 lm - Down 6400 lm

Symbol index  → • / present - / absent OD / On Demand


RIGHELLO

Pendant lamp - L 125



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Wool NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD IP20	RIGESO125E01	1.900				
Wool DIM DALI-Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD IP20	RIGESO125E02	1.965				
Soft textile NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD IP20	RIGESO125L01	2.455				
Pendant lamp soft textile DIM DALI-Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD IP20	RIGESO125L02	2.530				



Pendant lamp - L 160



Wool NO DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD IP20	RIGESO160E01	2.145				
Wool DIM DALI-Push DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD IP20	RIGESO160E02	2.215				
Soft textile NO DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD IP20	RIGESO160L01	2.810				
Soft textile DIM DALI-Push DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD IP20	RIGESO160L02	2.890				

PRODUCTS: Righello
 DESIGN: Arturo Bellese 2018

Pendant and ceiling lamp with double light emission, lampshade in Soft textile and wool fabrics.
 Lamp with acoustic comfort features.
 Double light emission: L 125 Up 2560 lm - Down 5120 lm / L 160 Up 2560 lm - Down 6400 lm





Symbol index   → • / present - / absent OD / On Demand

RIGHELLO


Wall lamp - L 125



125 cm 13 cm
 49.21" 5.11"

DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	CODE	€ EURO	 	CODE	€ EURO		
Wool NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	• OD IP20	RIGEAP125E01	1.340					
Wool DIM DALI-Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	• OD IP20	RIGEAP125E02	1.405					
Soft textile NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	• OD IP20	RIGEAP125L01	1.615					
Soft textile DIM DALI-Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	• OD IP20	RIGEAP125L02	1.685					


Wall lamp - L 160



160 cm 13 cm
 62.99" 5.11"


Wool NO DIM	2 linear modules 56 W - 8960 Lm - 3000 K	• OD IP20	RIGEAP160E01	1.495			
Wool DIM DALI-Push DIM	2 linear modules 56 W - 8960 Lm - 3000 K	• OD IP20	RIGEAP160E02	1.565			
Soft textile NO DIM	2 linear modules 56 W - 8960 Lm - 3000 K	• OD IP20	RIGEAP160L01	1.825			
Soft textile DIM DALI-Push DIM	2 linear modules 56 W - 8960 Lm - 3000 K	• OD IP20	RIGEAP160L02	1.900			


Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
 Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING

Pendant lamp - L 85



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD IP20	RINESO085L04	1.350				
1 light lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	•	OD IP20	RINESO085L05	1.440				
1 light lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD IP20	RINESO085L06	1.490				
Lycra cover only		•		RINERR085L01	385				


Pendant lamp - L 125



1 light lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD IP20	RINESO125L07	2.055				
1 light lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD IP20	RINESO125L08	2.265				
Lycra cover only		•		RINERR125L01	450				


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.





Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
 Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING

Wall/ ceiling lamp - L 85



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO	  IP	CODE	€ EURO		
1 light lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	• OD IP20	RINEAP085L04	1.225					
1 light lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	• OD IP20	RINEAP085L05	1.315					
1 light lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	• OD IP20	RINEAP085L06	1.350					
Lycra cover only		•	RINERR085L01	385					


Wall/ ceiling lamp - L 125



1 light lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	• OD IP20	RINEAP125L07	1.910			
1 light lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	• OD IP20	RINEAP125L08	2.125			
Lycra cover only		•	RINERR125L01	450			


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.



Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
 Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING TONDA

Pendant lamp - D. 65




DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO	  IP	CODE	€ EURO		
1 light lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	• OD IP20	RITESO065L04	1.385					
1 light lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	• OD IP20	RITESO065L05	1.485					
1 light lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	• OD IP20	RITESO065L06	1.600					
Lycra cover only		•	RITERR065L01	250					

Pendant lamp - D. 85



1 light lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	• OD IP20	RITESO085L09	1.765			
1 light lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	• OD IP20	RITESO085L11	1.840			
1 light lycra DIM DALI-push DIM	1 led module 57 W - 8750 Lm - 2700 K	• OD IP20	RITESO085L10	1.965			
Lycra cover only		•	RITERR085L01	385			

Pendant lamp - D. 110



1 light lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	• OD IP20	RITESO110L07	2.235			
1 light lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	• OD IP20	RITESO110L08	2.460			
Lycra cover only		•	RITERR110L01	450			


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.





Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
 Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING TONDA

Wall/ ceiling lamp - D. 65




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RITEAP065L04	1.235					
1 light lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RITEAP065L05	1.325					
1 light lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RITEAP065L06	1.445					
Lycra cover only		•			RITERR065L01	250					

Wall/ ceiling lamp - D. 85



1 light lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	•	OD	IP20	RITEAP085L09	1.615					
1 light lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	•	OD	IP20	RITEAP085L11	1.695					
1 light lycra DIM DALI-push DIM	1 led module 57 W - 8750 Lm - 2700 K	•	OD	IP20	RITEAP085L10	1.775					
Lycra cover only		•			RITERR085L01	385					


Wall/ ceiling lamp - D. 110



1 light lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RITEAP110L07	2.035					
1 light lycra DIM DALI-push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RITEAP110L08	2.270					
Lycra cover only		•			RITERR110L01	450					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.





Pendant, small table, table, reading and floor lamp.
 Metal structure in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric (on demand, also available in wool fabric).

Symbol index  → • / present - / absent OD / On Demand


ROMEO

Pendant lamp - ø 25




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton without plex	1 x E27 42 W HES	OD	OD	IP20	ROMESO025C01	355					
Cotton with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025C01	400					
Pleated fabric without plex	1 x E27 42 W HES	•	OD	IP20	ROMESO025P01	385					
Pleated fabric with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025P01	435					
Pleated ribbon fabric without plex	1 x E27 42 W HES	OD	OD	IP20	ROMESO025R01	395					
Pleated ribbon fabric with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025R01	450					

Pendant lamp - ø 40





Cotton without plex	1 x E27 70 W HES	OD	OD	IP20	ROMESO040C01	405					
Cotton with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040C01	460					
Pleated fabric without plex	1 x E27 70 W HES	•	OD	IP20	ROMESO040P01	560					
Pleated fabric with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040P01	610					
Pleated ribbon fabric without plex	1 x E27 70 W HES	OD	OD	IP20	ROMESO040R01	595					
Pleated ribbon fabric with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040R01	640					

Pendant lamp - ø 70



Cotton 4 lights with plex	4 x E27 70 W HES	OD	OD	IP20	ROMESP070C02	1.185					
Pleated fabric 4 lights with plex	4 x E27 70 W HES	OD	OD	IP20	ROMESP070P02	1.680					
Pleated ribbon fabric 4 lights with plex	4 x E27 70 W HES	OD	OD	IP20	ROMESP070R02	1.685					

Pendant, small table, table, reading and floor lamp.
 Metal structure in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric (on demand, also available in wool fabric).

Symbol index   → • / present - / absent OD / On Demand

ROMEO

Small table lamp



16 cm
6.30"






DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	ROMETP045C01	275					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	ROMETP045P01	325					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	ROMETP045R01	340					

Table lamp



35 cm
13.78"


Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	ROMETA070C01	515					
Metal brushed nickel pleated fabric	1 x E27 70 W HES	•	OD	IP20	ROMETA070P01	655					
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	ROMETA070R01	690					

Accessory - Table and small table lamp Universal DIM switch HES (40/160W) + LED (4/100W)

DIMVAR0TA002 100





Reading lamp - lighting pull



35 cm
13.78"


Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	ROMEPT160C01	690					
Metal brushed nickel pleated fabric	1 x E27 70 W HES	•	OD	IP20	ROMEPT160P01	840					
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	ROMEPT160R01	860					





Pendant, small table, table, reading and floor lamp.
 Metal structure in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric (on demand, also available in wool fabric).

Symbol index   → • / present - / absent OD / On Demand


ROMEO

Medium floor lamp - lighting pull



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	ROMEPT180C01	815					
Metal brushed nickel pleated fabric	1 x E27 70 W HES	•	OD	IP20	ROMEPT180P01	945					
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	ROMEPT180R01	980					
Metal brushed nickel cotton	3 x E27 42 W HES	OD	OD	IP20	ROMEPT180C11	975					
Metal brushed nickel pleated fabric	3 x E27 42 W HES	•	OD	IP20	ROMEPT180P11	1.110					
Metal brushed nickel pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	ROMEPT180R11	1.145					

Maxi floor lamp



Metal brushed nickel cotton	4 x E27 70 W HES	OD	OD	IP20	ROMEPT212C01	1.550					
Metal brushed nickel pleated fabric	4 x E27 70 W HES	•	OD	IP20	ROMEPT212P01	1.955					
Metal brushed nickel pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	ROMEPT212R01	1.960					



Accessory - Reading and floor lamp

Universal DIM switch HES + LED (5/250W)					DIMVAROPT003	120					
---	--	--	--	--	--------------	-----	--	--	--	--	--





PRODUCTS: Sestante
 DESIGN: Romano + Menegon 2018

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure painted in white or black (embossed finishing), lime green and blue China.
 Aluminium diffuser or lampshade available in cotton and washable fabric.

Symbol index   → • / present - / absent OD / On Demand

SESTANTE


Wall lamp small - L 170
 > 260



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Wall lamp white lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C01	1.550					
Wall lamp black lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C05	1.550					
Wall lamp lime lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C03	1.765					
Wall lamp blue China lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C06	1.765					
Wall lamp white lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T01	1.725					
Wall lamp black lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T05	1.725					
Wall lamp lime lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T03	1.945					
Wall lamp blue China lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T06	1.945					
Wall lamp white diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP170G02	1.965					
Wall lamp black diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP170G04	1.965					
Wall lamp lime diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP170G06	2.315					
Wall lamp blue China diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP170G08	2.315					



PRODUCTS: Sestante
DESIGN: Romano + Menegon 2018




Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure painted in white or black (embossed finishing), lime green and blue China.
 Aluminium diffuser or lampshade available in cotton and washable fabric.

Symbol index  → • / present - / absent OD / On Demand

SESTANTE

Wall lamp - L 250 > 380




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C01	1.615					
Wall lamp black lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C05	1.615					
Wall lamp lime lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C03	1.900					
Wall lamp blue China lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C06	1.900					
Wall lamp white lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T01	1.795					
Wall lamp black lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T05	1.795					
Wall lamp lime lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T03	2.080					
Wall lamp blue China lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T06	2.080					
Wall lamp white diffuser in aluminium	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G02	2.035					
Wall lamp black diffuser in aluminium	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G04	2.035					
Wall lamp lime diffuser in aluminium	1 led module 16,2 W - NO DIM	•	OD	IP20	SEIEAP220G06	2.425					
Wall lamp blue China diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G08	2.425					

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure painted in white or black (embossed finishing), lime green and blue China.
 Aluminium diffuser or lampshade available in cotton and washable fabric.

Symbol index → • / present - / absent OD / On Demand

SESTANTE


Accessory to compose the floor lamp



60 cm
23.62"

DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
			IP	CODE	€ EURO		IP	CODE	€ EURO
White structure/ base to be fixed on wall lamp (kg 20)		•	OD IP20	SEIEAT059G01	870				
Black structure/ base to be fixed on wall lamp (kg 20)		•	OD IP20	SEIEAT059G02	870				

Examples of compositions:




Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure and diffuser painted in white or black (embossed finishing), lime green and blue China.
 Base to fix the wall lamp available only in embossed white or black.
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index → • / present - / absent OD / On Demand


SESTANTE OUTDOOR

Wall lamp small - L 170>260



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		IP	CODE	€ EURO	IP	CODE	€ EURO
Wall lamp white diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP170G01	2.080		
Wall lamp white diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP170G02	2.180		
Wall lamp black diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP170G03	2.080		
Wall lamp black diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP170G04	2.180		
Wall lamp lime diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP170G05	2.475		
Wall lamp lime diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP170G06	2.560		
Wall lamp blue China diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP170G07	2.475		
Wall lamp blue China diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP170G08	2.560		

Wall lamp - L 240>370



Wall lamp white diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP220G01	2.145
Wall lamp white diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP220G02	2.250
Wall lamp black diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP220G03	2.145
Wall lamp black diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP220G04	2.250
Wall lamp lime diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP220G05	2.540
Wall lamp lime diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP220G06	2.645
Wall lamp blue China diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP220G07	2.540
Wall lamp blue China diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• -	IP44/55	SEOEAP220G08	2.645


PRODUCTS: Sestante Outdoor
DESIGN: Romano + Menegon 2018

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure and diffuser painted in white or black (embossed finishing), lime green and blue China.
 Base to fix the wall lamp available only in embossed white or black.
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index → • / present - / absent OD / On Demand


SESTANTE OUTDOOR

Accessory to compose the floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		IP	CODE	€ EURO	IP	CODE	€ EURO
White structure/ base to be fixed on wall lamp (kg 20)		•	-	IP44/55	SEOEAT059G01	870	
Black structure/ base to be fixed on wall lamp (kg 20)		•	-	IP44/55	SEOEAT059G02	870	

Examples of compositions:



Modo Luce srl fornisce le sospensioni con i seguenti standard (misura utile):

- Cavo elettrico L 200 cm
- Cavo elettrico L 250 cm per apparecchi con 2 o più cavi acciaio
- Cavo elettrico in tessuto per serie EVA L 130 cm
- Cavo acciaio L 200 cm




** Disponibilità a misura su richiesta

Modo Luce srl delivers the following standard cables for the suspensions (useful measures):

- Power wire L 200 cm / L 78.74"
- Power wire L 250 cm / L 98.42" for fixtures with 2 or more steel cables
- Power wire in fabric for EVA line products L 130 cm / 51,18"
- Steel cable L 200 cm / L 78.74"

** Other measures are available upon demand

Accessori a richiesta / Accessory on demand	Codice / Code	€ EURO
Cavo elettrico teflon/ pvc trasparente 2 / 3 x 0,75 (oltre misura standard) al mt lineare NO DIM Wiring, power cable teflon, pvc transparent 2/3 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000	11,50
Cavo elettrico teflon/ pvc trasparente 4 x 0,75 (oltre misura standard) al mt lineare NO DIM Wiring, power cable teflon, pvc transparent 4 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000T04	17,00
Cavo elettrico tondo pvc/ pvc bianco al mt lineare Wiring, power cable round pvc, pvc white to each linear meter	CAVELE000000BT01	3,00
Cavo elettrico tondo pvc/ pvc nero al mt lineare Wiring, power cable round pvc, pvc black to each linear meter	CAVELE000000NT01	3,00
Cavo elettrico teflon/ pvc DIMMERABILE bianco o nero per sospensione al mt lineare Wiring, power cable teflon, pvc DIMMABLE white or black for suspension lamp to each linear meter	CAVELEDIM0000TB05	13,50
Cavo elettrico teflon/ pvc DIMMERABILE trasparente per sospensione al mt lineare Wiring cable teflon, pvc DIMMABLE transparent for suspension lamp to each linear meter	CAVELEDIM0000TT05	26,00
Cavo elettrico outdoor tondo 2 x 0,75 H05RN-F nero al mt lineare Wiring, power cable outdoor round 2x0,75 H05RN-F black to each linear meter	CAVELE0000EN	5,00
Cavo elettrico a calza in tessuto per sospensione (oltre misura standard) al mt lineare Fabric wiring, power cable for suspension lamp to each linear meter	CAVCAL000000	21,00
Cavo acciaio di sostegno Ø 1,2 x h 2000 mm Steel cable for suspension lamp Ø 1,2 x h 2000 mm / Ø 0,47" x L 78,74"	CAVACC012200000	8,50
Cavo acciaio di sostegno Ø 1,2 x h 3000 mm Steel cable for suspension lamp Ø 1,2 x h 3000 mm / Ø 0,47" x L 118,11"	CAVACC012300000	18,00
Cavo acciaio di sostegno Ø 1,2 x h 6000 mm Steel cable for suspension lamp Ø 1,2 x h 6000 mm / Ø 0,47" x L 236,22"	CAVACC012600000	22,00
Cavo acciaio di sostegno Ø 1,2 x h 10000 mm Steel cable for suspension lamp Ø 1,2 x h 10000 mm / Ø 0,47" x L 393,70"	CAVACC012100000	39,00
Cavo acciaio di sostegno Ø 1,6 x h 2000 mm Steel cable for suspension lamp Ø 1,6 x h 2000 mm / Ø 0,63" x L 78,74"	CAVACC016200000	8,50
Cavo acciaio di sostegno Ø 1,6 x h 3000 mm Steel cable for suspension lamp Ø 1,6 x h 3000 mm / Ø 0,63" x L 118,11"	CAVACC016300000	17,00
Cavo acciaio di sostegno Ø 1,6 x h 8000 mm Steel cable for suspension lamp Ø 1,6 x h 8000 mm / Ø 0,63" x L 314,96"	CAVACC016800000	39,00
Maggiorazione per rosone cilindrico in finitura galvanica (cromo - ottone - rame): Price increase for cylindrical ceiling rose in galvanized finishes (chrome - brass - copper):		
Rosone cilindrico Ø 110 mm Cylindrical ceiling rose Ø 110 mm	ROSMAG110001	33,00
Rosone cilindrico Ø 145 mm Cylindrical ceiling rose Ø 145 mm	ROSMAG145001	46,00
Rosone cilindrico Ø 160 mm Cylindrical ceiling rose Ø 160 mm	ROSMAG160001	51,00

Accessori a richiesta / Accessory on demand	Codice / Code	€ EURO
Maggiorazione per rosone decentrato: Lateral ceiling attachment surcharge:		
Rosone A Ceiling rose A	ROSDEC110001	46,00
Rosone B Ceiling rose B	ROSDEC110002	58,00
Rosone C Ceiling rose C	ROSDEC110003	46,00
Adattatore per spina inglese Uk plug adapter 		
Variatore da tavolo/tavolino universale per Alogene (40/160W) + LED (4/100W) DIM switch for table/small table lamp universal HES (40/160W) + LED (4/100W) 	ADAUK240V001	22,00
Variatore da lettura/terra universale per Alogene + LED (5/250W) DIM switch for reading/floor lamp universal HES + LED (5/250W) 	DIMVAR0TA002000	95,00
	DIMVAR0PT003000	115,00
SCHERMO SUPERIORE SOSPENSIONE (RICAMBIO) UPPER DISK FOR SUSPENSIONS (SPARE PART)		
Schermo di chiusura superiore in plex opal per Discovolante Ø 40 Top protective disk in opal plex for Discovolante Ø 40	DISEPX040F01	133,00
Schermo di chiusura superiore in plex opal per Cilindro e Discovolante Ø 60 Top protective disk in opal plex for Cilindro and Discovolante Ø 60	CILEPX060F01	200,00
Schermo di chiusura superiore in plex opal per Cilindro Ø 70 Top protective disk in opal plex for Cilindro Ø 70	CILEPX070F01	236,00
Schermo di chiusura superiore in plex opal per Discovolante Ø 80 Top protective disk in opal plex for Discovolante Ø 80	DISEPX080F01	267,00
Schermo di chiusura superiore in plex opal per Cilindro Ø 100 Top protective disk in opal plex for Cilindro Ø 100	CILEPX100F01	546,00
Schermo di chiusura superiore in plex opal per Discovolante Ø 100 Top protective disk in opal plex for Discovolante Ø 100	DISEPX100F01	400,00
Schermo di chiusura superiore in plex opal per Cilindro e Discovolante Ø 120 Top protective disk in opal plex for Cilindro and Discovolante Ø 120	CILEPX120F01	643,00

Sorgenti luminose

I prodotti Modo Luce equipaggiati con attacco GU10, E14 e E27 vengono consegnati senza lampadine.

Temperatura colore

Le lampade Modo Luce equipaggiate con sorgente LED vengono fornite generalmente con temperatura di colore 2700K. Sono disponibili su richiesta anche le versioni 3000K e 4000K.

Lumen

L'indicazione del flusso luminoso si riferisce al valore in assenza di rifrazione, come dichiarato dal produttore del componente LED.

Legenda lampadine

Lampadine utilizzabili sui prodotti Modo Luce (secondo i modelli).

Light Sources

Modo Luce products equipped with GU10, E14 and E27 are delivered without light bulbs.

Color temperature

Modo Luce LED equipped products are normally supplied with 2700K light colour as standard version. 3000K and 4000K are available on request.

Lumen

Nominal luminous flux refers to the value without any refraction as declared by the LED module manufacture.

Legend light bulbs

Light bulbs available for Modo Luce products (according to the models).

Modo Luce - EELc Product List Global Energy

Le informazioni qui riportate riguardanti le Classi Energetiche, non sono esaustive di tutti i tipi di lampadine effettivamente reperibili sul mercato europeo.

Gli apparecchi Modo Luce sono compatibili con lampadine che presentino l'etichetta energetica in conformità con il regolamento UE 874/2012.











Le etichette energetiche sono disponibili e scaricabili dal sito internet **modoluce.com**

Efficiency Label compatibility (EU Regulation 874/2012)

The below information regarding the energy efficiency classes are not including all the bulbs available on European market.







Modo Luce fixtures are compatible with bulbs having the energy efficiency label in comply with UE 874/2012 regulation.








Energy labels are available and downloaded from the webiste **modoluce.com**









Tipo / Type	Simbolo / Symbol	Attacco / Socket	Potenza / Power	Codice / Code	€ EURO	
Led No Dim	 Sphere	E14	5 W	2700K	LMPLEDE14S00	26,00
	 Classic	E27	9 W	2700K	LMPLEDE27G00	25,00
	 Globe Clair	E27	8 W	2700K	LMPLEDE27GL4W125	40,00
	 Dichroic	GU10	6 W	2700K	LMPLEDE27GU10	21,00
	 Linear L 78	R7S	4 W	2700K	LMPLEDR7S078NOD	15,00
	 Linear L 118	R7S	8 W	2700K	LMPLEDR7S118NOD	37,00
Led Dim	 Classic	E27	10 W	2700K	LMPLEDE27GDO	40,00
	 Globe Clair	E27	7.5 W	2200K	LMPLEDE27DIM125	59,00
	 Pear Share	E27	7.5 W	2300K	LMPLEDE27KIT01P	51,00
	 Dichroic	GU10	6W	2700K	LMPLEDGU10DIM06	23,00

Pesi / Weights

ABC				Cocò				Lost				Rettangolo			
Pendant lamp A	Ø 12	1 kg	2.20 lb	Pendant lamp	Ø 60	4 kg	8.80 lb	Pendant lamp	Ø 25	5 kg	11.01 lb	Pendant lamp	L 90	4 kg	8.81 lb
Pendant lamp B	Ø 17	1 kg	2.20 lb	Pendant lamp	Ø 80	7 kg	15.40 lb	Pendant lamp	Ø 40	8 kg	17.66 lb	Pendant lamp	L 120	4,5 kg	9.91 lb
Pendant lamp C	Ø 22	1,5 kg	3.30 lb	Pendant lamp	Ø 100	9 kg	19.82 lb					Pendant lamp	L 150	10 kg	22.00 lb
Alco				Diogene				Loto				Wall lamp			
Pendant lamp	Ø 90	23 kg	50.77 lb	Pendant lamp	Ø 30	3,5 kg	7.72 lb	Pendant lamp	Ø 16	0,7 kg	1.54 lb	Pendant lamp	L 300	25 kg	55.06 lb
Pendant lamp	Ø 120	36 kg	79.47 lb					Pendant lamp	Ø 43	2 kg	4.41 lb	Wall lamp	L 25 / 40	0,5 kg	1.10 lb
Ceiling lamp	Ø 90	23 kg	50.77 lb	Discovolante				Pendant lamp	Ø 60	3 kg	6.61 lb	Wall lamp	L 25 x 24	0,2 kg	0.44 lb
Ceiling lamp	Ø 120	36 kg	79.47 lb	Pendant-ceiling-wall lamp	Ø 40	2 kg	4.41 lb	Pendant lamp	Ø 80	5 kg	11.01 lb	Wall lamp	L 30	1 kg	2.20 lb
Angelica indoor				Pendant-ceiling-wall lamp	Ø 60	4 kg	8.81 lb	Pendant lamp	Ø 100	7 kg	15.41 lb	Wall lamp	L 40 x 40	0,5 kg	1.10 lb
Wall lamp		5 kg	11.33 lb	Pendant-ceiling lamp	Ø 80	5 kg	11.03 lb	Pendant lamp	Ø 140	20 kg	44.05 lb	Wall lamp	L 160	5 kg	11.01 lb
				Pendant-ceiling lamp	Ø 100	7 kg	15.41 lb	Wall lamp	Ø 16	0,45 kg	0.99 lb	Rettangolo Slim			
Angelica outdoor				Eva				Lucilla				Pendant-ceiling lamp			
Wall lamp		7 kg	15.42 lb	Pendant lamp	Ø 11	0,3 kg	0.66 lb	Wall lamp	Ø 17	0,4 kg	0.88 lb	Pendant-ceiling lamp	Ø 100	8 kg	17.66 lb
Atollo indoor / outdoor				Pendant lamp brown cotto	Ø 11	0,7 kg	1.54 lb	Lucilla Tonda				Reverse			
Pendant lamp	Ø 70	13 Kg	28.66 lb.	Pendant lamp	Ø 18	1,1 kg	2.44 lb	Pendant lamp	Ø 19	0,3 kg	0.66 lb	Pendant lamp	Ø 60	5 kg	11.00 lb
Pendant lamp	Ø 100	3 kg	6.61 lb.	Pendant lamp brown cotto	Ø 18	1,7 kg	3.77 lb	Pendant lamp	Ø 34	0,5 kg	1.10 lb	Pendant lamp	Ø 80	7 kg	15.40 lb
Pendant lamp	Ø 150	5 kg	11.03 lb.	Pendant lamp	Ø 27	4 kg	8.81 lb	Wall lamp	Ø 43	1 kg	2.20 lb	Righello			
Ceiling-wall lamp	Ø 70	15 Kg	33.07 lb.	Pendant lamp brown cotto	Ø 27	7 kg	15.42 lb	Wall Lamp	Ø 21	0,5 kg	1.10 lb	Pendant lamp	L 125	5 kg	11.03 lb
Ceiling-wall lamp	Ø 100	33 Kg	72.75 lb.	Pendant lamp	Ø 38	8 kg	17.66 lb	Milleluci				Pendant lamp	L 160	8 kg	17.66 lb
Ceiling-wall lamp	Ø 150	53 Kg	116.84 lb.	Pendant lamp brown cotto	Ø 38	12 kg	26.43 lb	Pendant lamp	Ø 43	2 kg	4.41 lb	Wall Lamp	L 125	4 kg	8.83 lb
Baobab				Florinda				Pendant lamp	Ø 80	6 kg	13.21 lb	Wall Lamp	L 160	7 kg	15.45 lb
Pendant lamp 3	Ø 80	2 kg	4.41 lb	Pendant lamp 1	Ø 31	2 kg	4.41 lb	Pendant lamp	Ø 100 H 35	7 kg	15.41 lb	Ring			
Pendant lamp 6	Ø 80	3,5 kg	7.72 lb	Pendant lamp 3	Ø 63	7 kg	15.41 lb	Pendant lamp	Ø 100 H 60	9 kg	19.82 lb	Pendant-ceiling-wall lamp	L 85	7 kg	15.40 lb
Bolla Elissee				Pendant lamp 6	Ø 94	10 kg	22.02 lb	Pendant lamp	Ø 120	14 kg	30.83 lb	Pendant-ceiling-wall lamp	L 125	10 kg	22.00 lb
Pendant lamp Bolla	Ø 40	3 kg	6.61 lb	Ceiling lamp 12	Ø 153	35 kg	77.09 lb	Pendant lamp	Ø 150	18 kg	39.65 lb	Ring Tonda			
Pendant lamp Bolla	Ø 50	3,5 kg	7.71 lb	Ceiling lamp 3	Ø 63	7 kg	15.41 lb	Mood				Pendant-ceiling-wall lamp	Ø 65	5 kg	11.00 lb
Pendant lamp Bolla	Ø 60	6 kg	13.21 lb	Ceiling lamp 6	Ø 94	10 kg	22.02 lb	Pendant lamp	Ø 100	5 kg	11.01 lb	Pendant-ceiling-wall lamp	Ø 85	7 kg	15.40 lb
Pendant lamp Elissee	Ø 60	3 kg	6.60 lb	Ceiling lamp 12	Ø 153	35 kg	77.09 lb	Pendant lamp	Ø 120	6 kg	13.21 lb	Pendant-ceiling-wall lamp	Ø 110	10 kg	22.00 lb
Pendant lamp Elissee	Ø 80	5 kg	11.01 lb	Wall lamp	Ø 31,5	0,4 kg	0.88 lb	Pendant lamp	Ø 150	10 kg	22.02 lb	Romeo			
Butterfly				Florinda Desnuda				Ceiling-wall lamp	Ø 100	6 kg	13.21 lb	Pendant lamp	Ø 25	1,3 kg	2.86 lb
Wall lamp	Ø 54	8 kg	17.66 lb	Pendant lamp 1	Ø 31	1,5 kg	3.30 lb	Pendant lamp	Ø 120	6 kg	13.21 lb	Pendant lamp	Ø 40	1,9 kg	4.18 lb
Wall lamp	Ø 75	10 kg	22.02 lb	Pendant lamp 3	Ø 63	5 kg	11.03 lb	Pendant lamp	Ø 150	10 kg	22.02 lb	Pendant lamp	Ø 70	5 kg	11.01 lb
Campanone indoor / outdoor				Pendant lamp 6	Ø 94	8 kg	17.66 lb	Mood Desnuda				Sestante indoor / outdoor			
Pendant lamp	Ø 35	3,5 kg	7.71 lb	Pendant lamp 12	Ø 153	27 kg	59.40 lb	Pendant lamp	Ø 60	2 kg	4.41 lb	Wall Lamp		20 kg	44.15 lb
Pendant lamp	Ø 51	5 kg	11.01 lb	Ceiling lamp 3	Ø 63	6 kg	13.20 lb	Pendant lamp	Ø 100	3 kg	6.61 lb				
Chandelier				Ceiling lamp 6	Ø 94	10 kg	22.00 lb	Pendant lamp	Ø 120	4 kg	8.81 lb				
Pendant - ceiling lamp	Ø 100	10 kg	22.02 lb	Ceiling lamp 12	Ø 153	30 kg	66.00 lb	Pendant lamp	Ø 150	6 kg	13.20 lb				
Pendant - ceiling lamp	Ø 100	12 kg	26.43 lb	Geco				Multiball							
Wall lamp single	Ø 13	1 kg	2.20 lb	Wall lamp	Ø 13	5 kg	11.01 lb	Pendant lamp	Ø 25 / 30 / 35	1,7 kg	3.74 lb				
Wall lamp double	Ø 35	2 kg	4.41 lb	Wall lamp	Ø 30	5 kg	11.01 lb	Pendant lamp	Ø 40 / 45	2 kg	4.41 lb				
Chandelier Longue				Hammer				Nucleo							
Pendant - ceiling lamp	L 110	12 kg	26.43 lb	Pendant lamp	Ø 15	1,5 kg	3.31 lb	Pendant lamp	L 130	8 kg	17.66 lb				
Pendant - ceiling lamp	L 150	14 kg	30.83 lb	Pendant lamp	Ø 18	2 kg	4.41 lb	Pendant lamp	L 160	12 kg	26.43 lb				
Charlie				Pendant lamp	Ø 30	2,5 kg	5.50 lb	Olivia							
Pendant - ceiling lamp	Ø 107	25 kg	55.06 lb	Spotlight	Ø 15	1 kg	2.20 lb	Pendant lamp	Ø 42	3 kg	6.60 lb				
Pendant - ceiling lamp	Ø 127	35 kg	77.09 lb	Spotlight	Ø 18	1,5 kg	3.31 lb	Pendant lamp	Ø 60	6 kg	13.24 lb				
Cilindro				Ceiling Lamp	Ø 15 / 21	1 kg	2.20 lb	Pendant lamp	Ø 42	5 kg	11.03 lb				
Pendant lamp	Ø 60	2,2 kg	4.86 lb	Ceiling Lamp	Ø 18 / 24	1,5 kg	3.31 lb	Ceiling lamp	Ø 60	10 kg	22.07 lb				
Pendant lamp	Ø 70	3,5 kg	7.71 lb	Recessed spotlight	Ø 15 / 21	1 kg	2.20 lb	Ombrella							
Pendant lamp	Ø 100	7 kg	14.31 lb	Recessed spotlight	Ø 18 / 24	1,5 kg	3.31 lb	Pendant-ceiling lamp	Ø 60	3 kg	6.6 lb				
Pendant lamp	Ø 120	14 kg	30.83 lb	icaro indoor / outdoor				Pendant-ceiling lamp	Ø 80	6 kg	13.20 lb				
Pendant lamp	Ø 150	20 kg	44.05 lb	Pendant lamp	Ø 22	2,5 kg	6.60 lb	Pendant-ceiling lamp	Ø 100	10 kg	22.00 lb				
Circus				Pendant lamp	Ø 50	6 kg	13.21 lb	Orb							
Pendant lamp	Ø 70	4 kg	8.81 lb	Pendant lamp	Ø 60	10 kg	22.03 lb	Pendant lamp (PMMA)	Ø 25	2 kg	4.41 lb				
Pendant lamp	Ø 100	9 kg	19.82 lb	Pendant lamp	Ø 75	15 kg	33.04 lb	Pendant lamp (PMMA)	Ø 40	3,5 kg	7.72 lb				
Pendant lamp	Ø 120	17 kg	37.44 lb	Pendant lamp	Ø 90	25 kg	55.06 lb	Pendant lamp (glass)	Ø 25	3 kg	6.62 lb				
Pendant lamp	Ø 150	30 kg	66.08 lb	Idea				Pendant lamp (glass)	Ø 40	6 kg	13.24 lb				
Clip				Pendant - ceiling lamp	Ø 66	10 kg	22.02 lb	Ottovolante							
Pendant lamp	L 130	5 kg	11.03 lb	Pendant - ceiling lamp	Ø 80	15 kg	33.04 lb	Pendant-ceiling lamp	L 100	8 kg	17.66 lb				
Pendant lamp	L 170	8 kg	17.66 lb	Pendant - ceiling lamp	Ø 100	18 kg	39.65 lb	Pendant-ceiling lamp	L 150	11 kg	24.23 lb				
Idea composition				Pendant - ceiling lamp	Ø 140	25 kg	55.06 lb	Peggy							
Pendant - ceiling lamp	Ø 180	30 kg	66.14 lb	Idea composition				Pendant - ceiling lamp	Ø 60	6 kg	13.25 lb				
				Pendant - ceiling lamp				Pendant - ceiling lamp	Ø 80	8,5 kg	18.76 lb				
								Pendant - ceiling lamp	Ø 100	12 kg	26.49 lb				

	Eva 11 Loto 16 Rettangolo 90 / 120 / 150 / 300 Rettangolo Slim 100 / 150
	ABC Baobab Chandelier Eva 18 Florinda Desnuda 1 Hammer 15 / 18 Lucilla Tonda Ottovolante Rettangolo Rettangolo Slim
	Atollo 70 / 100 / 150 (3-4 steel cables) Cilindro 150 Idea composition Milleluci 150 Ottovolante (LED) Rettangolo Slim (LED)
	Atollo 70 / 100 (1 steel cable) Bolla 40 / 50 / 60 Campanone indoor / outdoor Cilindro 60 / 70 Circus 70 / 100 / 120 Cocò 60 / 80 / 100 Discovolante 40 / 60 / 80 / 100 Ellisse 60 / 80 Florinda 1 / 3 / 6 Florinda Desnuda 3 / 6 Icaro 22 / 50 / 75 Icaro Ball 50 / 60 / 75 Lost 25 / 40 Loto 43 / 60 / 80 Milleluci 40 / 80 Mood Desnuda Olivia 43 / 60 Orb 25 Romeo 25 / 40 / 70 Peggy 60 / 80 / 100
	Cilindro 100 / 120 Eva 27 Eva 38 Loto 100 / 140 Milleluci 100 / 120
	Hammer 15 / 18 / 30 (LED-dim) Nucleo 130

	Nucleo 160 Orb 25 / 40 (2 globes)
	LED lamps Alco Cilindro Circus Cocò Discovolante Idea Loto Milleluci Olivia Ombrella Orb 25 (dim) Orb 40 Peggy
	E27 + LED lamps Atollo 150 Florinda 12 Florinda Desnuda 12
	Chandelier Longue
	Icaro 100 Icaro Ball 90 Mood Reverse Ring Ring Tonda
	Multiball
	Charlie

	Clip Righello
	Chandelier Longue (ceiling lamp)
	Chandelier (ceiling lamp)
	Ombrella (ceiling lamp) Peggy 60 LED (ceiling lamp) Peggy 80 / 100 (ceiling lamp)
	Peggy 60 (ceiling lamp)
	Lateral ceiling attachment A
	B
	C

GENERAL SALES TERMS

Price list
Vat excluded

LIGHT BULBS

Modo Luce products equipped with GU10, E14 and E27 sockets are delivered without light bulbs.

PACKAGING

Packaging costs are already included on the product price. Goods are packed in carton boxes.

RULES

The products manufactured by Modo Luce comply with the European Standards and are CE-marked.

CODES

Only art. numbers/ codes listed in our price list are valid.

NOTES

1 The cotton fabric used by Modo Luce can be available fireproof, in compliance with CL1 rules, **on demand and with 3% surcharge**, ONLY for the ivory 300, white 301 and sand 302 colours. For orders, when/ if this regulation will be enforced and only on request, Modo Luce will provide to enclose, as post note in the invoice, the conformity declaration. The cotton fabric complies with Glow-Wire Test 650°.

2 The pleated fabric used by Modo Luce for the standard production is fireproof in compliance with CL1 rules. For orders, when/ if this regulation will be enforced and only on

MISCELLANEOUS

Orders shall be rated as accepted only upon Modo Luce's approval. Delivery times are subject to stock availability and deliveries can be divided. Modo luce reserves the right to make any technical and aesthetical changes to models, without prior notice. Any legal matters shall be submitted to the exclusive jurisdiction of the law court of Treviso.

COMPLAINTS AND RETURNS OF GOODS

Modo luce accepts complaints only for damaged, defective or incorrect goods. Modo Luce does not accept claims after 4 days from receipt of goods. Modo Luce's previous written authorization is required before returning any goods. The previously permitted renders must be sent free destined to our warehouse. Modo Luce cannot accept any responsibility for defects with are result of any eventual misuse and negligence.

request, Modo Luce will provide to enclose, as post note in the invoice, the conformity declaration. The pleated fabric complies with Glow-Wire Test 650° by request. The pleated ribbon fabric can be available fireproof, in compliance with the CL1 rules, on demand and **with surcharge**, for quantity to be defined.

3 Modo Luce can also produce lampshades with Customer cotton fabric, **with 5% surcharge**.

4 The lycra-covers used by Modo Luce are fireproof in compliance with CL1 rules. They are removable and washable in water at max 30° and mild soap.

TRANSPORT

Goods are delivered ex-factory/ ex-works (Vazzola - Treviso - Italy) Goods travel at customer's own risk and danger. Customer has to verify the packaging conditions, cartons numbers and all the shipping details before accept the goods.

In every case, customer must accept the goods by writing in the document of transport of the forwarder "accepted with checking reserve" and inspect goods immediately/ within 4 days after the receipt. The transporter is responsible of lacks or damages, that can't be attributed to Modo Luce.

5 Seams of the fabric covers of models: ALCO, CIRCUS, PEGGY, RIGHELLO, RING and RING TONDA are handmade and may present some little imperfections, characteristics of a handcrafted production.

6 Diffusers of model Eva and base of model Aura and Baobab are handmade and may present some little imperfections, characteristics of a handcrafted production.

WARRANTY

Modo Luce warrants its products to be free from defects in workmanship. This warranty is exclusively applicable to the party who have purchased the product directly from Modo Luce. The warranty runs from the date of the invoice with which the product was acquired from Modo Luce and ends after 24 months. Uses of the warranty must be notified and sent to Modo Luce office within 60 days from discovering the defect, specifying the following information:
- date and number of invoice
- detailed description of problem and quantity of defective product/s
- photographs or video of the defect

7 Globes and lamp diffusers and details in PMMA or PC are injection moulding, some little imperfections of the products are dues to this type of processing. They must be clean only with a soft cloth (ex. microfibre) using neutral detergent and water or cleanig spray without aggressive solvents as: alcohol, solvent and trichloroethylene.

8 The products made in rotomoulded polyethylene can have some little imperfections to be accepted as technical characteristic of this type of processing.

During this warranty period Modo Luce will repair, replace or supply spare parts, at its discretion. This warranty does NOT apply to damages resulting from: transport, accident, alteration, tempering, misuse, incorrect installation or improper use, incorrect storage, negligence or abuse, natural events. This warranty does NOT apply to consumable parts or elements subject to normal wear and tear, as batteries, light sources etc.

9 The technical characteristic of the materials used by Modo Luce and the samples colours are purely indicative, being not able to guarantee either the constancy or the colour's shade from a batch to another.

10 The products **ETL wired and certified** are available with a **10% surcharge**. The products wired with ETL certified components (it means **in compliance with but NOT ETL certified**) will have anyway the same **10% surcharge**.

Tutti i nostri prodotti sono realizzati completamente in Italia.
Modo Luce is made in Italy.

Modo Luce S.r.l.

Tutti i diritti riservati.

Il logo Modo Luce è un marchio regolarmente depositato in ambito nazionale ed internazionale di esclusiva titolarità e proprietà di Modo Luce S.r.l. L'uso di tale logo per scopi commerciali, senza il precedente consenso scritto di Modo Luce S.r.l. può costituire violazione del marchio e concorrenza sleale in violazione alle leggi statali.

Il presente listino è tutelato dalla legge sui diritti d'autore (legge 22/41941 N. 633) e dalla legge 14/12/1942 n. 1485: di esso è proibita ogni riproduzione totale o anche parziale.

I dati riportati su questo listino sono indicativi e non costituiscono impegno da parte della Modo Luce Srl, che si riserva di apportare tutte le modifiche e migliorie ai propri prodotti, in osservanza della normativa CE senza obbligo di preavviso.

In particolare la costante evoluzione e i continui cambiamenti della tecnologia LED influenzano anche i nostri prodotti. Modo Luce è alla continua ricerca nell'individuare le soluzioni tecniche più aggiornate per migliorare la qualità della luce e l'efficienza energetica. Di conseguenza i dati riportati nel presente listino possono subire variazioni. Vi consigliamo di consultare il nostro sito internet modoluce.com che sarà costantemente aggiornato con i dati tecnici.

La marcatura CE indica che il prodotto soddisfa gli obblighi di legge in merito alle Direttive Comunitarie Europee applicabili allo stesso.

I colori dei prodotti possono variare rispetto a quanto rappresentato nel listino e da lotto a lotto.

All products are entirely made in Italy.
Modo Luce is made in Italy.

Modo Luce S.r.l.

All rights reserved.

The logo Modo Luce is a regularly registered trademark in the national and international context and is the exclusive property of Modo Luce S.r.l. Use of said logo for commercial purposes, without the written permission of Modo Luce S.r.l., can constitute infringement of trademark and unfair competition in branch of the state laws.

This price list is safeguarded by the law on copyright (law 22/41941 no. 633) and by the law 14/12/1942 no. 1485: all total or even partial reproductions of the price list are forbidden.

Data contained in this price list is purely indicative and does not engage Modo Luce Srl, in any way or any form. Modo luce reserves the right to make any technical and aesthetical changes to models without prior notice, in compliance with the European standard.

The constant evolution and the continuous changes of the LED technology influence our products in a particular way. Modo Luce is always trying to identify the most up-to-date technical solutions in order to improve light quality and energy efficiency. Consequently, the datasheet shown in this price list may undergo variations. We advise you therefore to consult our website modoluce.com provided with the regularly updated technical data.

The CE mark is your assurance that the product meets all the requirements prescribed by law, as contained in the European Community directives which apply to the products.

Product colours can differ from what is shown in the price list and from batch to batch.